



US00D912155S

(12) **United States Design Patent**
Yang

(10) **Patent No.:** **US D912,155 S**

(45) **Date of Patent:** **** Mar. 2, 2021**

(54) **GAME CONTROLLER**

(71) Applicant: **Yumei Yang**, Shenzhen (CN)

(72) Inventor: **Yumei Yang**, Shenzhen (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/740,423**

(22) Filed: **Jul. 3, 2020**

(51) **LOC (13) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/333**

(58) **Field of Classification Search**

USPC D21/324, 332–337, 566, 572–574, 328;
D14/217, 218, 356, 387, 388, 389, 400,
D14/401, 415, 418, 426–431, 443, 447,
D14/449, 450, 454, 455, 471, 474, 483,
D14/496, 511; D13/164, 168
CPC A63F 13/00; A63F 13/98; A63F 13/24;
A63F 9/0291; A63F 9/00; A63F 9/02;
A63F 9/24; A63F 2300/00; A63F
2300/1031

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D400,617 S *	11/1998	Tsai	D21/330
D422,317 S *	4/2000	Smith	D21/330
D453,536 S *	2/2002	Ota	D21/329
D493,495 S *	7/2004	Avery	D21/330
D646,726 S *	10/2011	Avery	D21/329
D702,684 S *	4/2014	Huang	D14/401
D702,770 S *	4/2014	Burris	D21/329
D710,945 S *	8/2014	Biheller	D21/333
D711,878 S *	8/2014	Bellinghausen	D14/401
D712,970 S *	9/2014	Biheller	D21/330
D713,467 S *	9/2014	Sawhney	D21/333
D723,032 S *	2/2015	Schoenith	D14/401
D726,726 S *	4/2015	Bellinghausen	D14/401
D735,721 S *	8/2015	Mar	D14/401

D736,859 S *	8/2015	Joynes	D21/333
D740,288 S *	10/2015	O'Donnell, Sr.	D14/401
D754,128 S *	4/2016	Bellinghausen	D14/401
D766,902 S *	9/2016	Bellinghausen	D14/401
D767,682 S *	9/2016	Bellinghausen	D21/333
D801,893 S *	11/2017	Simoens	D12/174
D803,837 S *	11/2017	Kumar	D14/401
D839,968 S *	2/2019	Kim	D21/566
D870,207 S *	12/2019	Ali	D21/333
D875,180 S	2/2020	Wang		
D875,835 S	2/2020	Yamamoto		
D885,387 S *	5/2020	Hu	D14/401
D888,157 S *	6/2020	Wei	D21/331
D892,115 S *	8/2020	Gan	D14/401
2002/0195771 A1 *	12/2002	Ku	A63F 13/02 273/148 B

(Continued)

Primary Examiner — Sandra Snapp
Assistant Examiner — Mehri Bajoul



(57) **CLAIM**

The ornamental design for a game controller, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a game controller in closed state, showing my new design; FIG. 2 is a rear perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a front perspective view of the game controller where the game controller is in an opened state; and, FIG. 10 is an exploded perspective view of the game controller. The broken lines in the drawings depict portions of the game controller that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2018/0178118 A1* 6/2018 Kyuma A63F 13/235
2018/0250588 A1* 9/2018 Winick A63F 13/25
2020/0155928 A1* 5/2020 Guo A63F 13/24

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10