

US00D912157S

(12)

United States Design Patent

Hama et al.

(10) Patent No.: US D912,157 S

(45) Date of Patent: \*\* Mar. 2, 2021

(54) PLAYING SURFACE FOR SPINNING TOP TOY

(71) Applicant: TOMY COMPANY, LTD., Tokyo (JP)

(72) Inventors: Hiroyuki Hama, Tokyo (JP); Douglas Arthur Schultheis, Cumberland, RI (US)

(73) Assignee: TOMY COMPANY, LTD., Tokyo (JP)

(\*\*) Term: 15 Years

(21) Appl. No.: 29/721,113

(22) Filed: Jan. 17, 2020

(51) LOC (13) Cl. 21-01

(52) U.S. Cl. USPC D21/338; D21/461

(58) Field of Classification Search USPC D21/334, 336-342, 355-359, 365, 318, D21/397, 312, 314, 320, 362, 366, 367, D21/385, 455, 456, 460, 461, 484, D21/491-501, 561, 564; 273/242, 273/244-247, 259, 277, 287, 317.3, 273/108.1, 108.5, 118 D, 236-240, 283, 273/309, 441, 461, 108.2, 108.3, 113, 273/115, 116, 241, 280, 282.1, 282.2, 273/282.3, 289, 148 R, 440, 444, 450, 273/453, 459, 109, 110, 108, 456, 443; D6/406.1, 406.3, 406.4, 406.6; D19/86, D19/92, 95, 87, 113, 75, 77, 78, 80; 108/14, 62, 43, 67; 434/416, 247, 248, 434/251, 408, 413, 145, 430; 446/82, 446/168, 236, 256, 257, 259, 262, 263, 446/491, 233; D7/538-550.1, 552.2, D7/553.1-553.8, 554.1-554.4, 558, D7/584-588, 601, 602, 359, 354, 356; D9/737, 756, 758-761, 414, 424-433, D9/456, 499; D30/121, 129-133; D11/143, 144, 152, 153, 155, 156, 164; 47/65, 65.5, 65.6, 66.7, 71, 73-75, 39; 473/569, 570; 463/69


CPC .... A63F 3/00; A63F 3/00003; A63F 3/00028; A63F 3/00041; A63F 3/00044; A63F 3/00047; A63F 3/00173; A63F 3/00176; A63F 3/00214; A63F 3/00261; A63F 3/00643; A63F 3/00646-00659; A63F 3/04; A63F 2003/00182; A63F 3/00223; A63F 3/00457; A63F 3/0046; A63F 3/00463; A63F 3/00466; A63F 3/0047; A63F 3/00485; A63F 3/00492; A63F 3/00507; A63F 3/00514; A63F 3/00533; A63F 3/00552; A63F 3/00558; A63F 3/00943; A63F 3/00946; A63F 3/00952-00962; A63F 2003/00974; A63F 7/00; A63F 7/06; A63F 7/0612; A63F 7/0604; A63F 7/0616-0636; A63F 7/30; A63F 7/36; A63F 7/0005; A63F 7/0023; A63F 2007/0035; A63F 2007/367; A63F 2007/3674; A63F 9/00; A63F 9/16; A63F 9/02; A63F 2009/165; A63H 1/00; A63H 1/02; A63H 1/04; A63H 1/10

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

|           |     |         |               |              |
|-----------|-----|---------|---------------|--------------|
| 581,365   | A * | 4/1897  | Parker        | A63F 7/044   |
|           |     |         |               | 273/113      |
| 845,811   | A * | 3/1907  | Osgood        | A63F 9/16    |
|           |     |         |               | 273/108      |
| 2,083,119 | A * | 6/1937  | Hense         | A63F 5/02    |
|           |     |         |               | 273/119 R    |
| 2,433,995 | A * | 1/1948  | Kevers        | A63F 7/0058  |
|           |     |         |               | 273/119 A    |
| 2,517,324 | A * | 8/1950  | Kurose        | A63F 9/14    |
|           |     |         |               | 463/69       |
| 2,796,211 | A * | 6/1957  | Wagner        | A24F 19/0028 |
|           |     |         |               | 229/104      |
| 3,208,185 | A * | 9/1965  | Silvera       | A63F 7/386   |
|           |     |         |               | 446/137      |
| D209,410  | S * | 11/1967 | Grant         | D21/374      |
| D222,492  | S * | 10/1971 | Miller et al. | D21/456      |
| 3,643,951 | A * | 2/1972  | Breslow       | A63F 7/02    |
|           |     |         |               | 273/108      |
| 3,643,954 | A * | 2/1972  | Meyer         | A63F 9/02    |
|           |     |         |               | 273/119 A    |
| 3,674,271 | A * | 7/1972  | De Gelder     | A63H 1/00    |
|           |     |         |               | 273/115      |



# US D912,157 S

Page 2

3,712,619 A \* 1/1973 Goldfarb ..... A63F 9/16  
273/108  
3,815,911 A \* 6/1974 Cooper ..... A63F 9/16  
463/69  
D246,197 S \* 10/1977 Iwanami ..... D21/590  
D246,609 S \* 12/1977 Kanno ..... D21/312  
4,061,334 A \* 12/1977 Kanno ..... A63F 9/02  
273/126 A  
4,076,245 A \* 2/1978 Monroe ..... A63F 9/14  
446/444  
4,200,283 A \* 4/1980 Andrews ..... A63F 9/16  
273/108  
D256,308 S \* 8/1980 Zimmermann ..... D11/143  
4,292,756 A \* 10/1981 Jaworski ..... A63H 1/00  
446/246  
4,332,385 A \* 6/1982 McCaslin ..... A63F 7/041  
273/113  
4,630,822 A \* 12/1986 Massaglia ..... A63F 9/16  
273/118 A  
4,648,602 A \* 3/1987 Maroney ..... A63F 9/0402  
273/146  
D303,231 S \* 9/1989 Mottmiller ..... D11/143  
4,982,961 A \* 1/1991 Ichimura ..... A63F 9/16  
273/109  
D345,437 S \* 3/1994 Bruno ..... D27/105  
5,342,064 A \* 8/1994 Williamson ..... A63F 9/30  
273/447  
5,415,401 A \* 5/1995 Nagasaka ..... A63F 7/027  
273/109  
5,516,112 A \* 5/1996 Rypinski ..... A63F 9/0402  
273/287  
5,782,351 A \* 7/1998 Shoptaugh ..... B65D 51/249  
206/315.1  
6,032,827 A \* 3/2000 Zettle ..... B65D 43/0212  
220/788  
6,485,017 B1 \* 11/2002 Ng ..... A63F 9/0078  
273/108  
6,905,389 B2 \* 6/2005 Matsukawa ..... A63F 9/16  
446/256  
D563,102 S \* 3/2008 Cornwell ..... D3/294  
D563,671 S \* 3/2008 Cornwell ..... D3/294  
D606,125 S \* 12/2009 Ujita ..... D21/397  
D606,126 S \* 12/2009 Ujita ..... D21/397  
D644,559 S \* 9/2011 Hashimoto ..... D11/143  
8,210,895 B2 \* 7/2012 Bertrand ..... A63H 1/02  
446/259  
8,556,676 B2 \* 10/2013 Bertrand ..... A63F 9/16  
446/259  
D715,623 S \* 10/2014 Holtby ..... D8/356  
9,566,532 B1 \* 2/2017 Walterscheid ..... A63H 15/04  
D795,695 S \* 8/2017 Snedden ..... D9/456  
D806,801 S \* 1/2018 Shindo ..... D21/338  
D811,487 S \* 2/2018 Shindo ..... D21/338  
9,901,811 B2 \* 2/2018 Shindo ..... A63F 9/16  
9,962,615 B2 \* 5/2018 Lema ..... A63F 13/213  
D834,651 S \* 11/2018 Schultheis ..... D21/338  
D838,316 S \* 1/2019 Shindo ..... D21/461  
D859,531 S \* 9/2019 Matsukawa ..... D21/338  
D869,560 S \* 12/2019 Schultheis ..... D21/338  
D883,389 S \* 5/2020 Schultheis ..... D21/338  
D884,078 S \* 5/2020 Hama ..... D21/338  
D884,797 S \* 5/2020 Schultheis ..... D21/338  
D886,903 S \* 6/2020 Ishii ..... D21/338  
10,702,767 B2 \* 7/2020 Campos ..... A63F 9/16  
2003/0064660 A1 \* 4/2003 Matsukawa ..... A63F 9/16  
446/256  
2003/0199222 A1 \* 10/2003 Matsukawa ..... A63H 30/04  
446/256  
2007/0021029 A1 \* 1/2007 Weidetz ..... A63H 1/04  
446/256  
2007/0216090 A1 \* 9/2007 Brown ..... A63H 1/00  
273/108  
2008/0242184 A1 \* 10/2008 Divnick ..... A63F 7/2409  
446/11  
2009/0188511 A1 \* 7/2009 Wu ..... A24F 19/14  
131/231

2009/0253343 A1 \* 10/2009 Kitamura ..... A63F 9/16  
446/256  
2009/0253349 A1 \* 10/2009 Iwakoshi ..... A63H 18/14  
446/429  
2010/0051040 A1 \* 3/2010 Bathey ..... A24F 19/14  
131/235.1  
2010/0159798 A1 \* 6/2010 Bertrand ..... A63H 1/02  
446/259  
2010/0320682 A1 \* 12/2010 Derrah ..... A63F 9/14  
273/108.1  
2011/0171876 A1 \* 7/2011 Ujita ..... A63H 1/00  
446/264  
2011/0189921 A1 \* 8/2011 Andersen ..... A63H 33/22  
446/242  
2011/0256794 A1 \* 10/2011 Horikoshi ..... A63H 1/04  
446/259  
2011/0256796 A1 \* 10/2011 Ujita ..... A63H 1/00  
446/264  
2013/0056929 A1 \* 3/2013 Rehkemper ..... A63H 17/004  
273/129 R  
2016/0030848 A1 \* 2/2016 Lema ..... A63F 13/73  
463/9  
2016/0375354 A1 \* 12/2016 Francis ..... A63F 9/16  
463/16  
2017/0239558 A1 \* 8/2017 Shindo ..... A63F 9/16  
2017/0333783 A1 \* 11/2017 Shindo ..... A63H 1/00  
2019/0184278 A1 \* 6/2019 Campos ..... A63H 1/04  
2020/0139224 A1 \* 5/2020 Schultheis ..... A63H 1/00

## OTHER PUBLICATIONS

Hasbro Beyblade Burst Turbo Slingshock Collision Battle Set  
<https://beyblade.hasbro.com/en-us/product/beyblade-burst-turbo-slingshock-cross-collision-battle-set:09A75707-141E-4EAC-8C7C-B279D6E81F53> (Year: 2019).\*

\* cited by examiner

*Primary Examiner* — Susan Moon Lee  
(74) *Attorney, Agent, or Firm* — Oliff PLC

## (57) CLAIM

The ornamental design for a playing surface for spinning top toy, as shown and described.

## DESCRIPTION

FIG. 1 is a front view of the playing surface for spinning top toy;  
FIG. 2 is a left-side view thereof; and  
FIG. 3 is a rear view thereof;  
FIG. 4 is a right-side view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a front, left-side, top perspective view thereof;  
FIG. 8 is a rear, right-side, bottom perspective view thereof;  
FIG. 9 is a front, left-side, top disassembled perspective view, showing the playing surface separated into a hook, two upper fasteners, four lower fasteners, two screws, two covers, two bases, and two legs;  
FIG. 10 is a rear, right-side, bottom disassembled perspective view showing the playing surface separated into the hook, the two upper fasteners, the four lower fasteners, the two screws, the two covers, the two bases, and the two legs;  
FIG. 11 is a cross-sectional view taken along line 11-11 in FIG. 5;  
FIG. 12 is a cross-sectional view taken along line 12-12 in FIG. 5;

FIG. 13 is a cross-sectional view taken along line 13-13 in FIG. 5;  
FIG. 14 is a cross-sectional view taken along line 14-14 in FIG. 5;  
FIG. 15 is a perspective view of the hook;  
FIG. 16 is another perspective view of the hook;  
FIG. 17 is a perspective view of one of the upper fasteners;  
FIG. 18 is another perspective view of one of the upper fasteners;  
FIG. 19 is a perspective view of one of the lower fasteners;  
FIG. 20 is another perspective view of one of the lower fasteners;  
FIG. 21 is a perspective view of one of the screws;  
FIG. 22 is another perspective view of one of the screws;  
FIG. 23 is a perspective view of one of the legs; and,  
FIG. 24 is another perspective view of one of the legs.

**1 Claim, 16 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3





FIG. 4






FIG. 6




FIG. 7




FIG. 8




FIG. 9






FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24