



US00D912516S

(12) **United States Design Patent**  
**Sterling et al.**

(10) **Patent No.: US D912,516 S**  
(45) **Date of Patent: \*\* Mar. 9, 2021**

(54) **DUAL NECK TAP CONTAINER**

**DESCRIPTION**

(71) Applicant: **Henkel IP & Holding GmbH**,  
Duesseldorf (DE)  
(72) Inventors: **Daniel Peter Sterling**, Fairfield, CT  
(US); **Ryan Joesph Boudreaux**,  
Yorktown Heights, NY (US); **Trond**  
**Erik Tollefsen**, Stamford, CT (US)  
(73) Assignee: **Henkel IP & Holding GmbH**,  
Duesseldorf (DE)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/674,061**  
(22) Filed: **Dec. 19, 2018**  
(51) **LOC (13) Cl.** ..... **09-01**  
(52) **U.S. Cl.**  
USPC ..... **D9/524; D9/528; D9/563**  
(58) **Field of Classification Search**  
USPC ..... **D9/516, 520, 523, 524, 528, 530, 531,**  
**D9/533-536, 542, 543, 547, 563-565,**  
**D9/569, 552, 566, 570-575**

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D279,078 S \* 6/1985 Franchi ..... D9/528  
4,889,255 A \* 12/1989 Schiemann ..... B65D 1/04  
D9/524

(Continued)

**FOREIGN PATENT DOCUMENTS**

KR 3020180013143 \* 11/2018

*Primary Examiner* — Brett Miller

*Assistant Examiner* — Rani J Abdallah


(74) *Attorney, Agent, or Firm* — Bojuan Deng

(57) **CLAIM**

The ornamental design for dual neck tap container, as shown and described.

FIG. 1 is a front perspective view of a dual neck tap container according to a first embodiment of the new design; FIG. 2 is a front side elevation view of the first embodiment; FIG. 3 is a rear side elevation view of the first embodiment; FIG. 4 is a right side elevation view of the first embodiment; FIG. 5 is a left side elevation view of the first embodiment; FIG. 6 is a top plan view of the first embodiment; FIG. 7 is a bottom plan view of the first embodiment; FIG. 8 is a front perspective view of a dual neck tap container according to a second embodiment of the new design; FIG. 9 is a front side elevation view of the second embodiment; FIG. 10 is a rear side elevation view of the second embodiment; FIG. 11 is a right side elevation view of the second embodiment; FIG. 12 is a left side elevation view of the second embodiment; FIG. 13 is a top plan view of the second embodiment; FIG. 14 is a bottom plan view of the second embodiment; FIG. 15 is a front perspective view of a dual neck tap container according to a third embodiment of the new design; FIG. 16 is a front side elevation view of the third embodiment; FIG. 17 is a rear side elevation view of the third embodiment; FIG. 18 is a right side elevation view of the third embodiment; FIG. 19 is a left side elevation view of the third embodiment; FIG. 20 is a top plan view of the third embodiment; and, FIG. 21 is a bottom plan view of the third embodiment. The broken lines are included for the purpose of illustrating the portions of the dual neck tap container that form no part of the claimed design.

**1 Claim, 21 Drawing Sheets**



(58) **Field of Classification Search**  
 CPC ..... B29L 2031/7158; B05B 11/3057; B29C  
 49/06; B65D 1/0223; B65D 41/26; B65D  
 1/0292; B65D 1/18; B65D 23/00; B65D  
 25/00; B65D 51/1688; B65D 25/42;  
 B67D 3/043  
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D451,397 S \* 12/2001 Gerhart ..... D9/531  
 D454,069 S \* 3/2002 Guislain ..... D9/528  
 D470,054 S \* 2/2003 Gerhart ..... D9/528  
 D475,297 S \* 6/2003 Drabek ..... D9/524  
 6,631,744 B1 \* 10/2003 Gerhart ..... B65D 1/18  
 141/22  
 D500,680 S \* 1/2005 Angeletta ..... D9/528  
 D521,870 S \* 5/2006 Miller ..... D9/528  
 D543,855 S \* 6/2007 Cardinal ..... D9/528

D550,090 S \* 9/2007 Meeker ..... D9/528  
 7,357,266 B2 \* 4/2008 Giblin ..... B65D 25/42  
 215/261  
 D608,206 S \* 1/2010 Kopulos ..... D9/524  
 D613,169 S \* 4/2010 Lee ..... D9/516  
 D627,231 S \* 11/2010 Lee ..... D9/524  
 D643,297 S \* 8/2011 Lee ..... D9/524  
 D650,685 S \* 12/2011 Weaver ..... D9/524  
 D658,499 S \* 5/2012 Wycoff ..... D9/528  
 D842,113 S \* 3/2019 Sterling ..... D9/524  
 D850,270 S \* 6/2019 Berlepsch ..... D9/524  
 D851,491 S \* 6/2019 Sterling ..... D9/524  
 D873,143 S \* 1/2020 Berlepsch ..... D9/516  
 D876,961 S \* 3/2020 Fletcher ..... D9/524  
 D880,313 S \* 4/2020 Fletcher ..... D9/524  
 D887,275 S \* 6/2020 Bertram ..... D9/524  
 D891,255 S \* 7/2020 Berlepsch ..... D9/516  
 D891,257 S \* 7/2020 Sterling ..... D9/528  
 D896,087 S \* 9/2020 Kurri ..... D9/520  
 2006/0138180 A1 \* 6/2006 Giblin ..... B65D 41/26  
 222/570

\* cited by examiner




FIG.1




FIG.2






FIG.3




FIG.4




FIG. 5




FIG.6






FIG.7




FIG.8




FIG.9




FIG.10




FIG.11






FIG.12




FIG.13




FIG.14




FIG.15




FIG.16






FIG.17




FIG.18




FIG.19




FIG.20




FIG.21