

US00D912630S

(12) **United States Design Patent** (10) **Patent No.:** **US D912,630 S**
Roberts (45) **Date of Patent:** **** Mar. 9, 2021**

(54) **USB CABLE**
(71) Applicant: **James Roberts**, St Martin (JE)
(72) Inventor: **James Roberts**, St Martin (JE)
(73) Assignee: **Flashbay Electronics Hong Kong Limited**, Hong Kong (HK)
(**) Term: **15 Years**
(21) Appl. No.: **29/669,588**
(22) Filed: **Nov. 9, 2018**
(51) **LOC (13) Cl.** **13-03**
(52) **U.S. Cl.**
USPC **D13/153**
(58) **Field of Classification Search**
USPC D13/153, 147, 108, 154, 133, 117;
D14/433, 358, 480.6; D9/721
CPC H01R 13/6275
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D548,700 S * 8/2007 Ledbetter D13/147
D621,362 S * 8/2010 Huang D13/147
D636,337 S * 4/2011 Smith D13/147
D673,908 S * 1/2013 Koch D13/108
D705,178 S * 5/2014 Olsson D13/153
D709,385 S * 7/2014 Vural D9/721
D727,907 S * 4/2015 Higashi D14/433
D731,488 S * 6/2015 Lee D14/433
D743,965 S * 11/2015 Laffon de Mazieres D14/433
D747,273 S * 1/2016 Langhammer D13/147
D760,720 S * 7/2016 Laffon de Mazieres D14/433
D761,262 S * 7/2016 Solomon D14/433
D770,974 S * 11/2016 Dentzel D13/108
D785,633 S * 5/2017 Komuro D14/433
D793,344 S * 8/2017 Wang D13/153

D795,816 S * 8/2017 He D13/153
D797,679 S * 9/2017 Chang D13/153
D798,825 S * 10/2017 Hahn D13/153
D817,889 S * 5/2018 Akana D13/147
D823,812 S * 7/2018 Hsieh D13/153
D857,013 S * 8/2019 Dabrowska D14/358
D863,320 S * 10/2019 Roberts D14/480.6
D864,861 S * 10/2019 Roberts D13/108
D889,472 S * 7/2020 Laine D14/433
D892,749 S * 8/2020 Ferraris D13/153
2007/0293079 A1* 12/2007 Chao H01R 13/6275
439/352

* cited by examiner

Primary Examiner — Rhea Shields

(57) **CLAIM**

The ornamental design for a USB cable, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the USB cable in an open configuration, the bottom being a mirror image thereof.
FIG. 2 is a right side view the USB cable in an open configuration, the left being a mirror image thereof.
FIG. 3 is a front view of the USB cable in an open configuration.
FIG. 4 is a rear view of the USB cable in an open configuration.
FIG. 5 is a top, front, right perspective of the USB cable in an open configuration.
FIG. 6 is a right side view of the USB cable in a closed configuration, the left being a mirror image thereof; and,
FIG. 7 is a top, front, right perspective of the USB cable in a closed configuration.
In the drawings, the broken lines are for the purpose of illustrating portions of the USB cable that form no part of the claimed design.

1 Claim, 2 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

