



US00D913001S

(12) **United States Design Patent** (10) **Patent No.:** **US D913,001 S**
Bekas (45) **Date of Patent:** **** Mar. 16, 2021**

(54) **VEHICLE SEAT**

(71) Applicant: **Jaguar Land Rover Limited**, Coventry (GB)

(72) Inventor: **Mariusz Bekas**, Coventry (GB)

(73) Assignee: **Jaguar Land Rover Limited**, Coventry (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/754,033**

(22) Filed: **Oct. 6, 2020**

Related U.S. Application Data

(62) Division of application No. 29/708,452, filed on Oct. 7, 2019, now Pat. No. Des. 897,702, which is a division of application No. 29/679,360, filed on Feb. 5, 2019, now Pat. No. Des. 867,003, which is a division of application No. 29/629,190, filed on Dec. 12, 2017, now Pat. No. Des. 841,351.

(30) **Foreign Application Priority Data**

Jun. 15, 2017 (EM) 004048874

(51) **LOC (13) Cl.** **06-01**

(52) **U.S. Cl.**
USPC **D6/356**

(58) **Field of Classification Search**
USPC D6/334, 356, 360, 366, 369, 370, 374,
D6/376, 716, 716.1, 716.2, 716.3, 716.4,
D6/716.5, 716.7, 335, 342, 364, 375;
D21/521

CPC B60N 2/0296; B60N 2/00; B60N 2/22;
B60N 2/58; B60N 2/66; B60N 2/64;
B60N 2/70; B60N 2/289; B60N 2/646;
B60N 2/688; B60N 2/2893; B60R 22/00;
B60R 22/26

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D442,376 S *	5/2001	Norman	D6/356
D465,344 S *	11/2002	Siegert	D6/356
D506,084 S *	6/2005	Beermann	D6/356
D541,542 S *	5/2007	Yokoyama	D6/356
7,942,479 B2 *	5/2011	Crainic	B60N 2/235 297/354.12
D771,398 S *	11/2016	Buffery	D6/356
D824,184 S *	7/2018	Willis	D6/356
D837,549 S *	1/2019	Buffery	D6/356
D839,012 S *	1/2019	Hodder	D6/356
D841,351 S *	2/2019	Bekas	D6/356
D843,746 S *	3/2019	Bekas	D6/356
D867,003 S *	11/2019	Bekas	D6/356
D876,851 S *	3/2020	Buffery	D6/356

(Continued)

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Paul D Bohannon

(74) *Attorney, Agent, or Firm* — Wood Herron & Evans LLP

(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of a vehicle seat according to the present invention.

FIG. 2 is a front left perspective view of the seat shown in FIG. 1.

FIG. 3 is a rear left perspective view thereof.

FIG. 4 is a rear right perspective view thereof.

FIG. 5 is a front view thereof.


FIG. 6 is a rear view thereof.

FIG. 7 is a left side view thereof.

FIG. 8 is a right side view thereof; and,

FIG. 9 is a top view thereof.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D887,737 S * 6/2020 Tomasson D6/356
D897,702 S * 10/2020 Bekas D6/356

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8



FIG. 9