



US00D913076S

(12) **United States Design Patent**  
**Lu et al.**

(10) **Patent No.: US D913,076 S**  
(45) **Date of Patent: \*\* Mar. 16, 2021**

- (54) **HANDLE FOR POWER SUPPLY**
- (71) Applicant: **3Y POWER TECHNOLOGY (TAIWAN), INC.**, Taoyuan (TW)
- (72) Inventors: **Shao-Feng Lu**, Taoyuan (TW);  
**Yi-Chen Kuan**, Taoyuan (TW);  
**Yi-Liang Wu**, Taoyuan (TW);  
**Chien-Sheng Lee**, Taoyuan (TW)
- (73) Assignee: **3Y POWER TECHNOLOGY (TAIWAN), INC.**, Taoyuan (TW)

D697,737 S \* 1/2014 Friedman ..... D6/702  
 9,451,721 B1 \* 9/2016 Shih ..... G06F 1/188  
 D889,243 S \* 7/2020 Eads ..... D8/316  
 (Continued)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/670,935**

(22) Filed: **Nov. 20, 2018**

(51) **LOC (13) Cl.** ..... **08-06**

(52) **U.S. Cl.**  
USPC ..... **D8/316; D13/199**

(58) **Field of Classification Search**  
USPC ..... D13/106, 116, 118, 123, 154, 173, 177,  
D13/184, 199; D8/300, 303, 315, 316,  
D8/320; D25/41.1  
CPC ..... G06F 1/188; H05K 7/1411; H05K 7/18  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D403,660 S \* 1/1999 Poon ..... D13/106
- 6,231,144 B1 \* 5/2001 Chen ..... H05K 7/1411  
312/223.2
- 6,246,580 B1 \* 6/2001 Weng ..... G06F 1/18  
174/16.1
- D511,083 S \* 11/2005 Gurzenda ..... D8/316
- D513,694 S \* 1/2006 Vitkauskas ..... D8/300
- D530,590 S \* 10/2006 Singtoroj ..... D8/302
- D552,957 S \* 10/2007 Krumpe ..... D8/316
- D569,704 S \* 5/2008 Ricereto ..... D8/315

OTHER PUBLICATIONS

“3Y Power Technology Power Supply”. Found online Aug. 3, 2020 at 3ypower.com. Reference dated Aug. 3, 2020. Retrieved from <https://www.3ypower.com/en/product/redundantmodule/YSEB1300AM-2A00P10.html>. (Year: 2020).\*

(Continued)

*Primary Examiner* — Kendra Leslie Hamilton  
*Assistant Examiner* — Amanda Christensen  
 (74) *Attorney, Agent, or Firm* — Winston Hsu


(57) **CLAIM**

The ornamental design for a handle for power supply, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, right side perspective view of a handle for power supply, showing our new design;  
 FIG. 2 is a bottom, rear, left side perspective view thereof;  
 FIG. 3 is a front elevation view thereof;  
 FIG. 4 is a rear elevation view thereof;  
 FIG. 5 is a left side elevation view thereof;  
 FIG. 6 is a right side elevation view thereof;  
 FIG. 7 is a top plan view thereof;  
 FIG. 8 is a bottom plan view thereof;  
 FIG. 9 is a top, front, left side perspective view of the handle for power supply of FIG. 1, shown at a reduced scale and in a condition of use; and,  
 FIG. 10 is a top, rear, left side perspective view thereof.  
 The broken lines in the drawings depict portions of the handle for power supply that form no part of the claimed design. The broken lines showing a power supply in FIGS. 9 and 10 depict environmental subject matter that forms no part of the claimed design.

**1 Claim, 10 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2015/0156912 A1\* 6/2015 Liang ..... E05C 1/08  
361/726  
2017/0242452 A1\* 8/2017 Wang ..... G05G 5/04

OTHER PUBLICATIONS

“Cisco Fan Module”. Found online Mar. 16, 2020 at amazon.com. Reference dated Dec. 10, 2015. Retrieved from <https://www.amazon.com/Cisco-N20-FANS-Fan-module-5108/dp/B007C13WLO>. (Year: 2015).\*

“HP Server Handle”. Found online Mar. 13, 2020 at thingiverse.com. Reference dated Nov. 30, 2017. Retrieved from <https://www.thingiverse.com/thing:2681598>. (Year: 2017).\*

“Artesyn Embedded Technologies Power Supply”. Found online Aug. 4, 2020 at eewspower.com. Reference dated Oct. 7, 2016. Retrieved from <https://www.eewspower.com/news/hot-plug-550-w-crps-power-supply-targets-server-redundancy>. (Year: 2016).\*

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10