



US00D913081S

(12) **United States Design Patent**
Cuddy

(10) **Patent No.:** **US D913,081 S**

(45) **Date of Patent:** **** Mar. 16, 2021**

(54) **STRUCTURAL SPACER MEMBER**

(71) Applicant: **THE BOEING COMPANY**, Chicago, IL (US)

(72) Inventor: **Nathaniel C. Cuddy**, Snohomish, WA (US)

(73) Assignee: **THE BOEING COMPANY**, Chicago, IL (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/692,916**

(22) Filed: **May 29, 2019**

(51) **LOC (13) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/354**

(58) **Field of Classification Search**
USPC D8/354, 373, 380, 356, 71, 499, 349
CPC A47G 33/004; A47H 1/00; A47H 13/00;
A47H 15/00; B44C 1/18; B44C 5/02;
B44C 5/04; B44C 5/0415; E01B 11/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,083,796	A *	4/1963	Bell, Jr.	E04B 1/2612	403/388
3,420,491	A	1/1969	Bowden et al.		
3,469,817	A	9/1969	Bowden et al.		
3,516,633	A	6/1970	Blackwood		
4,467,990	A	8/1984	Wiseman		
4,948,083	A	8/1990	McNaney, Jr. et al.		
5,013,081	A	5/1991	Cronce et al.		
5,125,616	A	6/1992	Rothenbuehler et al.		
D358,545	S *	5/1995	Price	D8/356	
D362,382	S *	9/1995	Cloud	D8/354	
D371,957	S *	7/1996	Hinton	D8/354	
5,542,785	A	8/1996	Cloud		
5,569,876	A	10/1996	Podgorski		

D382,463	S *	8/1997	Cloud	D8/354
5,810,306	A	9/1998	Hung et al.	
6,024,343	A	2/2000	Ebert	
6,250,613	B1	6/2001	Koeske et al.	
6,604,330	B2	8/2003	Repasky	
D559,080	S *	1/2008	Boote	D8/354
7,328,887	B2	2/2008	Leonard	
7,475,893	B2	1/2009	Chamberlin et al.	
7,588,576	B2	9/2009	Teague et al.	
7,624,491	B2	12/2009	Polus	
7,793,472	B2	9/2010	Dries	
7,866,096	B2	1/2011	Lee et al.	
D641,611	S *	7/2011	Minayoshi	D8/354

(Continued)

OTHER PUBLICATIONS

Notice of Reasons for Rejection dated Jul. 7, 2020 received in the corresponding JP Design Application No. 2019-026214, with English translation, pp. 1-3.

Primary Examiner — Keli L Hill

Assistant Examiner — Harold E Blackwell, II

(74) *Attorney, Agent, or Firm* — Moore Intellectual Property Law, PLLC



(57) **CLAIM**

The ornamental design for a structural spacer member, as shown and described.

DESCRIPTION

FIG. 1 is a top, perspective view of a structural spacer member in accordance with the present design;
FIG. 2 is a top, plan view of the structural spacer member of FIG. 1;
FIG. 3 is a bottom, plan view of the structural spacer member of FIG. 1;
FIG. 4 is a side view of the structural spacer member of FIG. 1; and,
FIG. 5 is a bottom, perspective view of the structural spacer member of FIG. 1.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,061,691	B2	11/2011	Levy et al.	
8,087,207	B2	1/2012	Ghiringhelli	
8,302,945	B2	11/2012	Gawinski et al.	
D683,615	S *	6/2013	Noumi	D8/356
D683,616	S *	6/2013	Noumi	D8/356
8,635,815	B2	1/2014	Bordin	
8,919,070	B2	12/2014	Moses et al.	
9,016,653	B1	4/2015	Cox, Jr. et al.	
9,261,157	B2	2/2016	Leonard	
9,512,824	B2	12/2016	Brabander et al.	
2006/0226586	A1	10/2006	Levy	
2014/0091548	A1	4/2014	Ratz et al.	
2014/0205368	A1	7/2014	Kramer et al.	
2014/0252702	A1	9/2014	Trowbridge et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5