



US00D913202S

(12) **United States Design Patent**
Tikka et al.

(10) **Patent No.:** **US D913,202 S**
(45) **Date of Patent:** **** Mar. 16, 2021**

(54) **TYRE**
(71) Applicant: **Nokian Tyres plc**, Nokia (FI)
(72) Inventors: **Jorma Tikka**, Tampere (FI); **Tomi Korkama**, Tampere (FI); **Outi Husso**, Sastamala (FI)
(73) Assignee: **Nokian Tyres PLC**, Nokia (FI)
(**) Term: **15 Years**
(21) Appl. No.: **29/685,266**
(22) Filed: **Mar. 27, 2019**

(30) **Foreign Application Priority Data**
Sep. 28, 2018 (EM) 005666658-0002
(51) **LOC (13) Cl.** **12-15**
(52) **U.S. Cl.**
USPC **D12/519**
(58) **Field of Classification Search**
USPC D12/500-532, 604
CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
D599,276 S * 9/2009 Fontaine D12/519
D624,871 S * 10/2010 Behr D12/519
D647,456 S * 10/2011 Behr D12/519
D648,668 S 11/2011 Kujime
D656,083 S * 3/2012 Mukai D12/519
D710,291 S * 8/2014 Mosko D12/519
D732,461 S * 6/2015 Bindner D12/519

D738,287 S * 9/2015 Raatikainen D12/521
9,174,492 B2 * 11/2015 Nomura B60C 11/0304
D761,716 S * 7/2016 Albouy D12/518
D769,793 S * 10/2016 Haanketo D12/523
D772,144 S * 11/2016 Lamb D12/519
D785,547 S * 5/2017 Taniguchi D12/523
D786,773 S * 5/2017 Raatikainen D12/519
D795,164 S * 8/2017 Philipot D12/521
D799,407 S * 10/2017 Philipot D12/521
D823,233 S * 7/2018 Fontaine D12/519
D825,439 S * 8/2018 Tikka D12/519
D830,952 S 10/2018 Kujime
D851,574 S * 6/2019 Rittweger D12/523
2016/0082780 A1 * 3/2016 Nagahara B60C 11/042 152/209.18

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/685,268, filed Mar. 27, 2019, Tikka et al.

* cited by examiner

Primary Examiner — John A Voytek
(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye PC

(57) **CLAIM**

The ornamental design for a tyre, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tyre in accordance with our new design;
FIG. 2 is a right side view thereof;
FIG. 3 is a left side view thereof; and,
FIG. 4 is a front elevation view thereof.
The part of the drawings shown with a reduced tonal value, along with the broken-line perimeter, illustrates a portion the tyre that forms no part of the claimed design.

1 Claim, 4 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3



FIG. 4