



US00D913203S

(12) **United States Design Patent**
Tikka et al.

(10) **Patent No.:** **US D913,203 S**
(45) **Date of Patent:** **** Mar. 16, 2021**

- (54) **TYRE**
- (71) Applicant: **Nokian Tyres plc**, Nokia (FI)
- (72) Inventors: **Jorma Tikka**, Tampere (FI); **Slava Bukarev**, Tampere (FI); **Outi Husso**, Sastamala (FI)
- (73) Assignee: **Nokian Tyres PLC**, Nokia (FI)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/685,268**
- (22) Filed: **Mar. 27, 2019**

D656,083 S *	3/2012	Mukai	D12/519
D710,291 S *	8/2014	Mosko	D12/519
D732,461 S *	6/2015	Bindner	D12/519
D738,287 S	9/2015	Raatikainen		
9,174,492 B2 *	11/2015	Nomura	B60C 11/0304
D761,716 S *	7/2016	Albouy	D12/518
D769,793 S *	10/2016	Haanketo	D12/523
D772,144 S *	11/2016	Lamb	D12/519
D785,547 S *	5/2017	Taniguchi	D12/523
D786,773 S *	5/2017	Raatikainen	D12/519
D795,164 S *	8/2017	Philipot	D12/521
D799,407 S *	10/2017	Philipot	D12/521
D823,233 S *	7/2018	Fontaine	D12/519
D825,439 S *	8/2018	Tikka	D12/519
D830,952 S *	10/2018	Kujime	D12/505
D851,574 S	6/2019	Rittweger		
2016/0082780 A1	3/2016	Nagahara		

- (30) **Foreign Application Priority Data**
Sep. 28, 2018 (EM) 005666633-0002
- (51) **LOC (13) Cl.** **12-15**
- (52) **U.S. Cl.**
USPC **D12/519**
- (58) **Field of Classification Search**
USPC D12/500-532, 604
CPC Y10T 152/10027; B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 3/06; B60C 9/17
See application file for complete search history.

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/685,266, filed Mar. 27, 2019, Tikka et al.

* cited by examiner

Primary Examiner — John A Voytek

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye PC

(57) **CLAIM**

The ornamental design for a tyre, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tyre in accordance with our new design;
FIG. 2 is a right side view thereof;
FIG. 3 is a left side view thereof; and,
FIG. 4 is a front elevation view thereof.

1 Claim, 4 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D599,276 S 9/2009 Fontaine
D624,871 S * 10/2010 Behr D12/519
D647,456 S * 10/2011 Behr D12/519
D648,668 S * 11/2011 Kujime D12/519





FIG. 1



FIG. 2



FIG. 3



FIG. 4