



US00D913213S

(12) **United States Design Patent** (10) **Patent No.:** **US D913,213 S**
Bi et al. (45) **Date of Patent:** **** Mar. 16, 2021**

(54) **STORAGE DEVICE**
(71) Applicant: **Seagate Technology LLC**, Cupertino, CA (US)
(72) Inventors: **Liyang Bi**, Foster City, CA (US); **Ming-Hsueh Tsai**, Taipei (TW); **Tommo Walter Brickner**, San Francisco, CA (US)
(73) Assignee: **Seagate Technology LLC**, Fremont, CA (US)

D694,234 S * 11/2013 McParland D14/365
D705,782 S * 5/2014 McParland D14/435
D788,101 S * 5/2017 Satzger D14/341
D819,022 S * 5/2018 Shim D14/363
D821,995 S * 7/2018 Wang D14/125
D824,901 S * 8/2018 Wu D14/365
D829,719 S * 10/2018 Shim D14/435
D840,392 S * 2/2019 Satzger D14/341
D844,560 S * 4/2019 Miller D13/108
D856,327 S * 8/2019 Huang D14/365
D857,014 S * 8/2019 Wu D14/365
D876,008 S * 2/2020 Cheung D27/186

(Continued)

(**) Term: **15 Years**

Primary Examiner — Catherine S Posthauer

Assistant Examiner — Alison M Ofstun

(21) Appl. No.: **29/671,608**

(74) *Attorney, Agent, or Firm* — Mueting Raasch Group

(22) Filed: **Nov. 28, 2018**

(51) **LOC (13) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**; D14/365

(58) **Field of Classification Search**
USPC D13/102–110, 118–119, 184, 199;
D14/365, 456, 432
CPC . A24F 7/00; Y02E 60/10; Y02E 60/12; Y02E
60/122; Y02E 60/124; Y02E 60/50;
H01M 2/02; H01M 2/022; H01M 2/0202;
H01M 2/0207; H01M 2/0212; H01M
2/1061; H01M 2/1022; H01M 2/1055;
H01M 2/1066; H01M 2/105; H01M 2/20;
H01M 2/202; H01M 2/204; H01M 2/206;
H01M 10/44; H01M 10/46; H01M
10/465; H01M 10/482; H01M 2200/30;
H01M 2250/30; H01M 2250/40; H02J
7/00; H02J 7/0003; H02J 7/0011; H02J
7/0013; H02J 7/0054; H02J 7/0055; H02J
7/0057; H02J 2007/0062

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D606,034 S * 12/2009 Suzuki D14/125
D689,859 S * 9/2013 Kurata D14/365


(57) **CLAIM**

The ornamental design for a storage device, as shown and described.

DESCRIPTION

FIG. 1 is a front top perspective view of a storage device showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The article is shown with a symbolic break in its length and height. The appearance of any portion of the article between the break lines forms no part of the claimed design.
The dash-dash broken lines illustrate portions of the article which form no part of the claimed design.
The dot-dash broken lines illustrate a boundary to the claimed design and form no part there.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D879,774 S * 3/2020 Pennington, Jr. D14/348
10,615,552 B2 * 4/2020 Miller H02J 7/0044

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7