



US00D913776S

(12) **United States Design Patent**
Kohli et al.

(10) **Patent No.:** **US D913,776 S**
(45) **Date of Patent:** **** Mar. 23, 2021**

(54) **ELECTRICAL CORD STORAGE DEVICE**

(71) Applicants: **Ryan Kohli**, Plain City, UT (US);
Kevin Neumayer, Ogden, UT (US);
Krystal Neumayer, Ogden, UT (US)

(72) Inventors: **Ryan Kohli**, Plain City, UT (US);
Kevin Neumayer, Ogden, UT (US);
Krystal Neumayer, Ogden, UT (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/716,576**

(22) Filed: **Dec. 10, 2019**

(51) **LOC (13) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**
USPC D8/358, 354, 356, 360.1, 349, 352;
D13/184, 154, 156, 153
CPC B65H 75/4421; H02G 11/02
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|----------------|---------|-----------|-------|-------------|
| D88,337 S * | 11/1932 | Massey | | D13/154 |
| 2,838,905 A * | 6/1958 | Marble | | G04C 10/00 |
| | | | | 368/276 |
| 5,848,701 A * | 12/1998 | Riccabona | | B25H 3/00 |
| | | | | 206/702 |
| D410,631 S * | 6/1999 | Foster | | D13/156 |
| D569,710 S * | 5/2008 | Young | | D13/154 |
| D658,482 S * | 5/2012 | Pratt | | D8/349 |
| D692,293 S * | 10/2013 | Toscani | | D8/356 |
| 8,781,148 B2 * | 7/2014 | Minarik | | H04R 1/1033 |
| | | | | 381/384 |

| | | | | |
|-------------------|---------|------------|-------|--------------|
| D737,119 S * | 8/2015 | Condon | | D8/352 |
| 9,890,012 B1 * | 2/2018 | Polen | | B65H 75/406 |
| 9,908,741 B2 * | 3/2018 | Rodriguez | | B65H 75/4473 |
| D886,093 S * | 6/2020 | Dubanowich | | D14/253 |
| 2020/0354185 A1 * | 11/2020 | Kohli | | H02G 1/00 |

* cited by examiner

Primary Examiner — Keli L Hill

Assistant Examiner — Harold E Blackwell, II

(74) *Attorney, Agent, or Firm* — Bryant J. Keller; Kirton McConkie

(57) **CLAIM**


The ornamental design for an electrical cord storage device, as shown.

DESCRIPTION

FIG. 1 is a top perspective view showing our new design for an electrical cord storage device;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a front elevation view thereof, the back elevation view being a mirror image thereof;
FIG. 4 is a right side elevation view thereof, the left side elevation view being a mirror image thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a left side view thereof coupled to an electrical appliance having a cord.

The broken lines in the drawings illustrate portions of the electrical cord storage device which form no part of the claimed design. The broken line portions shown in FIGS. 7 of the electrical appliance and cord illustrate environmental subject matter only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7