



US00D913805S

(12) **United States Design Patent** (10) **Patent No.:** **US D913,805 S**  
**Pitts** (45) **Date of Patent:** **\*\* Mar. 23, 2021**

(54) **PACKET WITH INTEGRAL CONNECTOR TAB**

CPC ..... B65D 35/00; B65D 35/08; B65D 85/72;  
B65D 75/00; B65D 75/58; B65D  
75/5085; B65D 65/00; B65D 65/10;  
B65D 65/38; B65D 81/00; B65D 81/24  
See application file for complete search history.

(71) Applicant: **AGS COMPANY AUTOMOTIVE SOLUTIONS, LLC**, Muskegon, MI (US)

(72) Inventor: **Logan D. Pitts**, North Muskegon, MI (US)

(73) Assignee: **AGS COMPANY AUTOMOTIVE SOLUTIONS, LLC**, Muskegon, MI (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/652,208**

(22) Filed: **Jun. 11, 2020**

**Related U.S. Application Data**

(62) Division of application No. 29/648,322, filed on May 21, 2018, now Pat. No. Des. 887,280, which is a division of application No. 29/578,223, filed on Sep. 20, 2016, now Pat. No. Des. 818,372, which is a division of application No. 29/521,285, filed on Mar. 23, 2015, now Pat. No. Des. 768,006.

(51) **LOC (13) Cl.** ..... **09-05**

(52) **U.S. Cl.**  
USPC ..... **D9/702**

(58) **Field of Classification Search**

USPC ..... D9/702-714, 720-722, 414, 434-435, D9/696, 716, 771, 447, 522, 571-575, D9/682, 738-747, 516-517, 529-530, D9/547-549, 569, 537-538, 544, D9/503-505, 545, 440, 444; 383/6, 9, 383/22, 96, 61.1, 80-81, 104, 901, 63, 383/203, 107, 119, 120, 123, 108, 904, 383/906-907; D24/118, 207; 222/107, 222/92, 206; 604/408, 410, 403; 220/495.03, 669, 675; 215/381-385, 215/12.1; D3/202, 303, 232, 244

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,697,177 A 12/1997 Ludlow et al.  
6,305,329 B1 10/2001 Levy, Jr.  
6,658,813 B2 12/2003 Clay  
6,679,029 B2 1/2004 Clay  
6,695,364 B2 2/2004 Bierlin  
6,905,075 B1 6/2005 Rosen  
7,014,041 B1 3/2006 Osen et al.  
7,241,066 B1 7/2007 Rosen  
D573,037 S 7/2008 Murray

(Continued)

*Primary Examiner* — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Honigman LLP


(57) **CLAIM**

The ornamental design for a packet with integral connector tab, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the packet with integral connector tab;  
FIG. 2 is a front elevation thereof;  
FIG. 3 is a rear elevation thereof;  
FIG. 4 is a side elevation thereof;  
FIG. 5 is an opposite side elevation thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.  
The broken line showing of portions of the packet with integral connector tab is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

**1 Claim, 5 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D606,882	S	12/2009	Sharp	
D632,565	S	2/2011	Caldwell	
D632,567	S	2/2011	Caldwell	
D640,565	S	6/2011	Tsuruta	
D667,312	S	9/2012	Risgalla	
D670,573	S	11/2012	McDermott	
8,376,183	B1	2/2013	Rosen	
D698,663	S	2/2014	Lin	
D744,352	S	12/2015	Quarles	
D744,853	S	12/2015	Murray	
D768,006	S	10/2016	Pitts	
D818,372	S *	5/2018	Pitts .....	D9/702
D821,868	S *	7/2018	Fetisenkov .....	D9/424
D826,730	S *	8/2018	Hoffman, Jr. ....	D9/707
D887,280	S *	6/2020	Pitts .....	D9/702
2003/0213707	A1	11/2003	Clay	
2005/0188652	A1	9/2005	Davolio et al.	
2006/0169604	A1	8/2006	Clay	

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7