



US00D913841S

(12) **United States Design Patent** (10) **Patent No.:** **US D913,841 S**
Lachapelle et al. (45) **Date of Patent:** **** Mar. 23, 2021**

(54) **FASTENER FOR A PENDANT**

(71) Applicants: **Patrick Bernhard Albert Lachapelle**,
Hasselt (BE); **Cynthia Buschman**,
Hasselt (BE)

(72) Inventors: **Patrick Bernhard Albert Lachapelle**,
Hasselt (BE); **Cynthia Buschman**,
Hasselt (BE)

(**) Term: **15 Years**

(21) Appl. No.: **29/663,311**

(22) Filed: **Sep. 13, 2018**

(51) **LOC (13) Cl.** **11-01**

(52) **U.S. Cl.**
USPC **D11/87**

(58) **Field of Classification Search**

USPC D11/1, 2, 86, 87, 222; D8/312, 386, 387
CPC A44C 5/208; A44C 7/00; A44C 7/001;
A44C 7/003; A44C 15/00; A44C
15/0035; A44C 15/0045; A61C 8/00;
A61C 8/0066; A61C 8/0068

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,552,151 A * 5/1951 Cohen A44C 7/003
63/12
2,585,075 A * 2/1952 Badovinac A44C 7/00
434/247
2,713,863 A * 7/1955 Handerson A44C 7/001
606/188
4,242,886 A * 1/1981 Tucker A44C 7/003
63/12
4,593,540 A * 6/1986 Cuvar A44C 7/003
411/337
4,723,421 A * 2/1988 Nitsche F16B 37/0842
63/12
5,018,365 A * 5/1991 Luceno A44C 7/003
24/705

5,400,620 A * 3/1995 Cervo A44C 7/003
63/12
5,577,396 A * 11/1996 Cannon A44C 7/003
63/1.16
6,105,392 A * 8/2000 Biagi A44C 7/003
63/12
6,167,725 B1 * 1/2001 Siekierski A44C 7/003
24/618

(Continued)

Primary Examiner — Zenia I Bennett

(74) *Attorney, Agent, or Firm* — Fresh IP PLC; Clifford
D. Hyra; Aubrey Y. Chen

(57) **CLAIM**


The ornamental design for a fastener for a pendant, as shown
and described.

DESCRIPTION

FIG. 1 is a front, left, bottom perspective view of a fastener
for a pendant disassembled into a lower piece and an upper
piece, showing the new design;
FIG. 2 is a rear, right, top perspective view thereof;
FIG. 3 is a front, bottom perspective view thereof;
FIG. 4 is a front, top perspective view thereof;
FIG. 5 is a front view of the fastener for a pendant of FIG.
1 in a first alternative orientation;
FIG. 6 is a front, top perspective view thereof;
FIG. 7 is a top, front perspective view of the fastener for a
pendant of FIG. 1 in a second alternative orientation;
FIG. 8 is another top, front perspective view thereof;
FIG. 9 is a front, left, bottom perspective view of the fastener
for a pendant of FIG. 1 in a third alternative orientation;
FIG. 10 is a front, left, top perspective view thereof; and,
FIG. 11 is a front, top perspective view of the fastener for a
pendant of FIG. 1 fully assembled, showing the pendant
threaded onto a necklace.

The broken lines indicate portions that form no part of the
claimed design.

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,244,073 B1 * 6/2001 Kaping, Jr. A44C 7/003
24/105
D691,914 S * 10/2013 Barrier A44C 15/0035
D11/88
9,357,819 B2 * 6/2016 Blanchard A44C 15/0045

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11