



US00D913896S

(12) **United States Design Patent**
Lemke

(10) **Patent No.:** **US D913,896 S**

(45) **Date of Patent:** **** Mar. 23, 2021**

(54) **VEHICLE WHEEL RIM**

(71) Applicant: **AUDI AG**, Ingolstadt (DE)

(72) Inventor: **Peter Lemke**, Ingolstadt (DE)

(73) Assignee: **AUDI AG**, Ingolstadt (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/729,600**

(22) Filed: **Mar. 27, 2020**

(30) **Foreign Application Priority Data**

Oct. 21, 2019 (EM) 007 074 612

(51) **LOC (13) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/209**

(58) **Field of Classification Search**
USPC D12/204–213; D21/563
CPC B60B 7/00; B60B 7/02; B60B 7/04; B60B
7/01; B60B 7/06; B60B 3/02; B60B 3/04;
B60B 3/06; B60B 3/10; B60B 1/00;
B60B 1/08; B60B 1/10; B60B 1/12
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D589,428 S * 3/2009 Scheu D12/211
D594,396 S * 6/2009 Juergens D12/209
D594,802 S * 6/2009 Gustafsson D12/211
D625,235 S * 10/2010 Nissl D12/209
D744,398 S * 12/2015 Nissl D12/209

D748,034 S * 1/2016 Hall D12/211
D761,182 S * 7/2016 Valencia Pollex D12/211
D768,046 S * 10/2016 Patel D12/211
D769,171 S * 10/2016 Johnson D12/211
D780,654 S * 3/2017 Gallert D12/204
D796,410 S * 9/2017 Churchill D12/211
D799,395 S * 10/2017 Chung D12/209
D808,326 S * 1/2018 Chung D12/211
D811,979 S * 3/2018 Svensson D12/211
D844,529 S * 4/2019 Lemke D12/209
D851,010 S * 6/2019 Sze D12/209
D861,568 S * 10/2019 Kim D12/209
D862,353 S * 10/2019 Bjerke D12/209
D877,026 S * 3/2020 Rosello Visa D12/209
D879,697 S * 3/2020 Battams D12/209
D883,888 S * 5/2020 Daniel D12/209
D885,288 S * 5/2020 Preyss D12/209
D887,337 S * 6/2020 Daniel D12/209
D889,351 S * 7/2020 Wang D12/209
D900,694 S * 11/2020 Melikian D12/209
D901,360 S * 11/2020 Rosello Visa D12/211

* cited by examiner

Primary Examiner — Stacia A Cadmus
(74) *Attorney, Agent, or Firm* — Lucas & Mercanti, LLP;
Klaus P. Stoffel

(57) **CLAIM**

The ornamental design for a vehicle wheel rim, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the vehicle wheel rim of the present invention; and,
FIG. 2 is a front, side perspective view thereof.

1 Claim, 2 Drawing Sheets







Fig. 1



Fig. 2