



US00D914337S

(12) **United States Design Patent** (10) **Patent No.:** **US D914,337 S**
Sykes (45) **Date of Patent:** **** Mar. 30, 2021**

(54) **COMBINED SHOE AND SHOE DEVICE**

(71) Applicant: **Riomar IP, LLC**, Pampa, TX (US)

(72) Inventor: **William Lange Sykes**, Vero Beach, FL (US)

(73) Assignee: **Riomar IP, LLC**, Pampa, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/666,027**

(22) Filed: **Oct. 9, 2018**

Related U.S. Application Data

(62) Division of application No. 29/548,243, filed on Dec. 11, 2015, now Pat. No. Des. 834,290, which is a division of application No. 29/472,421, filed on Nov. 12, 2013, now Pat. No. Des. 748,390.

(51) **LOC (13) Cl.** **02-04**

(52) **U.S. Cl.**
USPC **D2/946**

(58) **Field of Classification Search**

USPC D2/939, 941, 943, 946, 969, 971, 976,
D2/978; D11/93, 212, 231; 24/163 K,
24/163 R, 176, 188, 191–193; 36/136;
D8/323, 387, 389, 391

CPC A43B 23/24; A43B 11/00; A43B 11/001;
A43B 11/005; A43B 11/006; A43B 11/006
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D79,289 S * 8/1929 Ferrettie D2/909
2,867,874 A * 1/1959 Larson F16B 43/02
24/115 K
D341,127 S * 11/1993 Sachs D13/149
5,526,585 A * 6/1996 Brown A43B 11/00
36/50.1
D521,226 S * 5/2006 Douglas D2/972

7,073,279 B2 * 7/2006 Min A43C 1/003
24/712
9,486,038 B1 * 11/2016 Eberstadt, III A43C 1/02
9,700,101 B2 * 7/2017 Lovett A43C 3/02
2008/0141560 A1 * 6/2008 Lewis A43B 3/0078
36/50.1

(Continued)

Primary Examiner — Janice Patyk

(74) *Attorney, Agent, or Firm* — Bonini IP Law, LLC;
Frank J. Bonini, Jr.

(57) **CLAIM**

The ornamental design for a combined shoe and shoe device,
as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined shoe and shoe device according to my new design, shown in reduced scale; FIG. 2 is a perspective view thereof, shown without the shoe for ease of illustration, with one of the pins in uninstalled condition;

FIG. 3 is a perspective view thereof, shown without the shoe for ease of illustration;

FIG. 4 is a top plan view thereof, shown without the shoe for ease of illustration;

FIG. 5 is a bottom plan view thereof, shown without the shoe for ease of illustration;

FIG. 6 is a front elevation view thereof, shown without the shoe for ease of illustration;


FIG. 7 is a rear elevation view thereof, shown without the shoe for ease of illustration;

FIG. 8 is a right side elevation view thereof, shown without the shoe for ease of illustration; and,

FIG. 9 is a right side perspective view thereof, shown in reduced scale.

The broken lines in the figures illustrate the portions of the design that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2016/0157559 A1 * 6/2016 Schwartz A43B 3/0031
36/136

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9