



US00D914880S

(12) **United States Design Patent** (10) **Patent No.:** **US D914,880 S**
Buckley et al. (45) **Date of Patent:** **** Mar. 30, 2021**

(54) **CANISTER FOR USE WITH ANAESTHETIC APPARATUS**

(71) Applicant: **Intersurgical AG**, Vaduz (LI)

(72) Inventors: **Daniel John Buckley**, Berkshire (GB);
Ricardo Gómez Bardón, Berkshire (GB)

(73) Assignee: **Intersurgical AG**, Vaduz (LI)

(**) Term: **15 Years**

(21) Appl. No.: **29/657,029**

(22) Filed: **Jul. 18, 2018**

(30) **Foreign Application Priority Data**

Jan. 18, 2018 (EM) 004671568

(51) **LOC (13) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/164**

(58) **Field of Classification Search**
USPC D24/107, 108, 111, 127, 129, 188, 185,
D24/121, 164
CPC .. A61M 16/22; A61M 16/01; A61M 16/0891;
A61J 1/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,589,870 A * 6/1971 Rankin A62B 19/00
422/122
3,615,233 A * 10/1971 Doering A62B 19/00
422/117
5,765,550 A * 6/1998 Psaros A62B 25/00
128/202.27
D469,175 S * 1/2003 Hall D24/108
D478,659 S * 8/2003 Hall D24/108
D488,558 S * 4/2004 Hall D24/108

D634,429 S 3/2011 Nordgren et al.
D731,640 S * 6/2015 Kim A61H 13/005
D24/111
10,086,218 B2 * 10/2018 Unger A61M 16/22
D866,747 S * 11/2019 Tucker D24/108
2006/0231092 A1 * 10/2006 Mashak A61M 16/22
128/200.23

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1628150 * 7/2019
SE 000825658-0008 4/2007

Primary Examiner — Lilyana Bekic

(74) *Attorney, Agent, or Firm* — Troutman Pepper
Hamilton Sanders LLP


(57) **CLAIM**

The ornamental design for a canister for use with anaesthetic apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view from the left side of a canister for use with an anaesthetic apparatus.
FIG. 2 is a front view of the canister for use with an anaesthetic apparatus shown in FIG. 1.
FIG. 3 is a rear view of the canister for use with an anaesthetic apparatus shown in FIG. 1.
FIG. 4 is a top view of the canister for use with an anaesthetic apparatus shown in FIG. 1.
FIG. 5 is a bottom view from the right side of the canister for use with an anaesthetic apparatus shown in FIG. 1.
FIG. 6 is a left side view of the canister for use with an anaesthetic apparatus shown in FIG. 1; and,
FIG. 7 is a right side view of the canister for use with an anaesthetic apparatus shown in FIG. 1.
The broken lines in the drawings depict portions of the canister for use with an anaesthetic apparatus that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2011/0243483	A1 *	10/2011	Crump	B65D 81/267 383/113
2011/0244085	A1 *	10/2011	Crump	B65D 81/268 426/118
2014/0345610	A1 *	11/2014	Unger	A61M 16/22 128/202.26

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7