



US00D914959S

(12) **United States Design Patent** (10) **Patent No.:** **US D914,959 S**
Inoko (45) **Date of Patent:** **** Mar. 30, 2021**

(54) **ILLUMINATION OBJECT**

(71) Applicant: **teamLab Inc.**, Kanda-Ogawa-machi (JP)
(72) Inventor: **Toshiyuki Inoko**, Kanda-Ogawa-machi (JP)
(73) Assignee: **TEAMLAB INC.**, Tokyo (JP)
(**) Term: **15 Years**
(21) Appl. No.: **29/671,482**

(22) Filed: **Nov. 28, 2018**

(30) **Foreign Application Priority Data**

Jun. 11, 2018 (JP) 2018-012781
(51) **LOC (13) Cl.** **26-05**
(52) **U.S. Cl.**
USPC **D26/118**

(58) **Field of Classification Search**
USPC D26/4, 22, 24, 25, 26, 36, 74, 118, 123, D26/124, 128; D24/200, 211, 214, 215; D25/138, 157, 158; D28/4, 7, 9, 8.1, 76, D28/82, 83; D21/308, 319, 358, 363, D21/398, 479, 708, 782, 784
CPC . F21V 7/04; F21V 7/041; F21V 7/043; F21V 7/0025; F21V 7/0083; F21V 7/08; F21V 7/09; F21V 7/048; F21V 7/045; F21V 3/02; F21V 3/06; F21V 3/023; F21V 3/0615; F21V 3/0625; F21S 6/00; F21S 6/002; F21S 8/02; F21S 8/03; F21S 8/032; F21S 8/033; F21S 9/00; F21S 9/022

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D395,715 S *	6/1998	Queen	D26/24
D548,850 S *	8/2007	Gladieux, III	D24/214
D596,306 S *	7/2009	Levine	D24/214
D650,087 S *	12/2011	Huang	D24/215
D726,028 S *	4/2015	Thompson	D9/726
D751,235 S *	3/2016	Sonneman	D26/88
D762,913 S *	8/2016	Anderson	D26/106
D832,928 S *	11/2018	Hoshino	D21/398
D844,215 S *	3/2019	Chen	D26/96
D882,870 S *	4/2020	Celia	D28/7

* cited by examiner

Primary Examiner — Wan Laymon

Assistant Examiner — Clint A Samuel

(74) *Attorney, Agent, or Firm* — Pyprus Pte Ltd

(57) **CLAIM**

The ornamental design for an illumination object, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of the illumination object of my new design;
FIG. 2 is a back elevation view of the illumination object, as shown in FIG. 1;
FIG. 3 is a left elevation view of the illumination object, as shown in FIG. 1;
FIG. 4 is a right elevation view of the illumination object, as shown in FIG. 1;
FIG. 5 is a top plan view of the illumination object, as shown in FIG. 1;
FIG. 6 is a bottom plan view of the illumination object, as shown in FIG. 1; and,
FIG. 7 is a perspective view of the illumination object, as shown in FIG. 1.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




Fig. 7

