



US00D915415S

(12) **United States Design Patent** (10) **Patent No.:** **US D915,415 S**  
**Lee** (45) **Date of Patent:** **\*\* Apr. 6, 2021**

(54) **SCREEN PROTECTION FILTER**

(71) Applicant: **RIGHT GROUP CENTRAL CO., LTD.**, New Taipei (TW)

(72) Inventor: **An-fang Lee**, New Taipei (TW)

(73) Assignee: **RIGHT GROUP CENTRAL CO., LTD.**, New Taipei (TW)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/718,963**

(22) Filed: **Dec. 30, 2019**

(51) **LOC (13) Cl.** ..... **14-02**


(52) **U.S. Cl.**  
USPC ..... **D14/450**

(58) **Field of Classification Search**  
USPC ..... D14/440, 447, 250, 460, 448, 432, 300;  
206/45.23, 320, 45.2; 361/679.55;  
294/25; 224/218  
CPC ..... G06F 1/1628; G06F 1/1626; G06F 1/699;  
A47B 23/044; H04B 1/3888; A44C  
5/0007  
See application file for complete search history.

D746,265 S \* 12/2015 Colby ..... D14/217  
D747,320 S \* 1/2016 Snyder ..... D14/440  
9,283,731 B2 \* 3/2016 Leonhard ..... B32B 7/14  
D781,861 S \* 3/2017 Lane ..... D14/432  
D783,024 S \* 4/2017 Conley ..... D14/432  
D800,126 S \* 10/2017 Wadsworth ..... D14/432  
D800,127 S \* 10/2017 Beaupre ..... D14/432  
D800,128 S \* 10/2017 Beaupre ..... D14/432  
D800,129 S \* 10/2017 Wadsworth ..... D14/432  
D800,130 S \* 10/2017 Beaupre ..... D14/432  
D800,131 S \* 10/2017 Wadsworth ..... D14/432  
D802,594 S \* 11/2017 Beaupre ..... D14/432  
D811,404 S \* 2/2018 Wadsworth ..... D14/432  
D811,405 S \* 2/2018 Wadsworth ..... D14/432  
D811,407 S \* 2/2018 Wadsworth ..... D14/432  
D811,408 S \* 2/2018 Wadsworth ..... D14/432  
D812,062 S \* 3/2018 MacDonald ..... D14/432  
D812,063 S \* 3/2018 Lane ..... D14/432  
D816,673 S \* 5/2018 Lim ..... D14/374  
D836,115 S \* 12/2018 Beaupre ..... D14/432  
D836,644 S \* 12/2018 Li ..... D14/440  
10,155,370 B2 \* 12/2018 Wadsworth ..... B32B 38/1833  
D844,011 S \* 3/2019 Lin ..... D14/440  
D844,012 S \* 3/2019 Leipold ..... G02B 7/00  
D14/450  
D844,624 S \* 4/2019 Liu ..... D14/450  
D844,625 S \* 4/2019 Liu ..... D14/450  
D844,626 S \* 4/2019 Liu ..... D14/450  
10,427,385 B2 \* 10/2019 Wilson ..... C09J 7/22  
D874,904 S \* 2/2020 Farinacci ..... D8/356  
10,608,689 B2 \* 3/2020 Chaves ..... C09J 7/22  
2002/0122925 A1 \* 9/2002 Liu ..... C09D 4/00  
428/212  
2003/0082327 A1 \* 5/2003 Pearson ..... G09F 3/10  
428/40.1  
2004/0109096 A1 \* 6/2004 Anderson ..... C09J 7/38  
348/832  
2004/0227722 A1 \* 11/2004 Friberg ..... G06F 1/1609  
345/156  
2007/0181456 A1 \* 8/2007 Kusuda ..... G06F 1/1643  
206/443  
2008/0030631 A1 \* 2/2008 Gallagher ..... G06F 1/1607  
348/818  
2009/0301907 A1 \* 12/2009 Mason ..... B29C 63/0004  
206/223  
2010/0026646 A1 \* 2/2010 Xiao ..... G06F 3/04886  
345/173  
2010/0092713 A1 \* 4/2010 Bullard ..... C09J 7/30  
428/40.1  
2010/0270189 A1 \* 10/2010 Pedersen, II ..... G06F 1/1626  
206/320

(56) **References Cited**  
**U.S. PATENT DOCUMENTS**

5,386,964 A \* 2/1995 Mayo ..... B43L 3/00  
248/346.01  
6,008,429 A \* 12/1999 Ritger ..... A61L 15/58  
206/441  
6,555,235 B1 \* 4/2003 Aufderheide ..... C09J 183/04  
156/329  
D612,818 S \* 3/2010 Lents, Jr. .... D14/125  
8,044,942 B1 \* 10/2011 Leonhard ..... G06F 1/1637  
345/173  
D658,164 S \* 4/2012 Chan ..... D14/238.1  
D667,413 S \* 9/2012 Song ..... D14/448  
8,256,612 B1 \* 9/2012 Wang ..... H04B 1/3888  
206/320  
8,517,367 B1 \* 8/2013 Napier ..... B32B 37/0046  
269/289 R  
D727,330 S \* 4/2015 Reaux ..... D14/440



2011/0267793	A1*	11/2011	Cohen	.....	B32B 37/182 361/807
2011/0285932	A1*	11/2011	Park	.....	G02F 1/133308 349/56
2011/0293870	A1*	12/2011	Lin	.....	B32B 27/36 428/41.8
2012/0057287	A1*	3/2012	Chaves	.....	C09J 7/30 361/679.3
2012/0087072	A1*	4/2012	McGuire	.....	B29C 63/02 361/679.01
2015/0041069	A1*	2/2015	Wadsworth	.....	B29C 63/024 156/535
2015/0107767	A1*	4/2015	Wadsworth	.....	B29C 66/861 156/324
2015/0169089	A1*	6/2015	Dixon	.....	B32B 38/0004 428/137
2015/0246514	A1*	9/2015	LaColla	.....	B29C 63/0004 156/60
2015/0273786	A1*	10/2015	Ozeki	.....	B32B 3/10 428/41.7
2015/0362736	A1*	12/2015	Kowasic	.....	G02B 27/027 359/478
2017/0001364	A1*	1/2017	MacDonald	.....	B32B 7/06

\* cited by examiner

*Primary Examiner* — Cynthia R Underwood  
(74) *Attorney, Agent, or Firm* — Dragon Sun Law Firm,  
PC; Jinggao Li, Esq.

(57) **CLAIM**

I claim the ornamental design for a screen protection filter,  
as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a screen protection filter showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a left side elevational view thereof;  
FIG. 7 is a right side elevational view thereof;  
FIG. 8 is a top perspective view of a screen protection filter according to a second embodiment of my design;  
FIG. 9 is a front elevational view of FIG. 8;  
FIG. 10 is a rear elevational view of FIG. 8;  
FIG. 11 is a bottom plan view of FIG. 8;  
FIG. 12 is a top plan elevational view of FIG. 8;  
FIG. 13 is a left side elevational view of FIG. 8;  
FIG. 14 is a right side elevational view of FIG. 8;  
FIG. 15 is a top perspective view of a screen protection filter according to a third embodiment of my design;  
FIG. 16 is a front elevational view of FIG. 15;  
FIG. 17 is a rear elevational view of FIG. 15;  
FIG. 18 is a bottom plan view of FIG. 15;  
FIG. 19 is a top plan elevational view of FIG. 15;  
FIG. 20 is a left side elevational view of FIG. 15;  
FIG. 21 is a right side elevational view of FIG. 15;  
FIG. 22 is a top perspective view of a screen protection filter according to a fourth embodiment of my design;  
FIG. 23 is a front elevational view of FIG. 22;  
FIG. 24 is a rear elevational view of FIG. 22;  
FIG. 25 is a bottom plan view of FIG. 22;  
FIG. 26 is a top plan elevational view of FIG. 22;  
FIG. 27 is a left side elevational view of FIG. 22;  
FIG. 28 is a right side elevational view of FIG. 22;

FIG. 29 is a top perspective view of a screen protection filter according to a fifth embodiment of my design;  
FIG. 30 is a front elevational view of FIG. 29;  
FIG. 31 is a rear elevational view of FIG. 29;  
FIG. 32 is a bottom plan view of FIG. 29;  
FIG. 33 is a top plan elevational view of FIG. 29;  
FIG. 34 is a left side elevational view of FIG. 29;  
FIG. 35 is a right side elevational view of FIG. 29;  
FIG. 36 is a top perspective view of a screen protection filter according to a sixth embodiment of my design;  
FIG. 37 is a front elevational view of FIG. 36;  
FIG. 38 is a rear elevational view of FIG. 36;  
FIG. 39 is a bottom plan view of FIG. 36;  
FIG. 40 is a top plan elevational view of FIG. 36;  
FIG. 41 is a left side elevational view of FIG. 36;  
FIG. 42 is a right side elevational view of FIG. 36;  
FIG. 43 is a top perspective view of a screen protection filter according to a seventh embodiment of my design;  
FIG. 44 is a front elevational view of FIG. 43;  
FIG. 45 is a rear elevational view of FIG. 43;  
FIG. 46 is a bottom plan view of FIG. 43;  
FIG. 47 is a top plan elevational view of FIG. 43;  
FIG. 48 is a left side elevational view of FIG. 43;  
FIG. 49 is a right side elevational view of FIG. 43;  
FIG. 50 is a top perspective view of a screen protection filter according to an eighth embodiment of my design;  
FIG. 51 is a front elevational view of FIG. 50;  
FIG. 52 is a rear elevational view of FIG. 50;  
FIG. 53 is a bottom plan view of FIG. 50;  
FIG. 54 is a top plan elevational view of FIG. 50;  
FIG. 55 is a left side elevational view of FIG. 50;  
FIG. 56 is a right side elevational view of FIG. 50;  
FIG. 57 is a top perspective view of a screen protection filter according to a ninth embodiment of my design;  
FIG. 58 is a front elevational view of FIG. 57;  
FIG. 59 is a rear elevational view of FIG. 57;  
FIG. 60 is a bottom plan view of FIG. 57;  
FIG. 61 is a top plan elevational view of FIG. 57;  
FIG. 62 is a left side elevational view of FIG. 57;  
FIG. 63 is a right side elevational view of FIG. 57;  
FIG. 64 is a top perspective view of a screen protection filter according to a tenth embodiment of my design;  
FIG. 65 is a front elevational view of FIG. 64;  
FIG. 66 is a rear elevational view of FIG. 64;  
FIG. 67 is a bottom plan view of FIG. 64;  
FIG. 68 is a top plan elevational view of FIG. 64;  
FIG. 69 is a left side elevational view of FIG. 64;  
FIG. 70 is a right side elevational view of FIG. 64;  
FIG. 71 is a top perspective view of a screen protection filter according to an eleventh embodiment of my design;  
FIG. 72 is a front elevational view of FIG. 71;  
FIG. 73 is a rear elevational view of FIG. 71;  
FIG. 74 is a bottom plan view of FIG. 71;  
FIG. 75 is a top plan elevational view of FIG. 71;  
FIG. 76 is a left side elevational view of FIG. 71;  
FIG. 77 is a right side elevational view of FIG. 71;  
FIG. 78 is a top perspective view of a screen protection filter according to a twelfth embodiment of my design;  
FIG. 79 is a front elevational view of FIG. 78;  
FIG. 80 is a rear elevational view of FIG. 78;  
FIG. 81 is a bottom plan view of FIG. 78;  
FIG. 82 is a top plan elevational view of FIG. 78;  
FIG. 83 is a left side elevational view of FIG. 78;  
FIG. 84 is a right side elevational view of FIG. 78;

FIG. 85 is a top perspective view of a screen protection filter according to a thirteenth embodiment of my design;  
FIG. 86 is a front elevational view of FIG. 85;  
FIG. 87 is a rear elevational view of FIG. 85;  
FIG. 88 is a bottom plan view of FIG. 85;  
FIG. 89 is a top plan elevational view of FIG. 85;  
FIG. 90 is a left side elevational view of FIG. 85;  
FIG. 91 is a right side elevational view of FIG. 85;  
FIG. 92 is a top perspective view of a screen protection filter according to a fourteenth embodiment of my design;  
FIG. 93 is a front elevational view of FIG. 92;  
FIG. 94 is a rear elevational view of FIG. 92;  
FIG. 95 is a bottom plan view of FIG. 92;  
FIG. 96 is a top plan elevational view of FIG. 92;  
FIG. 97 is a left side elevational view of FIG. 92;  
FIG. 98 is a right side elevational view of FIG. 92;  
FIG. 99 is a top perspective view of a screen protection filter according to a fifteenth embodiment of my design;  
FIG. 100 is a front elevational view of FIG. 99;  
FIG. 101 is a rear elevational view of FIG. 99;  
FIG. 102 is a bottom plan view of FIG. 99;  
FIG. 103 is a top plan elevational view of FIG. 99;  
FIG. 104 is a left side elevational view of FIG. 99;  
FIG. 105 is a right side elevational view of FIG. 99;  
FIG. 106 is a top perspective view of a screen protection filter according to a sixteenth embodiment of my design;  
FIG. 107 is a front elevational view of FIG. 106;  
FIG. 108 is a rear elevational view of FIG. 106;  
FIG. 109 is a bottom plan view of FIG. 106;  
FIG. 110 is a top plan elevational view of FIG. 106;  
FIG. 111 is a left side elevational view of FIG. 106; and,  
FIG. 112 is a right side elevational view of FIG. 106.

**1 Claim, 96 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13



FIG. 14




FIG. 15






FIG. 16




FIG. 17



FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24






FIG. 25




FIG. 26



FIG. 27



FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33



FIG. 34





FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41



FIG. 42




FIG. 43






FIG. 44




FIG. 45



FIG. 46



FIG. 47



FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52






FIG. 53




FIG. 54




FIG. 55



FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61



FIG. 62






FIG. 63




FIG. 64




FIG. 65




FIG. 66



FIG. 67




FIG. 68



FIG. 69



FIG. 70




FIG. 71






FIG. 72




FIG. 73




FIG. 74




FIG. 75




FIG. 76



FIG. 77




FIG. 78




FIG. 79




FIG. 80






FIG. 81




FIG. 82




FIG. 83



FIG. 84




FIG. 85




FIG. 86




FIG. 87




FIG. 88




FIG. 89




FIG. 90






FIG. 91




FIG. 92




FIG. 93




FIG. 94




FIG. 95




FIG. 96




FIG. 97




FIG. 98




FIG. 99






FIG. 100




FIG. 101




FIG. 102




FIG. 103




FIG. 104



FIG. 105




FIG. 106




FIG. 107




FIG. 108






FIG. 109




FIG. 110




FIG. 111



FIG. 112