



US00D915415S


(12) **United States Design Patent** (10) **Patent No.:** **US D915,415 S**
Lee (45) **Date of Patent:** **** Apr. 6, 2021**

(54) **SCREEN PROTECTION FILTER**
(71) Applicant: **RIGHT GROUP CENTRAL CO., LTD.**, New Taipei (TW)
(72) Inventor: **An-fang Lee**, New Taipei (TW)
(73) Assignee: **RIGHT GROUP CENTRAL CO., LTD.**, New Taipei (TW)
(**) Term: **15 Years**
(21) Appl. No.: **29/718,963**
(22) Filed: **Dec. 30, 2019**
(51) **LOC (13) Cl.** **14-02**
(52) **U.S. Cl.**
USPC **D14/450**
(58) **Field of Classification Search**
USPC D14/440, 447, 250, 460, 448, 432, 300;
206/45.23, 320, 45.2; 361/679.55;
294/25; 224/218
CPC G06F 1/1628; G06F 1/1626; G06F 1/699;
A47B 23/044; H04B 1/3888; A44C
5/0007
See application file for complete search history.

D746,265 S * 12/2015 Colby D14/217
D747,320 S * 1/2016 Snyder D14/440
9,283,731 B2 * 3/2016 Leonhard B32B 7/14
D781,861 S * 3/2017 Lane D14/432
D783,024 S * 4/2017 Conley D14/432
D800,126 S * 10/2017 Wadsworth D14/432
D800,127 S * 10/2017 Beaupre D14/432
D800,128 S * 10/2017 Beaupre D14/432
D800,129 S * 10/2017 Wadsworth D14/432
D800,130 S * 10/2017 Beaupre D14/432
D800,131 S * 10/2017 Wadsworth D14/432
D802,594 S * 11/2017 Beaupre D14/432
D811,404 S * 2/2018 Wadsworth D14/432
D811,405 S * 2/2018 Wadsworth D14/432
D811,407 S * 2/2018 Wadsworth D14/432
D811,408 S * 2/2018 Wadsworth D14/432
D812,062 S * 3/2018 MacDonald D14/432
D812,063 S * 3/2018 Lane D14/432
D816,673 S * 5/2018 Lim D14/374
D836,115 S * 12/2018 Beaupre D14/432
D836,644 S * 12/2018 Li D14/440
10,155,370 B2 * 12/2018 Wadsworth B32B 38/1833
D844,011 S * 3/2019 Lin D14/440
D844,012 S * 3/2019 Leipold G02B 7/00
D14/450
D844,624 S * 4/2019 Liu D14/450
D844,625 S * 4/2019 Liu D14/450
D844,626 S * 4/2019 Liu D14/450
10,427,385 B2 * 10/2019 Wilson C09J 7/22
D874,904 S * 2/2020 Farinacci D8/356
10,608,689 B2 * 3/2020 Chaves C09J 7/22
2002/0122925 A1 * 9/2002 Liu C09D 4/00
428/212
2003/0082327 A1 * 5/2003 Pearson G09F 3/10
428/40.1
2004/0109096 A1 * 6/2004 Anderson C09J 7/38
348/832
2004/0227722 A1 * 11/2004 Friberg G06F 1/1609
345/156
2007/0181456 A1 * 8/2007 Kusuda G06F 1/1643
206/443
2008/0030631 A1 * 2/2008 Gallagher G06F 1/1607
348/818
2009/0301907 A1 * 12/2009 Mason B29C 63/0004
206/223
2010/0026646 A1 * 2/2010 Xiao G06F 3/04886
345/173
2010/0092713 A1 * 4/2010 Bullard C09J 7/30
428/40.1
2010/0270189 A1 * 10/2010 Pedersen, II G06F 1/1626
206/320

(56) **References Cited**
U.S. PATENT DOCUMENTS

5,386,964 A * 2/1995 Mayo B43L 3/00
248/346.01
6,008,429 A * 12/1999 Ritger A61L 15/58
206/441
6,555,235 B1 * 4/2003 Aufderheide C09J 183/04
156/329
D612,818 S * 3/2010 Lents, Jr. D14/125
8,044,942 B1 * 10/2011 Leonhard G06F 1/1637
345/173
D658,164 S * 4/2012 Chan D14/238.1
D667,413 S * 9/2012 Song D14/448
8,256,612 B1 * 9/2012 Wang H04B 1/3888
206/320
8,517,367 B1 * 8/2013 Napier B32B 37/0046
269/289 R
D727,330 S * 4/2015 Reaux D14/440



2011/0267793	A1*	11/2011	Cohen	B32B 37/182 361/807
2011/0285932	A1*	11/2011	Park	G02F 1/133308 349/56
2011/0293870	A1*	12/2011	Lin	B32B 27/36 428/41.8
2012/0057287	A1*	3/2012	Chaves	C09J 7/30 361/679.3
2012/0087072	A1*	4/2012	McGuire	B29C 63/02 361/679.01
2015/0041069	A1*	2/2015	Wadsworth	B29C 63/024 156/535
2015/0107767	A1*	4/2015	Wadsworth	B29C 66/861 156/324
2015/0169089	A1*	6/2015	Dixon	B32B 38/0004 428/137
2015/0246514	A1*	9/2015	LaColla	B29C 63/0004 156/60
2015/0273786	A1*	10/2015	Ozeki	B32B 3/10 428/41.7
2015/0362736	A1*	12/2015	Kowasic	G02B 27/027 359/478
2017/0001364	A1*	1/2017	MacDonald	B32B 7/06

* cited by examiner

Primary Examiner — Cynthia R Underwood
(74) *Attorney, Agent, or Firm* — Dragon Sun Law Firm,
PC; Jinggao Li, Esq.

(57) **CLAIM**

I claim the ornamental design for a screen protection filter,
as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a screen protection filter showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a right side elevational view thereof;
FIG. 8 is a top perspective view of a screen protection filter according to a second embodiment of my design;
FIG. 9 is a front elevational view of FIG. 8;
FIG. 10 is a rear elevational view of FIG. 8;
FIG. 11 is a bottom plan view of FIG. 8;
FIG. 12 is a top plan elevational view of FIG. 8;
FIG. 13 is a left side elevational view of FIG. 8;
FIG. 14 is a right side elevational view of FIG. 8;
FIG. 15 is a top perspective view of a screen protection filter according to a third embodiment of my design;
FIG. 16 is a front elevational view of FIG. 15;
FIG. 17 is a rear elevational view of FIG. 15;
FIG. 18 is a bottom plan view of FIG. 15;
FIG. 19 is a top plan elevational view of FIG. 15;
FIG. 20 is a left side elevational view of FIG. 15;
FIG. 21 is a right side elevational view of FIG. 15;
FIG. 22 is a top perspective view of a screen protection filter according to a fourth embodiment of my design;
FIG. 23 is a front elevational view of FIG. 22;
FIG. 24 is a rear elevational view of FIG. 22;
FIG. 25 is a bottom plan view of FIG. 22;
FIG. 26 is a top plan elevational view of FIG. 22;
FIG. 27 is a left side elevational view of FIG. 22;
FIG. 28 is a right side elevational view of FIG. 22;

FIG. 29 is a top perspective view of a screen protection filter according to a fifth embodiment of my design;
FIG. 30 is a front elevational view of FIG. 29;
FIG. 31 is a rear elevational view of FIG. 29;
FIG. 32 is a bottom plan view of FIG. 29;
FIG. 33 is a top plan elevational view of FIG. 29;
FIG. 34 is a left side elevational view of FIG. 29;
FIG. 35 is a right side elevational view of FIG. 29;
FIG. 36 is a top perspective view of a screen protection filter according to a sixth embodiment of my design;
FIG. 37 is a front elevational view of FIG. 36;
FIG. 38 is a rear elevational view of FIG. 36;
FIG. 39 is a bottom plan view of FIG. 36;
FIG. 40 is a top plan elevational view of FIG. 36;
FIG. 41 is a left side elevational view of FIG. 36;
FIG. 42 is a right side elevational view of FIG. 36;
FIG. 43 is a top perspective view of a screen protection filter according to a seventh embodiment of my design;
FIG. 44 is a front elevational view of FIG. 43;
FIG. 45 is a rear elevational view of FIG. 43;
FIG. 46 is a bottom plan view of FIG. 43;
FIG. 47 is a top plan elevational view of FIG. 43;
FIG. 48 is a left side elevational view of FIG. 43;
FIG. 49 is a right side elevational view of FIG. 43;
FIG. 50 is a top perspective view of a screen protection filter according to an eighth embodiment of my design;
FIG. 51 is a front elevational view of FIG. 50;
FIG. 52 is a rear elevational view of FIG. 50;
FIG. 53 is a bottom plan view of FIG. 50;
FIG. 54 is a top plan elevational view of FIG. 50;
FIG. 55 is a left side elevational view of FIG. 50;
FIG. 56 is a right side elevational view of FIG. 50;
FIG. 57 is a top perspective view of a screen protection filter according to a ninth embodiment of my design;
FIG. 58 is a front elevational view of FIG. 57;
FIG. 59 is a rear elevational view of FIG. 57;
FIG. 60 is a bottom plan view of FIG. 57;
FIG. 61 is a top plan elevational view of FIG. 57;
FIG. 62 is a left side elevational view of FIG. 57;
FIG. 63 is a right side elevational view of FIG. 57;
FIG. 64 is a top perspective view of a screen protection filter according to a tenth embodiment of my design;
FIG. 65 is a front elevational view of FIG. 64;
FIG. 66 is a rear elevational view of FIG. 64;
FIG. 67 is a bottom plan view of FIG. 64;
FIG. 68 is a top plan elevational view of FIG. 64;
FIG. 69 is a left side elevational view of FIG. 64;
FIG. 70 is a right side elevational view of FIG. 64;
FIG. 71 is a top perspective view of a screen protection filter according to an eleventh embodiment of my design;
FIG. 72 is a front elevational view of FIG. 71;
FIG. 73 is a rear elevational view of FIG. 71;
FIG. 74 is a bottom plan view of FIG. 71;
FIG. 75 is a top plan elevational view of FIG. 71;
FIG. 76 is a left side elevational view of FIG. 71;
FIG. 77 is a right side elevational view of FIG. 71;
FIG. 78 is a top perspective view of a screen protection filter according to a twelfth embodiment of my design;
FIG. 79 is a front elevational view of FIG. 78;
FIG. 80 is a rear elevational view of FIG. 78;
FIG. 81 is a bottom plan view of FIG. 78;
FIG. 82 is a top plan elevational view of FIG. 78;
FIG. 83 is a left side elevational view of FIG. 78;
FIG. 84 is a right side elevational view of FIG. 78;

FIG. 85 is a top perspective view of a screen protection filter according to a thirteenth embodiment of my design;
FIG. 86 is a front elevational view of FIG. 85;
FIG. 87 is a rear elevational view of FIG. 85;
FIG. 88 is a bottom plan view of FIG. 85;
FIG. 89 is a top plan elevational view of FIG. 85;
FIG. 90 is a left side elevational view of FIG. 85;
FIG. 91 is a right side elevational view of FIG. 85;
FIG. 92 is a top perspective view of a screen protection filter according to a fourteenth embodiment of my design;
FIG. 93 is a front elevational view of FIG. 92;
FIG. 94 is a rear elevational view of FIG. 92;
FIG. 95 is a bottom plan view of FIG. 92;
FIG. 96 is a top plan elevational view of FIG. 92;
FIG. 97 is a left side elevational view of FIG. 92;
FIG. 98 is a right side elevational view of FIG. 92;
FIG. 99 is a top perspective view of a screen protection filter according to a fifteenth embodiment of my design;
FIG. 100 is a front elevational view of FIG. 99;
FIG. 101 is a rear elevational view of FIG. 99;
FIG. 102 is a bottom plan view of FIG. 99;
FIG. 103 is a top plan elevational view of FIG. 99;
FIG. 104 is a left side elevational view of FIG. 99;
FIG. 105 is a right side elevational view of FIG. 99;
FIG. 106 is a top perspective view of a screen protection filter according to a sixteenth embodiment of my design;
FIG. 107 is a front elevational view of FIG. 106;
FIG. 108 is a rear elevational view of FIG. 106;
FIG. 109 is a bottom plan view of FIG. 106;
FIG. 110 is a top plan elevational view of FIG. 106;
FIG. 111 is a left side elevational view of FIG. 106; and,
FIG. 112 is a right side elevational view of FIG. 106.

1 Claim, 96 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18



FIG. 19



FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26



FIG. 27



FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33



FIG. 34



FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41



FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55



FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63




FIG. 64




FIG. 65




FIG. 66



FIG. 67




FIG. 68



FIG. 69



FIG. 70




FIG. 71




FIG. 72




FIG. 73




FIG. 74




FIG. 75




FIG. 76



FIG. 77




FIG. 78




FIG. 79




FIG. 80




FIG. 81




FIG. 82



FIG. 83



FIG. 84




FIG. 85




FIG. 86




FIG. 87




FIG. 88




FIG. 89




FIG. 90




FIG. 91




FIG. 92




FIG. 93




FIG. 94




FIG. 95




FIG. 96




FIG. 97




FIG. 98




FIG. 99




FIG. 100




FIG. 101




FIG. 102




FIG. 103




FIG. 104




FIG. 105




FIG. 106




FIG. 107




FIG. 108




FIG. 109




FIG. 110




FIG. 111



FIG. 112