



US00D915567S

(12) **United States Design Patent** (10) **Patent No.:** **US D915,567 S**
Guo (45) **Date of Patent:** **** Apr. 6, 2021**

- (54) **SEAL STRIP**
- (71) Applicant: **SHENZHEN SHENYUANXIN TECHNOLOGY CO., LTD.**, Shenzhen (CN)
- (72) Inventor: **Jinhao Guo**, Shenzhen (CN)
- (73) Assignee: **SHENZHEN SHENYUANXIN TECHNOLOGY CO., LTD.**, Shenzhen (CN)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/740,264**
- (22) Filed: **Jul. 2, 2020**
- (51) **LOC (13) Cl.** **23-01**
- (52) **U.S. Cl.**
USPC **D23/269**
- (58) **Field of Classification Search**
USPC D23/269, 365, 393; D12/190; D25/48.2, D25/164; 277/316, 350, 500, 573, 592, 277/628, 906, 921
CPC F01M 2011/0062; F16J 15/052
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 3,779,851 A * 12/1973 Hertz B32B 5/12 156/182
- 4,804,518 A * 2/1989 Levine G01N 33/528 422/401
- 5,235,168 A * 8/1993 Bobba G06K 7/10831 235/462.43
- 5,611,550 A * 3/1997 Belser B60J 1/10 277/642
- D420,354 S * 2/2000 Morales D14/191
- D453,042 S * 1/2002 Mattsson D23/393
- 6,530,630 B2 * 3/2003 Herbeck F24F 13/20 312/265.4
- D494,266 S * 8/2004 Snyder D23/393

- D503,792 S * 4/2005 Snyder D23/393
- D517,679 S * 3/2006 Stout, Jr. D23/393
- D755,356 S * 5/2016 Vaseleniuck et al.
- D761,407 S * 7/2016 Spear D23/365
- D809,115 S * 1/2018 Morin D23/365
- D814,620 S * 4/2018 Mork D23/365
- D819,187 S * 5/2018 Yamamoto D23/269
- D824,505 S * 7/2018 Mork D23/365
- D836,186 S * 12/2018 Takahashi D23/269
- D848,585 S * 5/2019 Yamamoto D23/269
- D865,920 S * 11/2019 Takahashi D23/269
- D866,001 S * 11/2019 Howard D25/48.2
- D871,899 S * 1/2020 Hargrave D8/382
- 2001/0013206 A1 * 8/2001 Widmer E04D 13/02 52/200
- 2003/0160452 A1 * 8/2003 Mattsson F16L 9/003 285/424
- 2004/0159236 A1 * 8/2004 Otsuka B65D 53/02 96/108
- 2004/0209087 A1 * 10/2004 Ash B29C 66/8266 428/441

(Continued)

Primary Examiner — Amy C Wierenga


(57) **CLAIM**

The ornamental design for a seal strip, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a seal strip showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a right side elevational view thereof;
 FIG. 6 is a top plan view thereof; and,
 FIG. 7 is a bottom plan view thereof.
 The dash broken lines in the drawings depict portions of the seal strip that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0255547 A1* 11/2006 Widder F16J 15/062
277/592
2007/0024011 A1* 2/2007 Michaud F16J 15/062
277/628
2011/0209890 A1* 9/2011 Yamaguchi H05K 5/069
174/50.5
2013/0177830 A1* 7/2013 Parsons H01M 8/2485
429/460
2013/0273985 A1* 10/2013 Kageyama H05K 5/061
455/575.8
2018/0301843 A1* 10/2018 Lu H01R 13/5202
2019/0024796 A1* 1/2019 Amano F16J 15/104

* cited by examiner




FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7