US00D915579S

(12) United States Design Patent

Anderson et al.

(10) Patent No.: US D915,579 S
(45) Date of Patent: ** Apr. 6, 2021

(54) **DOUBLE BARREL DOSER**

(71) Applicant: **Mark L. Anderson**, Spring Valley, WI (US)

(72) Inventors: **Mark L. Anderson**, Spring Valley, WI (US); **Jim L. Wait**, Spring Valley, WI (US)

(73) Assignee: **Mark L. Anderson**, Spring Valley, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/649,932**

(22) Filed: **Jun. 4, 2018**

(51) **LOC (13) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/113**; D24/114

(58) **Field of Classification Search**
USPC D24/111–114, 146, 129, 130, 141; D30/199
CPC A61M 5/19; A61M 5/31595; A61M 5/31581; A61D 1/00; F15C 1/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,393,576	A *	1/1946	Thomas	A61M 5/204	604/181
3,467,096	A *	9/1969	Horn	A61M 5/46	604/173
3,552,394	A *	1/1971	Horn	A61M 5/19	604/173
D246,187	S *	10/1977	DeArment	D24/114	
4,673,395	A *	6/1987	Phillips	A61M 5/31551	604/191
D304,616	S *	11/1989	Dunlap	D24/112	
D408,531	S *	4/1999	King	D24/114	
D409,304	S *	5/1999	King	D24/112	
D416,087	S *	11/1999	King	D24/113	
D523,553	S *	6/2006	Beck	D24/111	
D536,783	S *	2/2007	Cise	D24/111	
D578,209	S *	10/2008	Schurg	D24/111	
D618,338	S *	6/2010	Fujioka	D24/113	
D640,368	S *	6/2011	Fujioka	D24/113	
D768,848	S *	10/2016	Cooper	D24/113	
D783,815	S *	4/2017	Lewis	D24/129	
D829,888	S *	10/2018	Xie	D24/112	
2002/0049415	A1 *	4/2002	Fukuda	A61M 5/1456	604/191

(Continued)

OTHER PUBLICATIONS

Syringe pump with double-barreled, publication date Aug. 27, 2018, [online][site visited Oct. 22, 2020] URL: http://www.livestocktool.com/product/veterinary-instruments1/automatic-continuous-syringe/syringe-pump-with-double-barreled.html (Year: 2018).*

(Continued)

Primary Examiner — L. A. Grabenstetter
(74) *Attorney, Agent, or Firm* — Joel Skinner; Skinner & Associates

(57) **CLAIM**

The ornamental design for a double barrel doser, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of a double barrel doser showing the design of the invention.
FIG. **2** is a back perspective view thereof.
FIG. **3** is a side view thereof, the opposite side being a mirror image.
FIG. **4** is a top view thereof.
FIG. **5** is a bottom view thereof; and,
FIG. **6** is a front view thereof.
The broken line showing of structural features illustrate portions of the double barrel doser that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

2002/0082563	A1*	6/2002	Petersen	A61M 5/31581 604/191
2008/0154209	A1*	6/2008	Fojtik	A61M 3/0233 604/191
2009/0264831	A1*	10/2009	Thompson	A61B 17/00491 604/191
2010/0108166	A1*	5/2010	Anderson	F16L 27/087 137/803
2014/0330206	A1*	11/2014	Moore	A61M 5/14216 604/152
2016/0263321	A1*	9/2016	Eisele	A61M 5/19
2018/0361065	A1*	12/2018	Trezza	A61M 5/3295

OTHER PUBLICATIONS

Double-Barreled Continuous Syringe, publication date Apr. 5, 2019, [online][site visited Oct. 22, 2020] URL: http://www.levah.com/Agriculture/Veterinary-Continuous-Syringe/Double-Barreled-Continuous-Syringe-VC290128.html (Year: 2019).*

* cited by examiner



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6