



US00D915905S

(12) **United States Design Patent** (10) **Patent No.:** **US D915,905 S**  
**Okumura et al.** (45) **Date of Patent:** **\*\* Apr. 13, 2021**

- (54) **CAN**
- (71) Applicant: **TOYO SEIKAN CO., LTD.**, Tokyo (JP)
- (72) Inventors: **Toshiki Okumura**, Yokohama (JP); **Kiyosumi Manita**, Yokohama (JP)
- (73) Assignee: **TOYO SEIKAN CO., LTD.**, Tokyo (JP)
- (\*\*) Term: **15 Years**
- (21) Appl. No.: **29/694,790**
- (22) Filed: **Jun. 21, 2019**

**Related U.S. Application Data**

- (63) Continuation of application No. 35/505,212, filed on Dec. 27, 2017 (U.S. filing date under 35 U.S.C. 384), (Continued)

(30) **Foreign Application Priority Data**

- Jul. 5, 2017 (JP) ..... 2017-14478
  - Jul. 5, 2017 (JP) ..... 2017-14479
- (Continued)

- (51) **LOC (13) Cl.** ..... **09-01**

- (52) **U.S. Cl.**  
USPC ..... **D9/773**

- (58) **Field of Classification Search**  
USPC ..... D9/773

(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D94,575 S \* 2/1935 Steelman ..... D9/550
- D368,655 S \* 4/1996 Chahed ..... D9/429

(Continued)

*Primary Examiner* — Michael A. Pratt

(74) *Attorney, Agent, or Firm* — Manabu Kanesaka

(57) **CLAIM**

The ornamental design for a can, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a can showing a first embodiment of our new design, a rear view being identical to the front view thereof;

FIG. 2 is a right side view thereof, a left side view being identical to the right side view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is an end view sectioned horizontally at the bottom line of any rows that is provided with patterns of isosceles triangles which are arranged in staggered way;

FIG. 6 is a front view of a can showing a second embodiment of our new design, a rear view being identical to the front view thereof;

FIG. 7 is a right side view thereof, a left side view being identical to the right side view thereof;

FIG. 8 is a top view thereof;

FIG. 9 is a bottom view thereof;

FIG. 10 is an end view sectioned horizontally at the bottom line of any rows that is provided with patterns of isosceles triangles which are arranged in staggered way;

FIG. 11 is a front view of a can showing a third embodiment of our new design, a rear view being identical to the front view thereof;

FIG. 12 is a right side view thereof, a left side view being identical to the right side view thereof;

FIG. 13 is a top view thereof;

FIG. 14 is a bottom view thereof;

FIG. 15 is an end view sectioned horizontally at the bottom line of any rows that is provided with patterns of isosceles triangles which are arranged in staggered way;

FIG. 16 is a front view of a can showing a fourth embodiment of our new design, a rear view being identical to the front view thereof;

FIG. 17 is a right side view thereof, a left side view being identical to the right side view thereof;

FIG. 18 is a top view thereof;

FIG. 19 is a bottom view thereof;

(Continued)




FIG. 20 is an end view sectioned horizontally at the bottom line of any rows that is provided with patterns of isosceles triangles which are arranged in staggered way;  
FIG. 21 is a front view of a can showing a fifth embodiment of our new design, a rear view being identical to the front view thereof;  
FIG. 22 is a right side view thereof, a left side view being identical to the right side view thereof;  
FIG. 23 is a top view thereof;  
FIG. 24 is a bottom view thereof; and,  
FIG. 25 is an end view sectioned horizontally at the bottom line of any rows that is provided with patterns of isosceles triangles which are arranged in staggered way.  
The dashed broken lines depict portions of the cans that form no part of claimed design, and the dot-dash broken lines define the bounds of the claimed design and form no part thereof. The shades expressed on the surface in the claimed design are for specifying the shape of the three-dimensional surfaces.

**1 Claim, 25 Drawing Sheets**

**Related U.S. Application Data**

and having an international filing date of Dec. 27, 2017, now Pat. No. Des. 863,068.

(30) **Foreign Application Priority Data**

Jul. 5, 2017	(JP)	.....	2017-14480
Jul. 5, 2017	(JP)	.....	2017-14481
Jul. 5, 2017	(JP)	.....	2017-14482
Jul. 5, 2017	(JP)	.....	2017-14483
Jul. 5, 2017	(JP)	.....	2017-14484
Jul. 5, 2017	(JP)	.....	2017-14485
Jul. 5, 2017	(JP)	.....	2017-14486
Jul. 5, 2017	(JP)	.....	2017-14487

(58) **Field of Classification Search**

CPC ..... B65D 1/12; B65D 1/165  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D448,677	S	*	10/2001	Krich	.....	D9/553
D564,903	S	*	3/2008	Stephens	.....	D9/773
D653,123	S	*	1/2012	Ziegler	.....	D9/773
D745,417	S	*	12/2015	Zebert	.....	D9/773
D814,857	S	*	4/2018	Rolfson	.....	D7/392.1

\* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22






FIG. 23




FIG. 24




FIG. 25

