



US00D916091S

(12) **United States Design Patent**  
**Connellan et al.**

(10) **Patent No.:** **US D916,091 S**

(45) **Date of Patent:** **\*\* Apr. 13, 2021**

(54) **INPUT DEVICE FOR USE IN  
VIRTUAL/AUGMENTED REALITY**

(71) Applicant: **Logitech Europe S.A.**, Lausanne (CH)

(72) Inventors: **Andreas Connellan**, Dublin (IE);  
**Pierce Brady**, Co. Cork (IE); **Fergal  
Corcoran**, Co. Cork (IE)

(73) Assignee: **Logitech Europe S.A.**, Lausanne (CH)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/758,032**

(22) Filed: **Nov. 11, 2020**

**Related U.S. Application Data**

(62) Division of application No. 29/653,883, filed on Jun. 19, 2018, now Pat. No. Des. 906,330.

(51) **LOC (13) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/405**; D14/411

(58) **Field of Classification Search**  
USPC ..... D14/372, 496, 432, 371, 125, 126, 129,  
D14/299, 411, 402-410; D16/300-342;  
351/158, 153, 144; 345/7-9, 905;  
455/344; 348/115, 53, 121, 739  
CPC ..... G02B 27/017; G06F 3/016; G06F 3/033;  
G06F 3/0317; G06F 3/03545; G06F  
3/041; G06K 9/222  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D348,057 S \* 6/1994 Bradley ..... D14/404  
D367,272 S \* 2/1996 Hood ..... D14/405  
D410,638 S \* 6/1999 Sheehan ..... D14/409  
D442,595 S \* 5/2001 Lee ..... D14/402

6,724,366 B2 \* 4/2004 Crawford ..... G06F 3/03547  
345/156  
D583,376 S \* 12/2008 Snijders ..... D14/405  
D642,176 S \* 7/2011 Shi ..... D14/411  
D662,500 S \* 6/2012 OQuin ..... D14/411  
D662,936 S \* 7/2012 Jordan ..... D14/411  
D686,211 S \* 7/2013 Lin ..... D14/411  
D700,909 S \* 3/2014 Bowser ..... D14/432  
D710,362 S \* 8/2014 Kaminsky ..... D14/426  
D712,410 S \* 9/2014 Shu ..... D14/411  
D718,311 S \* 11/2014 Burke ..... D14/411  
D720,349 S \* 12/2014 Comerford ..... D14/411

(Continued)

*Primary Examiner* — Austin Murphy

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(57) **CLAIM**


The ornamental design for input device for use in virtual/augmented reality, as shown and described.

**DESCRIPTION**

FIG. 1 shows a first perspective view of a second embodiment of a input device for use in virtual/augmented reality showing our new design;  
FIG. 2 shows a second perspective view thereof;  
FIG. 3 shows a third perspective view thereof;  
FIG. 4 shows a fourth perspective view thereof;  
FIG. 4 shows a top plan view thereof;  
FIG. 6 shows a bottom plan view thereof;  
FIG. 7 shows a front elevation view thereof;  
FIG. 8 shows a rear elevation view thereof;  
FIG. 9 shows a right side elevation view thereof; and,  
FIG. 10 shows a left side elevation view thereof.

The broken lines shown to be immediately adjacent to the shaded/contoured areas represent certain portions of the bounds of the claimed design while all other broken lines are directed to environmental features and are provided for illustrative purposes only; the broken lines form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

|            |   |         |               |         |
|------------|---|---------|---------------|---------|
| D723,036 S | * | 2/2015  | Longo .....   | D14/432 |
| D742,381 S | * | 11/2015 | Joseph .....  | D14/411 |
| D751,554 S | * | 3/2016  | Eaton .....   | D14/411 |
| D774,512 S | * | 12/2016 | Liu .....     | D14/411 |
| D787,518 S | * | 5/2017  | Tudisco ..... | D14/411 |

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8






FIG. 9




FIG. 10