



US00D916473S

(12) **United States Design Patent** (10) **Patent No.:** **US D916,473 S**
Imrich et al. (45) **Date of Patent:** **** Apr. 20, 2021**

(54) **CHILD SAFETY SEAT FOR MOTOR CARS**

D699,635 S * 2/2014 Slotteroy B62B 7/145
D12/133

(71) Applicant: **CYBEX GMBH**, Bayreuth (DE)

8,998,312 B2 4/2015 Sellers et al.

9,056,567 B2 6/2015 Wuerstl

(72) Inventors: **Martin Imrich**, Prague (CZ); **Jiri Pribyl**, Prague (CZ)

D746,070 S 12/2015 Pos

D764,817 S 8/2016 Pos

D779,841 S 2/2017 Pos

D794,968 S 8/2017 Pos

(73) Assignee: **Cybex GmbH**, Bayreuth (DE)

9,738,182 B2 8/2017 Pos

D801,704 S 11/2017 Pos

(**) Term: **15 Years**

D837,538 S * 1/2019 Imrich D6/333

2005/0168023 A1 8/2005 Gangadharan et al.

2009/0091166 A1 4/2009 Jha

(21) Appl. No.: **29/675,061**

(Continued)

(22) Filed: **Dec. 28, 2018**

Primary Examiner — Mary Ann Calabrese

(74) Attorney, Agent, or Firm — Boyle Fredrickson, S.C.

Related U.S. Application Data

(62) Division of application No. 35/502,442, filed on Aug. 12, 2016 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Aug. 12, 2016, now Pat. No. Des. 837,538.

(57) **CLAIM**

The ornamental design of a child safety seat for motor cars, as shown and described.

(51) **LOC (13) Cl.** **06-01**

DESCRIPTION

(52) **U.S. Cl.**

USPC **D6/333**

(58) **Field of Classification Search**

USPC D6/333, 334, 336, 338, 339, 356

CPC A47C 1/00; A47C 3/00; A47C 3/16; A47C

7/00; A47C 7/02; A47C 7/14; A47C 7/16;

D60N 2/26; D60N 2/2842; D60N 2/2851;

D60N 2/2887; D60N 2/42

See application file for complete search history.

FIG. 1 is a perspective view of a child safety seat in accordance with the present invention;

FIG. 2 is a front elevational view of the child safety seat of FIG. 1;

FIG. 3 is a rear elevational view of the child safety seat of FIG. 1;

FIG. 4 is a side elevational view of a first side of the child safety seat of FIG. 1;

FIG. 5 is a side elevational view of a second side of the child safety seat of FIG. 1;

FIG. 6 is a top plan view of the child safety seat of FIG. 1; and,

FIG. 7 is a bottom plan view of the child safety seat of FIG. 1.

The broken lines and the area within the broken lines in the drawings depict portions of the child safety seat for motor cars that form no part of the claim.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D347,737 S 6/1994 Allard et al.

5,522,639 A 6/1996 Jaime

D558,467 S 1/2008 Hou et al.


D575,535 S * 8/2008 Bizzell D6/333

D577,918 S 10/2008 Bizzell

D607,652 S 1/2010 Karremans

D681,966 S 5/2013 Slotteroy et al.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

2014/0008951 A1 1/2014 Spence et al.
2016/0016602 A1* 1/2016 D'Anastasi B62B 7/145
297/260.2

* cited by examiner



FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7