



US00D916473S

(12) **United States Design Patent** (10) **Patent No.:** **US D916,473 S**  
**Imrich et al.** (45) **Date of Patent:** **\*\* Apr. 20, 2021**

(54) **CHILD SAFETY SEAT FOR MOTOR CARS** D699,635 S \* 2/2014 Slotteroy ..... B62B 7/145  
D12/133  
(71) Applicant: **CYBEX GMBH**, Bayreuth (DE) 8,998,312 B2 4/2015 Sellers et al.  
9,056,567 B2 6/2015 Wuerstl  
D746,070 S 12/2015 Pos  
(72) Inventors: **Martin Imrich**, Prague (CZ); **Jiri Pribyl**, Prague (CZ) D764,817 S 8/2016 Pos  
D779,841 S 2/2017 Pos  
D794,968 S 8/2017 Pos  
(73) Assignee: **Cybex GmbH**, Bayreuth (DE) 9,738,182 B2 8/2017 Pos  
D801,704 S 11/2017 Pos  
(\*\*) Term: **15 Years** D837,538 S \* 1/2019 Imrich ..... D6/333  
2005/0168023 A1 8/2005 Gangadharan et al.  
2009/0091166 A1 4/2009 Jha  
(21) Appl. No.: **29/675,061**  
(22) Filed: **Dec. 28, 2018**

**Related U.S. Application Data**

(62) Division of application No. 35/502,442, filed on Aug. 12, 2016 (U.S. filing date under 35 U.S.C. 384), and having an international filing date of Aug. 12, 2016, now Pat. No. Des. 837,538.  
(51) **LOC (13) Cl.** ..... **06-01**  
(52) **U.S. Cl.**  
USPC ..... **D6/333**  
(58) **Field of Classification Search**  
USPC ..... D6/333, 334, 336, 338, 339, 356  
CPC .... A47C 1/00; A47C 3/00; A47C 3/16; A47C 7/00; A47C 7/02; A47C 7/14; A47C 7/16; D60N 2/26; D60N 2/2842; D60N 2/2851; D60N 2/2887; D60N 2/42  
See application file for complete search history.

**References Cited**

**U.S. PATENT DOCUMENTS**

D347,737 S 6/1994 Allard et al.  
5,522,639 A 6/1996 Jaime  
D558,467 S 1/2008 Hou et al.  
D575,535 S \* 8/2008 Bizzell ..... D6/333  
D577,918 S 10/2008 Bizzell  
D607,652 S 1/2010 Karremans  
D681,966 S 5/2013 Slotteroy et al.

*Primary Examiner* — Mary Ann Calabrese  
(74) *Attorney, Agent, or Firm* — Boyle Fredrickson, S.C.


**CLAIM**

(57) The ornamental design of a child safety seat for motor cars, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a child safety seat in accordance with the present invention;  
FIG. 2 is a front elevational view of the child safety seat of FIG. 1;  
FIG. 3 is a rear elevational view of the child safety seat of FIG. 1;  
FIG. 4 is a side elevational view of a first side of the child safety seat of FIG. 1;  
FIG. 5 is a side elevational view of a second side of the child safety seat of FIG. 1;  
FIG. 6 is a top plan view of the child safety seat of FIG. 1; and,  
FIG. 7 is a bottom plan view of the child safety seat of FIG. 1.  
The broken lines and the area within the broken lines in the drawings depict portions of the child safety seat for motor cars that form no part of the claim.

**1 Claim, 7 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

2014/0008951 A1 1/2014 Spence et al.  
2016/0016602 A1\* 1/2016 D'Anastasi ..... B62B 7/145  
297/260.2

\* cited by examiner



FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6






FIG.7