



US00D916941S

(12) **United States Design Patent** (10) **Patent No.:** **US D916,941 S**
Nolan et al. (45) **Date of Patent:** **** Apr. 20, 2021**

(54) **SENSOR HOUSING**

(71) Applicant: **FLIR Surveillance, Inc.**, Wilsonville,
OR (US)

(72) Inventors: **John Nolan**, Haverhill, MA (US);
Mark Stinnett, Lawrence, MA (US);
Sean L. Delaney, Chelmsford, MA
(US)

(73) Assignee: **FLIR Surveillance, Inc.**, Wilsonville,
OR (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/705,894**

(22) Filed: **Sep. 16, 2019**

(51) **LOC (13) Cl.** **16-01**

(52) **U.S. Cl.**
USPC **D16/203; D10/53**

(58) **Field of Classification Search**

USPC D16/200, 202–206, 218, 219, 242;
D10/52, 53; 348/143, 148, 151, 164,
348/373–376; 396/419, 427, 535,
396/539–541
CPC G03B 17/02; G03B 19/04; G03B 17/56;
G03B 17/04; G03B 15/03; H04N 5/2251;
H04N 5/2252; H04N 5/2253; H04N
5/2254; H04N 7/181; H04N 7/183; H04N
7/18; G08B 13/1963; G08B 13/19619;
G08B 13/19632; F16M 11/04; F16M
13/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D562,870 S 2/2008 Komatsu et al.
7,435,019 B2 10/2008 Lee
D608,811 S 1/2010 Frank et al.

D609,732 S 2/2010 Frank et al.
D671,157 S 11/2012 Richardson et al.
8,687,111 B2 4/2014 McKaughan et al.
D715,661 S 10/2014 McKaughan et al.
D715,662 S 10/2014 Aicher et al.
D722,635 S 2/2015 Richardson et al.
D723,395 S 3/2015 Dispenza et al.
D737,698 S 9/2015 Dispenza et al.
D881,256 S * 4/2020 Tseng D16/203
D883,357 S * 5/2020 Moon D16/203
D888,793 S * 6/2020 Du D16/203
D898,096 S * 10/2020 Moon D16/203
D898,800 S * 10/2020 Zeng D16/203

(Continued)

Primary Examiner — Ramzi S Almatrahi

(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP

(57) **CLAIM**


The ornamental design for a sensor housing, as shown and described.

DESCRIPTION

FIG. 1 is a front, left, and top perspective view of a first embodiment of a sensor housing embodying the new design; FIG. 2 is a rear, right, and bottom perspective view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a left side elevational view thereof; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a front, left, and top perspective view of a second embodiment of a sensor housing shown with handles; FIG. 10 is a rear, right, and bottom perspective view thereof; and, FIG. 11 is a left side elevational view thereof.

The broken lines depict portions of the sensor housing in which the design is embodied that form no part of the claimed design.

1 Claim, 11 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D901,572 S * 11/2020 Wang D16/203
D902,975 S * 11/2020 Zhong D16/203

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11