



US00D917047S

(12) **United States Design Patent** (10) **Patent No.:** **US D917,047 S**  
**Schultz** (45) **Date of Patent:** **\*\* Apr. 20, 2021**

(54) **REDUCED-TOUCH CONTAMINATION DEVICE**

(56) **References Cited**

(71) Applicant: **Joseph P. Schultz**, Atlanta, GA (US)  
(72) Inventor: **Joseph P. Schultz**, Atlanta, GA (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/733,644**  
(22) Filed: **May 5, 2020**

U.S. PATENT DOCUMENTS

D395,502	S	*	6/1998	Deily	.....	D24/112
D714,935	S	*	10/2014	Nishioka	.....	D24/130
D731,647	S	*	6/2015	Nishioka	.....	D24/130
D733,292	S	*	6/2015	Rogers	.....	D24/129
D736,914	S	*	8/2015	Schultz	.....	D24/129
D736,915	S	*	8/2015	Schultz	.....	D24/129
D737,961	S	*	9/2015	Schultz	.....	D24/129
D737,962	S	*	9/2015	Schultz	.....	D24/129
D740,412	S	*	10/2015	Strong	.....	D24/130
D835,268	S	*	12/2018	Di Ubaldi	.....	D24/130
D835,269	S	*	12/2018	Di Ubaldi	.....	D24/130
2016/0250415	A1	*	9/2016	Yagi	.....	A61M 39/1011 604/187
2018/0289941	A1	*	10/2018	Di Ubaldi	.....	A61M 5/3134

**Related U.S. Application Data**

(60) Division of application No. 29/670,221, filed on Nov. 14, 2018, now Pat. No. Des. 886,996, which is a continuation-in-part of application No. 15/971,091, filed on May 4, 2018, which is a continuation of application No. 14/208,487, filed on Mar. 13, 2014, now Pat. No. 9,974,941.

(51) **LOC (13) Cl.** ..... **24-01**

(52) **U.S. Cl.**  
USPC ..... **D24/130**

(58) **Field of Classification Search**  
USPC ..... D24/127-131, 112-114, 133, 186;  
606/181, 185; 604/264, 523-528, 272,  
604/187, 158, 164.01-164.11, 181, 184,  
604/227; 600/101, 139, 143;  
128/200.24, 207.14, 207.15  
CPC ..... A61M 39/165; A61M 39/1011; A61M  
2039/1033; A61M 2039/1066

See application file for complete search history.

\* cited by examiner

*Primary Examiner* — Nathan M Johnston  
(74) *Attorney, Agent, or Firm* — Merchant & Gould P.C.


(57) **CLAIM**

The ornamental design for a reduced-touch contamination device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a reduced-touch contamination device, showing my new design.  
FIG. 2 is a front side view thereof, wherein the front side is a mirror image of the rear side.  
FIG. 3 is a top plan view thereof; and,  
FIG. 4 is a cross-sectional isolated enlarged side view of the reduced-touch contamination device shown in FIG. 1.  
The broken lines are included for the purpose of illustrating an environment, and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4