



US00D917155S

(12) **United States Design Patent** (10) **Patent No.:** **US D917,155 S**  
**Dumas** (45) **Date of Patent:** **\*\* Apr. 27, 2021**

(54) **KEY RING**

(71) Applicant: **HERMES SELLIER (Société par actions simplifiée, Paris (FR))**

(72) Inventor: **Pierre-Alexis Dumas, Paris (FR)**

(\*\*) Term: **15 Years**

(21) Appl. No.: **35/508,447**

(22) Filed: **Jul. 29, 2019**

(80) **Hague Agreement Data**

Int. Filing Date: **Jul. 29, 2019**

Int. Reg. No.: **DM/204009**

Int. Reg. Date: **Jul. 29, 2019**

Int. Reg. Pub. Date: **Jan. 31, 2020**

(51) **LOC (13) Cl.** ..... **03-01**

(52) **U.S. Cl.**  
USPC ..... **D3/207**  
CPC ..... **A45C 1/00 (2013.01)**

(58) **Field of Classification Search**  
USPC ..... D11/1-7, 16, 40-45, 47, 48, 61, 75-81, D11/85, 86, 200, 215; D3/207-211, 5, D3/10, 12, 215, 218, 226, 232, 233, 243, D3/244, 247, 252, 268, 276, 287, 289, D3/290, 301, 307, 318, 327; D2/625, D2/627; D12/400; D14/344, 345, 432, D14/454, 460; D16/133, 136, 206, 242, D16/243, 330, 339; D30/151, 153, 154; D21/333  
CPC ..... A44C 1/00; A44C 5/00; A44C 5/0007; A44C 5/02; A44C 7/00; A44C 7/002; A44C 7/003; A44C 7/004; A44C 7/005; A44C 7/006; A44C 7/007; A44C 7/008; A44C 7/009; A44C 15/00; A44C 25/00; A44C 25/001; A44C 25/002; A44C 25/007

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D438,373	S	*	3/2001	Riley	.....	D3/207
D506,056	S	*	6/2005	Burns	.....	D3/207
D557,008	S	*	12/2007	Stiller	.....	D3/207
8,104,315	B2	*	1/2012	Perthou	.....	A44B 15/00 70/456 R
D677,048	S	*	3/2013	Du	.....	D3/207
D793,075	S	*	8/2017	Ma	.....	D3/207
D819,958	S	*	6/2018	Licalsi	.....	D3/207
D826,550	S	*	8/2018	Filakousky	.....	D3/207
D836,325	S	*	12/2018	Dumas	.....	D3/207
D838,100	S	*	1/2019	Wang	.....	D3/207
D844,972	S	*	4/2019	Wantland	.....	D3/207
D862,067	S	*	10/2019	Feng	.....	D3/207
D862,068	S	*	10/2019	Justiss	.....	D3/207
D880,148	S	*	4/2020	Akana	.....	D3/218

\* cited by examiner

*Primary Examiner* — Richard E Chilcot

(57) **CLAIM**


The ornamental design for a key ring, as shown and described.

**DESCRIPTION**


- 1. Key ring
- 1.1 : Perspective
- 1.2 : Front
- 1.3 : Back
- 1.4 : Right
- 1.5 : Left
- 1.6 : Top
- 1.7 : Bottom
- 1.8 : Front
- 1.9 : Front

In the figures, the dotted lines represent seams.


**1 Claim, 9 Drawing Sheets**




1.1




1.2




1.3




1.4




1.5



1.6




1.7





1.8



1.9

