



US00D917392S

(12) **United States Design Patent** (10) **Patent No.:** **US D917,392 S**  
**Robredo et al.** (45) **Date of Patent:** **\*\* Apr. 27, 2021**

(54) **UNINTERRUPTIBLE POWER SUPPLY WITH CHANGING ELONGATED LIGHT EMITTERS**

(71) Applicant: **Eaton Intelligent Power**, Dublin (IE)  
(72) Inventors: **Pedro Robredo**, Raleigh, NC (US); **Bin Gao**, Shenzhen (CN); **Yunpeng Zheng**, Shenzhen (CN)

(73) Assignee: **Eaton Intelligent Power Limited**, Dublin (IE)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/716,286**

(22) Filed: **Dec. 9, 2019**

**Related U.S. Application Data**

(63) Continuation of application No. 29/574,518, filed on Aug. 16, 2016, now Pat. No. Des. 869,394, which is a continuation of application No. 29/443,874, filed on Jan. 23, 2013, now Pat. No. Des. 764,407, which is a continuation-in-part of application No. 29/441,202, filed on Jan. 2, 2013, now Pat. No. Des. 742,313.

(51) **LOC (13) Cl.** ..... **13-02**

(52) **U.S. Cl.**  
USPC ..... **D13/110**

(58) **Field of Classification Search**  
USPC ..... D13/110, 118, 123, 133, 163, 184, 199;  
D14/300, 301, 302, 900  
CPC ..... Y04S 10/14; Y04S 10/16; Y04S 10/18;  
Y04S 20/12; Y04S 20/14; Y04S 20/221;  
Y02A 30/18; Y02E 60/12; Y02E 60/50;  
Y02E 60/122; Y02E 60/124; H01M  
2/0202; H01M 2/0207; H01M 2/0212;  
H01M 2/1022; H01M 2/1055; H01M  
2/105; H01M 2/204; Y02B 70/3291

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D492,650	S	*	7/2004	Nishi	.....	D13/110
D508,561	S	*	8/2005	Raspotnig	.....	D23/393
D509,184	S	*	9/2005	Schuttler	.....	D13/110
D596,594	S	*	7/2009	Kressy	.....	D13/184
D602,859	S	*	10/2009	Kaiser	.....	D13/101
8,154,856	B2	*	4/2012	Fontana	.....	H02B 1/20 361/624
D697,864	S	*	1/2014	McGrath	.....	D13/102
2011/0013348	A1	*	1/2011	Seibold	.....	G06F 1/20 361/679.02

\* cited by examiner

*Primary Examiner* — Derrick E Holland

(74) *Attorney, Agent, or Firm* — Myers Bigel, P.A.

(57) **CLAIM**

The ornamental design for a uninterruptible power supply with changing elongated light emitters, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an uninterruptible power supply with changing elongated light emitters showing our design;

FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a side view thereof;


FIG. 5 is an opposing side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

The broken lines shown represent the portions of the uninterruptible power supply with changing elongated light emitters that form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7