



US00D917742S

(12) **United States Design Patent**
Shimizu et al.

(10) **Patent No.:** **US D917,742 S**
(45) **Date of Patent:** **** Apr. 27, 2021**

(54) **FRONT COMBINATION LAMP FOR AN
AUTOMOBILE**

D586,010 S * 2/2009 Saracoglu D26/28
D592,332 S * 5/2009 Hsu D26/28
D592,336 S * 5/2009 Hsu D26/28

(71) Applicant: **Nissan Motor Co., Ltd.**, Kanagawa
(JP)

* cited by examiner

(72) Inventors: **Youhei Shimizu**, Kanagawa (JP); **Koji
Wakabayashi**, Kanagawa (JP)

Primary Examiner — Marcus A Jackson
(74) *Attorney, Agent, or Firm* — Global IP Counselors,
LLP

(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama
(JP)

(57) **CLAIM**

The ornamental design for a front combination lamp for an
automobile, as shown and described.

(**) Term: **15 Years**

DESCRIPTION

(21) Appl. No.: **29/709,092**

FIG. 1 is a front elevational view of a front combination
lamp for an automobile in accordance with a first embodi-
ment of our new design;

(22) Filed: **Oct. 11, 2019**

FIG. 2 is a rear elevational view thereof;

(30) **Foreign Application Priority Data**

Apr. 12, 2019 (JP) 2019-008092

FIG. 3 is a top plan view thereof;

(51) **LOC (13) Cl.** **26-06**

FIG. 4 is a bottom plan view thereof;

(52) **U.S. Cl.**
USPC **D26/28**

FIG. 5 is a left side elevational view thereof;

(58) **Field of Classification Search**
USPC D26/28–36, 139
CPC F21S 48/00; F21S 48/10; F21S 48/115;
F21S 48/225; F21S 48/1233; F21S
48/1266; F21S 48/1388; F21S 48/2268;
F21V 5/00; B60Q 9/13; B60Q 9/135;
B60Q 9/1375; F21K 9/00; F21K 13/00
See application file for complete search history.

FIG. 6 is a right side elevational view thereof; and,

(56) **References Cited**

U.S. PATENT DOCUMENTS


D474,290 S * 5/2003 Sawai D26/28
D549,858 S * 8/2007 Pfeiffer D26/28
D552,772 S * 10/2007 Davidson D26/28

FIG. 7 is a front side perspective view thereof.

The front combination lamp is configured to be mounted to
an automobile. The mounting structure and support structure
of the front combination lamp, shown in broken lines in
FIGS. 1 to 7, form no part of the claimed design since the
mounting structure and support structure are hidden when
the front combination lamp is mounted to the automobile.
In addition, the appearance of the rear side structures of the
front combination lamp as shown in broken lines in FIGS.
1 to 7 is for purpose of illustrating the boundaries of the
exterior surface of the front combination lamp, and forms no
part of the claimed design. The front combination lamp has
a front lens that is transparent such that features behind the
lens are at least partially visible as illustrated.

A second embodiment of our new design includes the mirror
image of the front combination lamp shown in FIGS. 1 to 7.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7