



US00D917742S

(12) **United States Design Patent**  
**Shimizu et al.**

(10) **Patent No.:** **US D917,742 S**  
(45) **Date of Patent:** **\*\* Apr. 27, 2021**

(54) **FRONT COMBINATION LAMP FOR AN  
AUTOMOBILE**

D586,010 S \* 2/2009 Saracoglu ..... D26/28  
D592,332 S \* 5/2009 Hsu ..... D26/28  
D592,336 S \* 5/2009 Hsu ..... D26/28

(71) Applicant: **Nissan Motor Co., Ltd.**, Kanagawa  
(JP)

\* cited by examiner

(72) Inventors: **Youhei Shimizu**, Kanagawa (JP); **Koji  
Wakabayashi**, Kanagawa (JP)

*Primary Examiner* — Marcus A Jackson

(74) *Attorney, Agent, or Firm* — Global IP Counselors,  
LLP

(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama  
(JP)

(57) **CLAIM**

The ornamental design for a front combination lamp for an  
automobile, as shown and described.

(\*\*) Term: **15 Years**

**DESCRIPTION**

(21) Appl. No.: **29/709,092**

FIG. 1 is a front elevational view of a front combination  
lamp for an automobile in accordance with a first embodi-  
ment of our new design;

(22) Filed: **Oct. 11, 2019**

FIG. 2 is a rear elevational view thereof;

(30) **Foreign Application Priority Data**

Apr. 12, 2019 (JP) ..... 2019-008092

FIG. 3 is a top plan view thereof;

(51) **LOC (13) Cl.** ..... **26-06**

FIG. 4 is a bottom plan view thereof;

(52) **U.S. Cl.**  
USPC ..... **D26/28**

FIG. 5 is a left side elevational view thereof;

(58) **Field of Classification Search**  
USPC ..... D26/28–36, 139  
CPC ..... F21S 48/00; F21S 48/10; F21S 48/115;  
F21S 48/225; F21S 48/1233; F21S  
48/1266; F21S 48/1388; F21S 48/2268;  
F21V 5/00; B60Q 9/13; B60Q 9/135;  
B60Q 9/1375; F21K 9/00; F21K 13/00  
See application file for complete search history.

FIG. 6 is a right side elevational view thereof; and,

(56) **References Cited**

**U.S. PATENT DOCUMENTS**


D474,290 S \* 5/2003 Sawai ..... D26/28  
D549,858 S \* 8/2007 Pfeiffer ..... D26/28  
D552,772 S \* 10/2007 Davidson ..... D26/28

FIG. 7 is a front side perspective view thereof.

The front combination lamp is configured to be mounted to  
an automobile. The mounting structure and support structure  
of the front combination lamp, shown in broken lines in  
FIGS. 1 to 7, form no part of the claimed design since the  
mounting structure and support structure are hidden when  
the front combination lamp is mounted to the automobile.  
In addition, the appearance of the rear side structures of the  
front combination lamp as shown in broken lines in FIGS.  
1 to 7 is for purpose of illustrating the boundaries of the  
exterior surface of the front combination lamp, and forms no  
part of the claimed design. The front combination lamp has  
a front lens that is transparent such that features behind the  
lens are at least partially visible as illustrated.

A second embodiment of our new design includes the mirror  
image of the front combination lamp shown in FIGS. 1 to 7.

**1 Claim, 7 Drawing Sheets**






FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7