

US00D918016S

(12) **United States Design Patent** (10) **Patent No.:** **US D918,016 S**
Joko et al. (45) **Date of Patent:** **** May 4, 2021**

(54) **REINFORCEMENT DEVICE FOR THE
OPTICAL FIBER FUSION SPLICER**

(71) Applicant: **SEI Optifrontier Co., Ltd.**, Yokohama
(JP)

(72) Inventors: **Kazufumi Joko**, Yokohama (JP);
Ryosuke Meo, Yokohama (JP)

(73) Assignee: **SEI Optifrontier Co., Ltd.**, Yokohama
(JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/662,357**

(22) Filed: **Sep. 5, 2018**

(30) **Foreign Application Priority Data**

Mar. 7, 2018 (JP) 2018-004726

(51) **LOC (13) Cl.** **08-08**

(52) **U.S. Cl.**

USPC **D8/349**; D15/144

(58) **Field of Classification Search**

USPC D3/294, 376, 281, 273, 283, 313, 905;
D8/29, 29.1, 30, 349, 354, 380, 382, 356;
D15/144, 144.1, 144.2

CPC G02B 27/2214; G02B 3/0068
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D641,600 S * 7/2011 Fukuda D8/29.1
D702,530 S * 4/2014 Hasegawa D8/349
8,740,479 B2 * 6/2014 Shitama G02B 6/3846
385/96
D733,655 S * 7/2015 Sato D13/133

D746,885 S * 1/2016 Sato D15/144
D754,521 S * 4/2016 Konomoto D8/349
D759,138 S * 6/2016 Sato D15/144
9,488,781 B2 * 11/2016 Takayanagi G02B 6/2555
D826,693 S * 8/2018 Bennett D8/349
10,048,442 B2 * 8/2018 Joko G02B 6/2558
D837,273 S * 1/2019 Sato D15/144
D861,465 S * 10/2019 Haider D8/354
D878,903 S * 3/2020 Roskamp D8/349

* cited by examiner

Primary Examiner — Michael C Stout

Assistant Examiner — Fitzgerald L Butac

(74) *Attorney, Agent, or Firm* — Faegre Drinker Biddle &
Reath LLP

(57) **CLAIM**

The ornamental design for a reinforcement device for the
optical fiber fusion splicer, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a reinforcement device for the
optical fiber fusion splicer of the present invention.

FIG. 2 is a rear view thereof.

FIG. 3 is a top plan view thereof.

FIG. 4 is a bottom view thereof.

FIG. 5 is a right side view thereof.

FIG. 6 is a left side view thereof.



FIG. 7 is a front, top plan and left side perspective view
thereof.

FIG. 8 is a rear, top plan and left side perspective view
thereof; and,

FIG. 9 is a rear, bottom and left side perspective view
thereof.

The broken lines in FIGS. 5 and 6 show portions of a
reinforcement device for the optical fiber fusion splicer
which form no part of the claimed design.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9