



US00D918141S

(12) **United States Design Patent** (10) **Patent No.:** **US D918,141 S**
König et al. (45) **Date of Patent:** **** May 4, 2021**

(54) **ELECTRIC MOTOR** D236,985 S * 9/1975 Baumann D13/114
 D245,499 S * 8/1977 Andreas D13/112
 5,885,102 A * 3/1999 Harting H02K 5/225
 439/527

(71) Applicant: **SIEMENS** D410,659 S * 6/1999 Lannoch D15/148
AKTIENGESELLSCHAFT, Munich D431,572 S * 10/2000 Antony D15/5
(DE) D568,811 S * 5/2008 Andersson D13/112
 D568,812 S * 5/2008 Andersson D13/112
 D576,548 S * 9/2008 Andersson D13/112
 D576,941 S * 9/2008 Evon D13/112
 D618,615 S * 6/2010 Basic D13/114
 7,965,005 B2 * 6/2011 Schmidt H02K 5/06
 310/71

(72) Inventors: **Martin König**, Fladungen (DE); **Tobias**
Wehner, Zahlbach (DE); **Martin**
Winter, Bad Bocklet (DE)

(73) Assignee: **Siemens Aktiengesellschaft, Munich**
(DE) 8,278,790 B2 * 10/2012 Rueggen H02K 11/33
 310/68 D

(**) Term: **15 Years** D707,629 S * 6/2014 Cocks D13/122
 D713,338 S * 9/2014 Lannoch D13/112
 D769,191 S * 10/2016 Vohlgemuth D13/114
 D772,814 S * 11/2016 Rivault D13/114
 D794,563 S * 8/2017 Matta D13/114

(21) Appl. No.: **29/674,585**

(22) Filed: **Dec. 21, 2018**

(30) **Foreign Application Priority Data**

Jun. 22, 2018 (EM) 005321791

(51) **LOC (13) Cl.** **13-01**

(52) **U.S. Cl.**
 USPC **D13/112**

(58) **Field of Classification Search**
 USPC D15/1-5, 148; D13/112-114, 122, 184
 CPC B60L 9/00; B60L 9/02; B60L 9/16; B60L
 9/32; B60L 9/005; B60L 1/00; B60L
 58/12; H02K 1/82; H02K 26/00; H02K
 5/22; H02K 5/18; H02K 11/00; H02K
 15/00; H02K 15/14; H02K 15/16; H02K
 19/06; H02K 9/00; H02K 3/50; H02K
 1/16; H02K 5/161

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D207,401 S * 4/1967 Andrews D13/114
 D236,005 S * 7/1975 Baumann D13/114

Primary Examiner — Sheryl Lane
Assistant Examiner — Mark T. Philipps
 (74) *Attorney, Agent, or Firm* — Henry M. Feiereisen
 LLC


(57) **CLAIM**

The ornamental design for an electric motor, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an electric motor, showing our new design;
 FIG. 2 is a rear view thereof;
 FIG. 3 is a top view thereof;
 FIG. 4 is a bottom view thereof;
 FIG. 5 is a right side view thereof;
 FIG. 6 is a left side view thereof; and,
 FIG. 7 is a top, front and right side perspective view thereof.
 The broken lines represent a portion of an electric motor and form no part of the claimed design;

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D801,925 S * 11/2017 Andersson D13/112
D813,165 S * 3/2018 Grillenberger D13/112
10,267,364 B2 * 4/2019 Niedermeyer F16C 33/6666
D877,200 S * 3/2020 Melde D15/5
2013/0106217 A1 * 5/2013 Drye H02K 9/14
310/89
2014/0140872 A1 * 5/2014 Stork F04B 17/03
417/410.1
2017/0310192 A1 * 10/2017 Cezario H02K 5/10
2018/0358860 A1 * 12/2018 Major H02K 5/10

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

