



US00D918176S

(12) **United States Design Patent** (10) **Patent No.:** **US D918,176 S**
Natsume et al. (45) **Date of Patent:** **** May 4, 2021**

(54) **TOTEM CONTROLLER HAVING AN ILLUMINATION REGION**
(71) Applicant: **Magic Leap, Inc.**, Plantation, FL (US)
(72) Inventors: **Shigeru Natsume**, Weston, FL (US); **Timothy Michael Stutts**, Oakland Park, FL (US); **Sumanth Murali**, Plantation, FL (US); **Haney Awad**, Ft. Lauderdale, FL (US); **Brian David Schwab**, Sunrise, FL (US); **James M. Powderly**, Ft. Lauderdale, FL (US); **Savannah Niles**, Ft. Lauderdale, FL (US)
(73) Assignee: **Magic Leap, Inc.**, Plantation, FL (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/657,652**
(22) Filed: **Jul. 24, 2018**
(51) **LOC (13) Cl.** **14-03**
(52) **U.S. Cl.**
USPC **D14/218; D21/333**
(58) **Field of Classification Search**
USPC **D14/218; D13/168; D21/333**
(Continued)

(56) **References Cited**
U.S. PATENT DOCUMENTS
D432,131 S * 10/2000 Jones D14/402
6,850,221 B1 2/2005 Tickle
(Continued)

OTHER PUBLICATIONS
Design U.S. Appl. No. 29/657,667 to Natsume et al., filed Jul. 24, 2018.
(Continued)

Primary Examiner — John Windmuller

(74) *Attorney, Agent, or Firm* — Knobbe, Martens, Olson & Bear, LLP

(57) **CLAIM**
The ornamental design for a totem controller having an illumination region, as shown and described.

DESCRIPTION
The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.
FIG. 1 is a top view of a totem controller having an illumination region showing a first image in a first sequence for the illumination region of our design;
FIG. 2 is a top view showing a second image in the first sequence thereof;
FIG. 3 is a top view showing a third image in the first sequence thereof;
FIG. 4 is a top view showing a fourth image in the first sequence thereof;
FIG. 5 is a top view showing a fifth image in the first sequence thereof;
FIG. 6 is a top view showing a sixth image in the first sequence thereof;
FIG. 7 is a top view showing a seventh image in the first sequence thereof;
FIG. 8 is a top view showing an eighth image in the first sequence thereof;
FIG. 9 is a top view showing a ninth image in the first sequence thereof;
FIG. 10 is a top view showing a tenth image in the first sequence thereof;
FIG. 11 is a top view showing an eleventh image in the first sequence thereof;
FIG. 12 is a top view showing a twelfth image in the first sequence thereof;
FIG. 13 is a top view showing a thirteenth image in the first sequence thereof;
FIG. 14 is a front perspective view of a totem controller having an illumination region showing a first image in the first sequence for the illumination region of our design;

(Continued)




FIG. 15 is a front perspective view showing a second image in the first sequence thereof;
 FIG. 16 is a front perspective view showing a third image in the first sequence thereof;
 FIG. 17 is a front perspective view showing a fourth image in the first sequence thereof;
 FIG. 18 is a front perspective view showing a fifth image in the first sequence thereof;
 FIG. 19 is a front perspective view showing a sixth image in the first sequence thereof;
 FIG. 20 is a front perspective view showing a seventh image in the first sequence thereof;
 FIG. 21 is a front perspective view showing an eighth image in the first sequence thereof;
 FIG. 22 is a front perspective view showing a ninth image in the first sequence thereof;
 FIG. 23 is a front perspective view showing a tenth image in the first sequence thereof;
 FIG. 24 is a front perspective view showing an eleventh image in the first sequence thereof;
 FIG. 25 is a front perspective view showing a twelfth image in the first sequence thereof;
 FIG. 26 is a front perspective view showing a thirteenth image in the first sequence thereof;
 FIG. 27 is a bottom view of a totem controller having an illumination region of FIGS. 1-26;
 FIG. 28 is a left side view thereof;
 FIG. 29 is a right side view thereof;
 FIG. 30 is a rear view thereof;
 FIG. 31 is a front view thereof;
 FIG. 32 is a top view of thereof showing our design in a non-illuminated state; and,
 FIG. 33 is a front perspective view thereof showing our design in a non-illuminated state.
 The broken lines in FIGS. 1-33 depicting various optional components of a totem controller are included for illustrating environmental structure and form no part of the claimed design. The long-short dashed lines in FIGS. 1-26 indicate curvature and form no part of the claimed design.
 The appearance of the illumination region sequentially transitions between the images shown for the first sequence in FIGS. 1-26. The process or period in which one image transitions to another in the first sequence forms no part of the claimed design.
 The difference in color in the first sequence indicates a contrast in the colored illumination of the first sequence and does not depict any particular texture or material. The difference in color in the second sequence indicates a contrast in the colored illumination of the second sequence and does not depict any particular texture or material.

**1 Claim, 33 Drawing Sheets
 (26 of 33 Drawing Sheet(s) Filed in Color)**

(58) **Field of Classification Search**
 CPC .. A47C 31/008; A61G 13/02; G07C 9/00944;
 G08C 17/00; G08C 17/02; H04B 1/202;
 H01H 9/02; H01H 9/0214; H01H 9/0235;
 H01H 9/0242
 See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D514,570 S *	2/2006	Ohta	D14/384
D563,480 S	3/2008	Blaseflug et al.	
D565,668 S	4/2008	Baseflug et al.	
D567,243 S	4/2008	Ashida et al.	
D567,297 S	4/2008	Del Castillo et al.	
D587,713 S	3/2009	Sutton	
D589,515 S	3/2009	Brunner et al.	
D594,066 S	6/2009	Oikawa et al.	
D611,477 S	3/2010	Brunner et al.	
D638,841 S	5/2011	Musick, Jr. et al.	
D658,184 S	4/2012	Chang et al.	
D665,461 S	8/2012	Ikeda et al.	
D675,644 S	2/2013	Frost et al.	
8,523,675 B2	9/2013	Young et al.	
D698,358 S	1/2014	Beams	
8,950,867 B2	2/2015	Macnamara	
D725,041 S	3/2015	Bailey et al.	
9,081,426 B2	7/2015	Armstrong	
D740,369 S	10/2015	Cho et al.	
9,215,293 B2	12/2015	Miller	
D749,044 S	2/2016	Huang	
D752,529 S	3/2016	Loretan et al.	
D753,095 S	4/2016	Jou et al.	
9,310,559 B2	4/2016	Macnamara	
D755,761 S	5/2016	Reynolds	
9,348,143 B2	5/2016	Gao et al.	
D758,367 S	6/2016	Natsume	
D759,657 S	7/2016	Kujawski et al.	
D763,359 S	8/2016	Kwong et al.	
9,417,452 B2	8/2016	Schowengerdt et al.	
D769,876 S *	10/2016	Aoyagi	D14/432
9,470,906 B2	10/2016	Kaji et al.	
9,547,174 B2	1/2017	Gao et al.	
9,671,566 B2	6/2017	Abovitz et al.	
9,740,006 B2	8/2017	Gao	
D797,743 S *	9/2017	Awad	D14/412
9,791,700 B2	10/2017	Schowengerdt et al.	
9,851,563 B2	12/2017	Gao et al.	
9,857,591 B2	1/2018	Welch et al.	
9,874,749 B2	1/2018	Bradski et al.	
D828,337 S *	9/2018	Li	D14/218
D844,608 S *	4/2019	Chen	D14/388
10,444,849 B2 *	10/2019	Li	G06F 3/03547
10,534,447 B2 *	1/2020	Li	G06F 3/04883
D884,700 S *	5/2020	Shao	D14/412
2012/0127062 A1	5/2012	Bar-Zeev et al.	
2013/0082922 A1	4/2013	Miller	
2013/0125027 A1	5/2013	Abovitz	
2014/0071539 A1	3/2014	Gao	
2014/0177023 A1	6/2014	Gao et al.	
2014/0218468 A1	8/2014	Gao et al.	
2014/0306866 A1	10/2014	Miller et al.	
2015/0103306 A1	4/2015	Kaji et al.	
2015/0222883 A1	8/2015	Welch	
2015/0222884 A1	8/2015	Cheng	
2015/0268415 A1	9/2015	Schowengerdt et al.	
2015/0302652 A1	10/2015	Miller et al.	
2015/0326570 A1	11/2015	Publicover et al.	
2015/0346490 A1	12/2015	TeKolste et al.	
2015/0346495 A1	12/2015	Welch et al.	
2016/0011419 A1	1/2016	Gao	
2016/0026253 A1	1/2016	Bradski et al.	
2018/0314406 A1	11/2018	Powderly	
2018/0314416 A1	11/2018	Powderly	

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/657,674 to Natsume et al., filed Jul. 24, 2018.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33