



US00D918397S

(12) **United States Design Patent** (10) **Patent No.:** **US D918,397 S**
Augustyn (45) **Date of Patent:** **** May 4, 2021**

- (54) **CONTROLLER WITH A USER INTERFACE**
- (71) Applicant: **Hollister Incorporated**, Libertyville, IL (US)
- (72) Inventor: **Christina Augustyn**, Chicago, IL (US)
- (73) Assignee: **Hollister Incorporated**, Libertyville, IL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/705,979**
- (22) Filed: **Sep. 17, 2019**

D676,866 S *	2/2013	Chaudhri	D14/487
D737,278 S *	8/2015	Shin	D14/485
D772,924 S *	11/2016	Begin	F16M 13/022
			D14/488
D783,037 S *	4/2017	Hariharan	D14/486
D808,974 S *	1/2018	Chiappone	D14/485
D841,660 S *	2/2019	Mercado	D14/485
D848,471 S *	5/2019	Clymer	D14/487
D867,601 S *	11/2019	Henry	D24/186
2011/0152739 A1 *	6/2011	Roncadi	A61M 1/16
			604/4.01
2018/0021514 A1 *	1/2018	Rosinko	G16H 40/63
			604/503
2020/0215256 A1 *	7/2020	Henry	A61M 3/0245

Related U.S. Application Data

- (62) Division of application No. 29/625,974, filed on Nov. 14, 2017, now Pat. No. Des. 867,600.
- (51) **LOC (13) Cl.** **24-01**
- (52) **U.S. Cl.**
USPC **D24/186**
- (58) **Field of Classification Search**
USPC D14/485-495; D20/11; D21/324, 325
CPC G06F 3/048; G06F 3/0481; G06F 3/04817;
G06F 3/0482; G06F 3/0483; G06F
3/04842; G06F 3/0485; G06F 3/04855;
G06F 3/0486; G06F 3/0488; G06F
3/04886; G06F 9/4443; G06F 17/211;
G06F 17/212; A61M 1/16; A61M 3/0245;
F16M 13/022; G16H 40/63
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- D469,107 S * 1/2003 Miller D14/488
- D628,107 S * 11/2010 Lee D10/103

OTHER PUBLICATIONS

“Installation Instructions for Backwashing Systems with Fleck 7000SXT” Sep. 1, 2015, posted at afwfilters.com, [site visited Oct. 8, 2020], <https://web.archive.org/web/20150901165947/http://www.afwfilters.com/instructions/backwashing/fleck-7000sxt> (Year: 2015).*

(Continued)

Primary Examiner — John M Otte

(74) *Attorney, Agent, or Firm* — Cook Alex Ltd.


(57) **CLAIM**

The ornamental design for a controller with a user interface, as shown and described.

DESCRIPTION

The sole FIGURE is a front view of a controller with a user interface flat control panel.
The dashed broken lines showing portions of the user interface flat control panel, text and other elements in the FIGURE form no part of the claimed design. The dot-dash-dot broken lines in the FIGURE represent boundaries and form no part of the claimed design.

1 Claim, 1 Drawing Sheet



(56)

References Cited

OTHER PUBLICATIONS

“LifeScan Receives FDA Clearance for OneTouch VerioSync Bluetooth Blood Glucose Meter” Mar. 7, 2013, posted at medgadget.com, [site visited Oct. 8, 2020], <https://www.medgadget.com/2013/03/lifescan-receives-fda-clearance-for-onetouch-veriosync-bluetooth-blood-glucose-meter.html> (Year: 2013).*

“Water drop sign icon” Oct. 8, 2014, posted at depositphotos.com, [site visited Oct. 8, 2020], <https://depositphotos.com/54987745/stock-illustration-water-drop-sign-icon-tear.html> (Year: 2014).*

* cited by examiner

