



US00D918452S

(12) **United States Design Patent** (10) **Patent No.:** **US D918,452 S**
Ng et al. (45) **Date of Patent:** **** May 4, 2021**

- (54) **LIGHTING DEVICE**
- (71) Applicant: **Energizer Brands, LLC**, St. Louis, MO (US)
- (72) Inventors: **Siu Bong Ng**, NT (HK); **Ruth Sholtis-Furyes**, St. Louis, MO (US); **Joanna Celestina**, Westlake, OH (US); **Chang Shu**, Ninghai (CN)
- (73) Assignee: **Energizer Brands, LLC**, St. Louis, MO (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/719,064**
- (22) Filed: **Dec. 31, 2019**
- (51) **LOC (13) Cl.** **26-03**
- (52) **U.S. Cl.**
USPC **D26/62**
- (58) **Field of Classification Search**
USPC D26/61, 62
CPC F21S 6/00; F21S 6/002; F21S 6/003; F21S 6/004; F21S 6/005; F21S 6/006; F21S 6/007; F21V 21/02; F21V 21/088; F21W 2121/00; F21W 2131/30
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D401,377 S *	11/1998	Eusterbrock	D26/61
D408,577 S *	4/1999	Arndt	D26/61
D448,873 S	10/2001	Dalton et al.		
D545,468 S	6/2007	Mak		
D565,766 S	4/2008	Shiu		
D581,076 S	11/2008	Brown et al.		
D610,284 S *	2/2010	McDonnell	D26/60
D622,879 S	8/2010	Kotsis et al.		
D650,105 S	12/2011	Crawford et al.		

D661,009 S	5/2012	Bennett et al.		
D663,471 S	7/2012	Bennett et al.		
D673,710 S *	1/2013	Eichelberger	D26/62
D677,412 S	3/2013	Smith		
D689,237 S *	9/2013	Ke	D26/61
D693,499 S	11/2013	Bennett et al.		
D705,467 S	5/2014	Aglassinger		
D744,680 S	12/2015	Ma		
D763,494 S	8/2016	Ma		
D770,070 S	10/2016	Zhou et al.		
D773,704 S	12/2016	Pardo et al.		
D783,872 S	4/2017	Aksnes		
D809,207 S	1/2018	Hussain		
D809,690 S	2/2018	Marshall		
D818,620 S	5/2018	Brown et al.		
9,976,724 B2	5/2018	Bennett et al.		
D823,507 S	7/2018	Pontano et al.		
D835,329 S *	12/2018	Edgar	D26/61

(Continued)

Primary Examiner — Brian N. Vinson
(74) *Attorney, Agent, or Firm* — Alston & Bird LLP

(57) **CLAIM**

The ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a lighting device according to one exemplary embodiment of the present design.

FIG. 2 is a bottom rear perspective view of the lighting device of FIG. 1.

FIG. 3 is a front view the lighting device of FIG. 1.

FIG. 4 is a back view of the lighting device of FIG. 1.


FIG. 5 is a left side view of the lighting device of FIG. 1.

FIG. 6 is a right side view of the lighting device of FIG. 1.

FIG. 7 is a top view of the lighting device of FIG. 1; and, FIG. 8 is a bottom view of the lighting device of FIG. 1.

The broken lines are directed to unclaimed features of the lighting device and form no part of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D844,203 S	3/2019	Ma	
D844,872 S	4/2019	Plott	
D844,875 S	4/2019	Jeon	
D850,683 S	6/2019	Shelton	
D857,959 S	8/2019	Yu	
D890,399 S *	7/2020	Su	D26/60
D901,739 S *	11/2020	Wu	D26/60

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8