



US00D918461S

(12) **United States Design Patent** (10) **Patent No.:** **US D918,461 S**
Wu (45) **Date of Patent:** **** May 4, 2021**

(54) **LED MOTION SENSOR CEILING LIGHT**

(71) Applicant: **Xiaojun Wu**, Guangdong (CN)

(72) Inventor: **Xiaojun Wu**, Guangdong (CN)

(**) Term: **15 Years**

(21) Appl. No.: **29/697,908**

(22) Filed: **Jul. 12, 2019**

(51) **LOC (13) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/89**

(58) **Field of Classification Search**
USPC D26/25, 72, 76, 80, 85, 89; D10/106.6, D10/106.8
CPC F21S 8/03; F21S 8/033; F21S 8/036; F21S 8/037; F21S 9/022; F21S 9/024; F21S 9/03; F21S 9/035; F21S 9/037; F21W 2131/107; G08B 13/193; F21V 23/023
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|------|---------|-----------|-------|----------------------|
| 3,593,021 | A * | 7/1971 | Auerbach | | F21S 8/04 362/434 |
| D393,093 | S * | 3/1998 | Fiorato | | D26/85 |
| D412,676 | S * | 8/1999 | Layes | | D10/106.6 |
| D678,587 | S * | 3/2013 | Fang | | D26/80 |
| D751,937 | S * | 3/2016 | Treadwell | | D10/106.6 |
| D773,102 | S * | 11/2016 | Meise | | D26/89 |
| D809,695 | S * | 2/2018 | Verelst | | D26/72 |
| 10,041,639 | B1 * | 8/2018 | Thompson | | F21S 8/035 |

| | | | | | |
|--------------|------|---------|----------|-------|-------------------------|
| D834,236 | S * | 11/2018 | Amato | | D26/89 |
| 2009/0034261 | A1 * | 2/2009 | Grove | | F21V 29/83 362/294 |
| 2009/0097238 | A1 * | 4/2009 | Cousaine | | F21V 21/0965 362/191 |
| 2019/0132933 | A1 * | 5/2019 | Israni | | H05B 47/19 |
| 2019/0234593 | A1 * | 8/2019 | Stevens | | F21V 21/30 |

OTHER PUBLICATIONS

Yurnero Motion Sensor Ceiling Light, available at amazon.com Jul. 22, 2019. (Year: 2019).*
Toowell Motion Sensor Ceiling Light, available at amazon.com Jul. 19, 2019. (Year: 2019).*

* cited by examiner

Primary Examiner — Clare E Heflin


(57) **CLAIM**

The ornamental design for an LED motion sensor ceiling light, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an LED motion sensor ceiling light showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a bottom side perspective view thereof.

1 Claim, 8 Drawing Sheets






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8