



US00D918974S

(12) **United States Design Patent** (10) **Patent No.:** **US D918,974 S**
Bublitz et al. (45) **Date of Patent:** **** May 11, 2021**

- (54) **SOLDERING IRON HANDLE** 4,507,545 A * 3/1985 Riordan B23K 3/0615
 219/230
 (71) Applicant: **Apex Brands, Inc.**, Apex, NC (US) D295,017 S * 4/1988 Evenson D8/107
 D300,200 S * 3/1989 Arehart D8/30
 4,864,723 A * 9/1989 Griffith H05K 3/222
 29/850
 (72) Inventors: **Scott Bublitz**, Denver, NC (US); 4,873,608 A * 10/1989 Yoshimura B23K 3/0338
Pratik Bendale, Charlotte, NC (US); 361/220
Dawn Huston, Leesville, SC (US); 4,896,019 A * 1/1990 Hyun B23K 3/025
Brian Butler, Charlotte, NC (US) 219/228
 (73) Assignee: **APEX BRANDS, INC.**, Apex, NC D315,853 S * 4/1991 Zaborowski D8/30
 (US) D317,704 S * 6/1991 Zaborowski D8/30
 D330,998 S * 11/1992 Watmore D8/30

(**) Term: **15 Years**

(21) Appl. No.: **29/709,761**

(22) Filed: **Oct. 17, 2019**

(51) **LOC (13) Cl.** **15-09**

(52) **U.S. Cl.**
USPC **D15/144.2; D8/30**

(58) **Field of Classification Search**
USPC D8/29.1, 29.2, 30, 61, 107, 303;
D15/144, 144.1, 144.2
CPC B23K 3/021; B23K 3/022; B23K 3/023;
B23K 3/033; B23K 3/046; B23K 3/3023;
B23K 3/0338; B23K 3/0346
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D133,724 S * 9/1942 McKinley D8/30
 2,710,330 A * 6/1955 Lennox B23K 3/0346
 219/229
 3,264,449 A * 8/1966 Brenner B23K 3/03
 219/227
 3,592,378 A * 7/1971 Petraglia B23K 3/02
 228/51
 3,770,183 A * 11/1973 Vanyi B23K 3/033
 228/53
 D243,147 S * 1/1977 Sylvester D8/30
 D269,493 S * 6/1983 Koturov D8/30

(Continued)

Primary Examiner — Patricia A Palasik

(74) Attorney, Agent, or Firm — Burr & Forman, LLP


(57) **CLAIM**

The ornamental design for the soldering iron handle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a soldering iron handle of a soldering iron in accordance with an embodiment of the present invention;
 FIG. 2 is a top view of the soldering iron handle of FIG. 1;
 FIG. 3 is a bottom view of the soldering iron handle of FIG. 1;
 FIG. 4 is a right side view of the soldering iron handle of FIG. 1;
 FIG. 5 is a left side view of the soldering iron handle of FIG. 1;
 FIG. 6 is a rear view of the soldering iron handle of FIG. 1;
 and,
 FIG. 7 is a front view of the soldering iron handle of FIG. 1.
 The broken lines of the soldering iron handle in FIGS. 1-7 are illustrative of portions of the soldering iron handle that form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D399,396 S * 10/1998 Gibbs D8/30
5,928,536 A * 7/1999 Lee B23K 3/033
219/229
D474,086 S * 5/2003 Heun D8/61
D489,079 S * 4/2004 Horner-Richardson D15/144
6,874,671 B2 * 4/2005 Hirano B23K 3/022
126/414
D530,168 S * 10/2006 Doi D8/30
D722,256 S * 2/2015 Kita D8/30
D739,696 S * 9/2015 Miyazaki D8/30
9,314,863 B2 * 4/2016 Teraoka B23K 3/033
9,333,579 B1 * 5/2016 Tostengard B23K 3/025
D847,233 S * 4/2019 Gou D15/144
D847,235 S * 4/2019 Gou D15/144
2003/0146264 A1 * 8/2003 Miyazaki B23K 3/0338
228/51
2004/0232132 A1 * 11/2004 Masaki B23K 3/0369
219/229
2005/0092729 A1 * 5/2005 Konishi B23K 3/03
219/229
2013/0105466 A1 * 5/2013 Teraoka B23K 3/033
219/538

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7