



US00D919115S

(12) **United States Design Patent** (10) **Patent No.:** **US D919,115 S**
Kaplan et al. (45) **Date of Patent:** **** May 11, 2021**

(54) **FLOWCELL CARTRIDGE**

D851,275 S * 6/2019 Spuhler D24/225
D856,527 S * 8/2019 Kaplan D24/225
D856,528 S * 8/2019 Bulloch D24/233
D857,228 S * 8/2019 Kaplan D24/225

(71) Applicant: **Illumina, Inc.**, San Diego, CA (US)

(72) Inventors: **David Elliott Kaplan**, Carlsbad, CA (US); **Ashish Kumar**, San Diego, CA (US); **Anthony John de Ruyter**, San Diego, CA (US); **Lea Sandra Kobeli**, San Francisco, CA (US); **Edward Wilson Licitra**, San Francisco, CA (US)

(Continued)

FOREIGN PATENT DOCUMENTS

TW D182357 4/2017

OTHER PUBLICATIONS

Illumina™ NextSeq™ Flowcell Cartridge figures, dated Jan. 3, 2016, 6 pgs.

(Continued)

Primary Examiner — Susan Bennett Hattan
Assistant Examiner — Omeed Agilee

(73) Assignee: **Illumina, Inc.**, San Diego, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/695,069**

(22) Filed: **Jun. 14, 2019**

(74) *Attorney, Agent, or Firm* — Weaver Austin Villeneuve & Sampson LLP

Related U.S. Application Data

(63) Continuation of application No. 29/589,646, filed on Jan. 3, 2017, now Pat. No. Des. 857,229.

(51) **LOC (13) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/225**

(58) **Field of Classification Search**
USPC D24/107, 186, 216, 223–233; D10/81
CPC B01L 3/5027; B01L 3/502707; B01L 9/52;
B01L 9/523; B01L 9/527; B01L
2300/0609; B01L 2300/0809; B01L
2300/0877; B01L 2200/027
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D633,209 S 2/2011 Boessneck et al.
D668,350 S 10/2012 Rowley
D734,482 S 7/2015 Peterman et al.
D787,700 S 5/2017 Dunaway et al.
D812,767 S 3/2018 Osmus et al.
D831,224 S 10/2018 Hsu et al.


CLAIM

(57) we claim the ornamental design for a flowcell cartridge, as shown and described.

DESCRIPTION

FIG. 1 is a top view of a flowcell cartridge.
FIG. 2 is a bottom view of the flowcell cartridge.
FIG. 3 is a left side view of the flowcell cartridge.
FIG. 4 is a right side view of the flowcell cartridge.
FIG. 5 is a front view of the flowcell cartridge.
FIG. 6 is a rear view of the flowcell cartridge; and,
FIG. 7 is an isometric view of the flowcell cartridge.
Stipple shading is used in the accompanying FIGS. 1-7 to convey surface contouring and is not indicative of any particular texture or coloring. Dashed or dotted broken lines and unshaded area in the drawings depict portions of the flowcell cartridge that form no part of the claimed design. The dot-dash-dot lines depict boundaries of the claimed design that form no part thereof.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D857,229 S * 8/2019 Kaplan D24/225
D865,214 S * 10/2019 Dangelo D24/224
D865,215 S * 10/2019 Dangelo D24/224
D886,901 S * 6/2020 Hussey D18/56
D890,360 S * 7/2020 Galen D24/225
2016/0281150 A1 9/2016 Rawlings et al.
2018/0185849 A1* 7/2018 Kaplan B01L 3/502715
2018/0304260 A1 10/2018 Thomas et al.

OTHER PUBLICATIONS

U.S. Appl. No. 29/589,645, filed Jan. 3, 2017, Kaplan et al.
U.S. Appl. No. 29/589,646, filed Jan. 3, 2017, Kaplan et al.
U.S. Appl. No. 29/632,284, filed Jan. 5, 2018, Kaplan et al.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3

FIG. 4




FIG. 5




FIG. 6




FIG. 7