



US00D919260S

(12) **United States Design Patent** (10) **Patent No.:** **US D919,260 S**
Dieudonné (45) **Date of Patent:** **** May 18, 2021**

(54) **SHOE**
(71) Applicant: **NIKE, Inc.**, Beaverton, OR (US)
(72) Inventor: **Mélusine Dieudonné**, Portland, OR (US)
(73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/699,307**
(22) Filed: **Jul. 24, 2019**
(51) **LOC (13) Cl.** **02-04**
(52) **U.S. Cl.**
USPC **D2/947**
(58) **Field of Classification Search**
USPC D2/896, 902, 905, 907, 908, 946, 947,
D2/951, 954, 955, 956, 968
CPC A43B 5/00; A43B 5/001; A43B 5/002;
A43B 5/003; A43B 5/007; A43B 5/008;
A43B 5/02; A43B 5/06; A43B 5/08;
A43B 5/10; A43B 5/14; A43B 1/00;
A43B 1/10; A43B 1/12; A43B 1/14
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

D322,711 S	12/1991	Hatfield
D328,385 S	8/1992	Hatfield
D328,968 S	9/1992	Tinker
D329,938 S	10/1992	Lucas
D339,674 S	9/1993	Avar
D341,700 S	11/1993	Avar
D350,433 S	9/1994	Kilgore
D352,159 S	11/1994	Kilgore
D352,160 S	11/1994	Kilgore
D354,617 S	1/1995	Kilgore
D366,951 S	2/1996	Ho

D376,902 S	12/1996	Avar
D385,103 S	10/1997	Teague
D386,590 S	11/1997	Cass
D386,591 S	11/1997	Kuerbis
D393,340 S	4/1998	Doxey
D395,337 S	6/1998	Greene
D398,740 S	9/1998	Hewett
D407,540 S	4/1999	Dolinsky
D408,618 S	4/1999	Wilborn et al.
D409,826 S	5/1999	Turner et al.
D410,964 S	6/1999	Wilborn et al.
D411,247 S	6/1999	Lavertue et al.
D411,579 S	6/1999	Dolinsky
D411,909 S	7/1999	Lavertue et al.
D429,875 S	8/2000	Liou
D474,591 S	5/2003	Clegg

(Continued)

OTHER PUBLICATIONS

Nike air max 90 triple black, <https://sneakerbrothers.co.za/product/nike-air-max-90-triple-black/>, copyright 2018 (Year: 2018).*

(Continued)

Primary Examiner — Elizabeth J Oswecki
(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.


(57) **CLAIM**

The ornamental design for a shoe, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a shoe showing my new design;
FIG. 2 is a side view thereof; and,
FIG. 3 is a rear perspective view thereof.
The broken lines immediately adjacent to the shaded area define the bounds of the claimed design and form no part thereof. The broken lines depicting the remainder of the shoe show features that form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D487,955 S 4/2004 Ammon
 D490,221 S 5/2004 Edauw
 D490,599 S 6/2004 Snow et al.
 D498,914 S 11/2004 Sokolowski
 D499,541 S 12/2004 Dolan
 D547,933 S 8/2007 Loverin
 D552,837 S 10/2007 Scott
 D553,337 S 10/2007 Portzline
 D599,538 S 9/2009 del Biondi et al.
 D623,386 S 9/2010 Nelson
 D625,494 S 10/2010 Nelson
 D638,615 S 5/2011 McMillan
 D659,961 S * 5/2012 Vestuti D2/947
 D660,567 S 5/2012 Borel et al.
 D661,074 S 6/2012 Bramani
 D677,451 S 3/2013 Amphyon
 D733,413 S * 7/2015 Joseph D2/947
 D740,004 S 10/2015 Hoellmueller et al.
 D770,740 S 11/2016 Teteriatnikov
 D810,407 S * 2/2018 DeAlmeida D2/947
 D816,309 S 5/2018 Cooper
 D819,311 S 6/2018 Jury et al.
 D848,715 S 5/2019 Holmes
 D858,050 S 9/2019 Reyes
 D866,135 S * 11/2019 Durflinger D2/947

D870,430 S * 12/2019 Nickless D2/947
 D876,797 S 3/2020 Aden
 D876,798 S 3/2020 Aden
 D878,019 S * 3/2020 McMillan D2/947
 D883,625 S * 5/2020 Kosenick D2/947
 D895,946 S * 9/2020 Hong D2/947
 D897,076 S * 9/2020 Dieudonne D2/947
 D897,077 S * 9/2020 Dieudonne D2/947
 D901,144 S * 11/2020 Dieudonne D2/947
 D901,145 S * 11/2020 Dieudonne D2/947
 2002/0129516 A1 * 9/2002 Lucas A43B 3/0063
 36/35 R
 2003/0061731 A1 * 4/2003 Turner A43B 13/187
 36/28
 2003/0061732 A1 * 4/2003 Turner A43B 13/181
 36/28

OTHER PUBLICATIONS

Highsnobiety Selects, Updated version of the Air Max 95 sneaker, <https://www.pinterest.com/pin/459648705698684722/>, 2021 (Year: 2021). *
 Nike Footwear Catalog, 1997 Spring Footwear, p. 42, published Jun. 1996, Nike, Inc., USA.
 Nike Footwear Catalog, 1997 Holiday Footwear, p. 33, published Mar. 1997, Nike, Inc., USA.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3