



US00D919866S

(12) **United States Design Patent** (10) **Patent No.:** **US D919,866 S**
Workman et al. (45) **Date of Patent:** **** *May 18, 2021**

(54) **BEACON PENDANT LIGHT**

(71) Applicant: **Barebones Systems, LLC**, Bluffdale,
UT (US)

(72) Inventors: **Robert Emmett Workman**, Morgan,
UT (US); **David Jared Burton**, Payson,
UT (US); **Michelle Ann Merrill**,
Draper, UT (US); **Kristin Mecham**,
Springville, UT (US); **Henry Howell**,
Herriman, UT (US); **Erik Robert**
Workman, Salt Lake City, UT (US)

(73) Assignee: **BAREBONES SYSTEMS, LLC**, Salt
Lake City, UT (US)

(*) Notice: This patent is subject to a terminal dis-
claimer.

(**) Term: **15 Years**

(21) Appl. No.: **29/570,415**

(22) Filed: **Jul. 7, 2016**

(51) **LOC (13) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/41**

(58) **Field of Classification Search**

USPC D26/37, 40, 41, 38, 51
CPC F21L 2003/00; F21L 4/00; F21L 4/005;
F21L 4/02; F21L 4/025; F21L 4/027;
F21L 4/04; F21L 4/08; F21L 2005/00;
F21L 7/00; F21L 11/00; F21L 13/00;
F21L 13/04; F21L 13/08; F21L 14/02;
F21L 17/00; F21L 19/00

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D491,302 S * 6/2004 Krieger D26/40
D576,329 S * 9/2008 Poon D26/40

D646,412 S * 10/2011 Taiga D26/41
D648,055 S * 11/2011 Poon D26/41
8,080,972 B2 12/2011 Smith
D652,554 S * 1/2012 Leung D26/41
D670,244 S 11/2012 Workman et al.
8,434,894 B2 5/2013 Workman et al.
D693,765 S 11/2013 Workman et al.
D697,028 S 1/2014 Workman et al.
9,182,088 B2 11/2015 Workman et al.
D744,680 S * 12/2015 Ma D26/41
D773,703 S 12/2016 Krantz et al.
D774,228 S * 12/2016 Workman D26/41
D787,104 S * 5/2017 Wu D26/41
D809,687 S 2/2018 Krantz et al.
D810,979 S 2/2018 Krantz et al.
2016/0195235 A1 7/2016 Workman et al.

* cited by examiner

Primary Examiner — Lakiya G Rogers

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Morriss O'Bryant
Compagni Cannon, PLLC


(57) **CLAIM**

The ornamental design for a beacon pendant light, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective front side view of a beacon pendant
light of the present invention;
FIG. 2 is a front side view of the beacon pendant light;
FIG. 3 is a back side view of the beacon pendant light;
FIG. 4 is a left side view of the beacon pendant light;
FIG. 5 is a right side view of the beacon pendant light;
FIG. 6 is a top side view of the beacon pendant light; and,
FIG. 7 is a bottom side view of the beacon pendant light.
The broken lines show portions of the article not claimed
and form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7