



US00D920299S

(12) **United States Design Patent** (10) **Patent No.:** **US D920,299 S**  
**Xu** (45) **Date of Patent:** **\*\* May 25, 2021**

(54) **REAR HOUSING FOR AN ELECTRONIC DEVICE**

(71) Applicant: **Guangdong Oppo Mobile Telecommunications Corp., Ltd.**, Guangdong (CN)

(72) Inventor: **Lisi Xu**, Guangdong (CN)

(73) Assignee: **GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP., LTD.**, Dongguan (CN)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/653,970**

(22) Filed: **Jun. 20, 2018**

(30) **Foreign Application Priority Data**

Feb. 28, 2018 (CN) ..... 201830076854.7

(51) **LOC (13) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D14/248**; D14/439; D14/138 R

(58) **Field of Classification Search**  
USPC ..... D14/138, 138 C, 138 AA, 138 G, 203.1, D14/203.3, 203.5, 203.7, 248, 341, 345, D14/496, 138 R, 439; D21/329, 517  
(Continued)

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D242,244 S \* 11/1976 Rago ..... D25/157  
D589,505 S \* 3/2009 He ..... D14/248  
(Continued)

**FOREIGN PATENT DOCUMENTS**

TW D126457 12/2008  
TW D184711 8/2017  
TW D191998 8/2018

**OTHER PUBLICATIONS**

HTC Touch Diamond phone, publication date Aug. 22, 2008, [online][site visited Dec. 10, 2020] URL: <https://au.pcmag.com/mobile-phones/18594/htc-touch-diamond> (Year: 2008).\*

(Continued)

*Primary Examiner* — L. A. Grabenstetter


(57) **CLAIM**

The ornamental design for a rear housing for an electronic device, as shown and described.


**DESCRIPTION**

FIG. 1 is a front view of a first embodiment of a rear housing for an electronic device showing my new design.  
FIG. 2 is a rear view of the first embodiment of the rear housing for an electronic device in FIG. 1.  
FIG. 3 is a left side view of the first embodiment of the rear housing for an electronic device in FIG. 1.  
FIG. 4 is a right side view of the first embodiment of the rear housing for an electronic device in FIG. 1.  
FIG. 5 is a top view of the first embodiment of the rear housing for an electronic device in FIG. 1.  
FIG. 6 is a bottom view of the first embodiment of the rear housing for an electronic device in FIG. 1.  
FIG. 7 is a front view of a second embodiment of the rear housing for an electronic device showing my new design.  
FIG. 8 is a rear view of the second embodiment of the rear housing for an electronic device in FIG. 7.  
FIG. 9 is a left side view of the second embodiment of the rear housing for an electronic device in FIG. 7.  
FIG. 10 is a right side view of the second embodiment of the rear housing for an electronic device in FIG. 7.  
FIG. 11 is a top view of the second embodiment of the rear housing for an electronic device in FIG. 7; and,  
FIG. 12 is a bottom view of the second embodiment of the rear housing for an electronic device in FIG. 7.


**1 Claim, 8 Drawing Sheets**







**FIG. 1**



**FIG. 2**



**FIG. 3**




**FIG. 4**




**FIG. 5**



**FIG. 6**



**FIG. 7**



**FIG. 8**





**FIG. 9**



**FIG. 10**



**FIG. 11**



**FIG. 12**