



US00D920476S

(12) **United States Design Patent** (10) **Patent No.:** **US D920,476 S**
Grassl (45) **Date of Patent:** **** May 25, 2021**

(54) **VALVE ASSEMBLY**
(71) Applicant: **Diamond Innovations Inc.,**
Worthington, OH (US)
(72) Inventor: **Paul Grassl,** Hale, MI (US)
(73) Assignee: **DIAMOND INNOVATIONS, INC.,**
Worthington, OH (US)
(**) Term: **15 Years**
(21) Appl. No.: **29/682,810**
(22) Filed: **Mar. 7, 2019**
(51) **LOC (13) Cl.** **23-01**
(52) **U.S. Cl.**
USPC **D23/233**
(58) **Field of Classification Search**
USPC D23/233, 235, 237, 241, 244, 247, 248,
D23/249, 260, 269; 251/336;
29/890.129; 137/516.29
CPC ... F16K 15/02; F16K 1/32; F16K 1/46; F16K
15/06; F04B 53/10; F04B 53/1087
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

1,002,938 A	9/1911	Stange
1,785,259 A	12/1930	Hickerson
2,001,818 A	5/1935	Duda
2,011,547 A	8/1935	Campbell
2,233,649 A	3/1941	Stahl et al.
2,255,404 A	9/1941	White et al.
2,792,016 A	5/1957	Shellman et al.
3,053,500 A	9/1962	Atkinson
3,057,372 A	10/1962	Sutton et al.
3,070,120 A	12/1962	Wendt
4,518,329 A	5/1985	Weaver
4,860,995 A	8/1989	Rogers

5,062,450 A	11/1991	Bailey et al.
5,088,521 A	2/1992	Johnson
5,249,600 A *	10/1993	Blume F04B 53/1087 137/516.29
7,726,026 B1 *	6/2010	Blume F16K 1/465 29/890.129
8,287,256 B2	10/2012	Shafer et al.
9,080,690 B2	7/2015	Gilstad et al.

(Continued)

FOREIGN PATENT DOCUMENTS

WO 2008096213 A1 8/2008

Primary Examiner — Gino Colan


(57) **CLAIM**

What is claimed is the ornamental design for a valve assembly, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a valve assembly comprising an upper section, lower section, and a ring insert, where the upper section and lower section can be fabricated from steel and the ring insert can be fabricated from a carbide; FIG. 2 is a front view of the valve assembly of FIG. 1; FIG. 3 is a rear view of the valve assembly of FIG. 1; FIG. 4 is a left side view of the valve assembly of FIG. 1; FIG. 5 is a right side view of the valve assembly of FIG. 1; FIG. 6 is a top view of the valve assembly of FIG. 1; FIG. 7 is a bottom view of the valve assembly of FIG. 1; FIG. 8 is an exploded perspective view of the valve assembly of FIG. 1; and, FIG. 9 is a cross-sectional view of the valve assembly of FIG. 1 taken along the line 9-9 as illustrated in FIG. 6. Any features shown in broken lines illustrate a portion of the valve assembly that forms no part of the claimed design. Further, no lines, shading or other effects are meant to be indicative of any specified colors, material, or surface effect.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D754,817	S *	4/2016	Dille	D23/233
9,470,226	B2 *	10/2016	Johnson	F16K 15/06
D867,531	S *	11/2019	Bayyouk	D23/233
2006/0202150	A1 *	9/2006	Johnson	F16K 47/06
				251/336
2017/0002947	A1 *	1/2017	Bayyouk	F16K 15/026
2020/0400140	A1 *	12/2020	Bayyouk	F04B 53/1087

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9