



US00D920556S

(12) **United States Design Patent**
Harris et al.

(10) **Patent No.:** **US D920,556 S**

(45) **Date of Patent:** **** May 25, 2021**

(54) **LED ROADWAY LIGHT FIXTURE**

(71) Applicant: **Ideal Industries Lighting LLC**,
Durham, NC (US)

(72) Inventors: **Sean David Harris**, Cary, NC (US);
Eric Hardesty, Silver Lake, WI (US);
Marco Ma, Shenzhen (CN)

(73) Assignee: **IDEAL Industries Lighting LLC**,
Racine, WI (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/680,210**

(22) Filed: **Feb. 14, 2019**

(51) **LOC (13) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/71**

(58) **Field of Classification Search**
USPC D26/63, 71, 72, 92

(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D676,589 S * 2/2013 Elam D26/71
D764,091 S 8/2016 Snell et al.

(Continued)

FOREIGN PATENT DOCUMENTS

EM 006719332-0003 * 10/2019

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Richard Kearney

(74) *Attorney, Agent, or Firm* — Withrow & Terranova,
P.L.L.C.

(57) **CLAIM**

We claim the ornamental design for an LED roadway light fixture, as shown and described.

DESCRIPTION

FIG. 1 is a front view showing an embodiment of our new design for a LED roadway light fixture;

FIG. 2 is a back view of the LED roadway light fixture of FIG. 1;

FIG. 3 is a left side view of the LED roadway light fixture of FIG. 1;

FIG. 4 is a right side view of the LED roadway light fixture of FIG. 1;

FIG. 5 is a top view of the LED roadway light fixture of FIG. 1;

FIG. 6 is a bottom view of the LED roadway light fixture of FIG. 1;

FIG. 7 is a top perspective view of the LED roadway light fixture of FIG. 1;

FIG. 8 is a bottom perspective view of the LED roadway light fixture of FIG. 1;

FIG. 9 is a front view showing another embodiment of our new design for a LED roadway light fixture;

FIG. 10 is a back view of the LED roadway light fixture of FIG. 9;

FIG. 11 is a left side view of the LED roadway light fixture of FIG. 9;

FIG. 12 is a right side view of the LED roadway light fixture of FIG. 9;

FIG. 13 is a top view of the LED roadway light fixture of FIG. 9;

FIG. 14 is a bottom view of the LED roadway light fixture of FIG. 9;

FIG. 15 is a top perspective view of the LED roadway light fixture of FIG. 9;

FIG. 16 is a bottom perspective view of the LED roadway light fixture of FIG. 9;

FIG. 17 is a front view showing another embodiment of our new design for a LED roadway light fixture;

FIG. 18 is a back view of the LED roadway light fixture of FIG. 17;

FIG. 19 is a left side view of the LED roadway light fixture of FIG. 17;

FIG. 20 is a right side view of the LED roadway light fixture of FIG. 17;

FIG. 21 is a top view of the LED roadway light fixture of FIG. 17;

FIG. 22 is a bottom view of the LED roadway light fixture of FIG. 17;

(Continued)





FIG. 23 is a top perspective view of the LED roadway light fixture of FIG. 17;
 FIG. 24 is a bottom perspective view of the LED roadway light fixture of FIG. 17;
 FIG. 25 is a front view showing another embodiment of our new design for a LED roadway light fixture;
 FIG. 26 is a back view of the LED roadway light fixture of FIG. 25;
 FIG. 27 is a left side view of the LED roadway light fixture of FIG. 25;
 FIG. 28 is a right side view of the LED roadway light fixture of FIG. 25;
 FIG. 29 is a top view of the LED roadway light fixture of FIG. 25;
 FIG. 30 is a bottom view of the LED roadway light fixture of FIG. 25;
 FIG. 31 is a top perspective view of the LED roadway light fixture of FIG. 25;
 FIG. 32 is a bottom perspective view of the LED roadway light fixture of FIG. 25;
 FIG. 33 is a front view showing another embodiment of our new design for a LED roadway light fixture;
 FIG. 34 is a back view of the LED roadway light fixture of FIG. 33;
 FIG. 35 is a left side view of the LED roadway light fixture of FIG. 33;
 FIG. 36 is a right side view of the LED roadway light fixture of FIG. 33;
 FIG. 37 is a top view of the LED roadway light fixture of FIG. 33;
 FIG. 38 is a bottom view of the LED roadway light fixture of FIG. 33;
 FIG. 39 is a top perspective view of the LED roadway light fixture of FIG. 33;
 FIG. 40 is a bottom perspective view of the LED roadway light fixture of FIG. 33;
 FIG. 41 is a front view showing another embodiment of our new design for a LED roadway light fixture;
 FIG. 42 is a back view of the LED roadway light fixture of FIG. 41;
 FIG. 43 is a left side view of the LED roadway light fixture of FIG. 41;

FIG. 44 is a right side view of the LED roadway light fixture of FIG. 41;
 FIG. 45 is a top view of the LED roadway light fixture of FIG. 41;
 FIG. 46 is a bottom view of the LED roadway light fixture of FIG. 41;
 FIG. 47 is a top perspective view of the LED roadway light fixture of FIG. 41; and,
 FIG. 48 is a bottom perspective view of the LED roadway light fixture of FIG. 41.
 The broken lines shown in the drawings illustrate environmental structure and form no part of the claimed design.

1 Claim, 48 Drawing Sheets

(58) **Field of Classification Search**

CPC F21S 9/03; F21S 9/037; F21S 8/033; F21S 8/036; F21S 8/085; F21S 8/086; F21W 2131/103; F21W 2131/105; F21W 2131/107
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D771,856	S *	11/2016	Novak	D26/71
D782,719	S	3/2017	Snell et al.	
D810,984	S *	2/2018	McCracken, Jr.	D26/71
D818,173	S *	5/2018	Wan	D26/71
10,030,856	B2 *	7/2018	Duckworth	F21V 17/002
D836,235	S	12/2018	Snell et al.	
D838,027	S *	1/2019	Bobel	D26/71
D839,465	S	1/2019	Snell et al.	
D843,628	S *	3/2019	Compton	D26/71
D854,721	S *	7/2019	Sohn	D26/71
D870,948	S *	12/2019	He	D26/71
2015/0362172	A1 *	12/2015	Gabriel	F21V 11/16 348/151
2018/0238505	A1 *	8/2018	Cartmill	F21K 9/69
2018/0306414	A1 *	10/2018	Chuang	F21V 3/049

* cited by examiner




FIG. 1




FIG. 2




FIG. 3





FIG. 4






FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48