



US00D920625S

(12)

United States Design Patent

Schneider

(10) Patent No.:

US D920,625 S

(45) Date of Patent:

** May 25, 2021

(54) SAFE DOOR WITH DOOR PULL, HINGING AND DOOR CASING

(71) Applicant: Deborah J. Schneider, Boca Raton, FL (US)

(72) Inventor: Deborah J. Schneider, Boca Raton, FL (US)

(**) Term: 15 Years

(21) Appl. No.: 29/687,445

(22) Filed: Apr. 12, 2019

(51) LOC (13) Cl. 99-00

(52) U.S. Cl. USPC D99/43

(58) Field of Classification Search

USPC D99/28, 34, 35, 36, 43, 99; 109/1 R, 109/1 V, 2, 45; 902/9, 30; 235/100; 206/0.8, 0.815, 0.82; 312/400, 409

CPC F42B 39/24; E05B 65/0075; E05G 1/00; E05G 1/005; E05G 5/00; E05G 5/02; E05G 2700/00; E05G 2700/02; E05G 2700/04; G05G 1/024; G07D 11/0006; G07D 11/0009; G07D 11/009; G07D 9/002; G07D 9/004; G07D 9/008; G07F 9/06; G07F 9/003; G07F 17/10; G07F 17/12

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D3,772 S * 11/1869 Marvin D99/28

166,107 A * 7/1875 Hyatt E05G 1/08 109/53

470,818 A * 3/1892 Damon E05G 1/024 109/74

1,256,869 A * 2/1918 Blixt B63C 7/30 441/32

D67,730 S * 6/1925 Wheary D3/272

1,638,470 A * 8/1927 Caldwell A47B 61/06 190/37

D87,772 S * 9/1932 Wolters D99/28

D103,629 S * 3/1937 Davis D99/28

2,081,271 A * 5/1937 Ellithorpe E05G 5/00 109/7

2,088,459 A * 7/1937 Bennett E05G 5/006 70/77

D252,430 S * 7/1979 Oakley D6/407

D273,052 S * 3/1984 Snodgrass D99/28

4,669,394 A * 6/1987 Fogleman E05G 1/02 109/59 T

D291,019 S * 7/1987 Druihet D8/302

D308,279 S * 5/1990 Hill D99/28

D314,406 S * 2/1991 Lerch D21/519

(Continued)

OTHER PUBLICATIONS

High Security Access Door / Access Panel,Acudor,https://www.hallmann-sales.com/access-doors/ad-high-security-access-doors.htm?utm_source=MSNShopping&utm_medium=SD6000&msclkid=4259c22859661295ee43a22305ea971c&utm_campaign=Shopping&utm_term=1100002384079&utm_content=Ad%20group%20%231&utm_source,2020 (Year: 2020).*

Primary Examiner — Elizabeth J Oswecki

(57) CLAIM

The ornamental design for a safe door with door pull, hinging and door casing, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a safe door with door pull, hinging and door casing showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a rear view thereof;


FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is another perspective view thereof.

The broken lines shown in the drawings represent portions of the safe door with door pull, hinging and door casing that form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D327,793	S	*	7/1992	McGrory		232/43.2
D390,835	S	*	2/1998	Mayfield, III		D13/184
D586,525	S	*	2/2009	Pendleton		D99/28
D598,175	S	*	8/2009	Pendleton		D6/668
D619,775	S	*	7/2010	Pendleton		D99/28
D620,675	S	*	7/2010	Doettling		D99/28
D659,944	S	*	5/2012	Pendleton		D99/28
D728,189	S	*	4/2015	Suggs		D99/28
D744,715	S	*	12/2015	Suggs		D99/28
D774,272	S	*	12/2016	Suggs		D99/28
D799,148	S	*	10/2017	Crosby		D99/28
D799,782	S	*	10/2017	Crosby		D99/28
D802,873	S	*	11/2017	Crosby		D99/28
D811,686	S	*	2/2018	Crosby		D99/28
D814,139	S	*	3/2018	Newcomb		D99/28
D825,884	S	*	8/2018	Moore		D99/28

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4



FIG.5




FIG.6




FIG.7




FIG.8