



US00D920926S

(12) **United States Design Patent**  
**Morita et al.**

(10) **Patent No.:** **US D920,926 S**  
(45) **Date of Patent:** **\*\* Jun. 1, 2021**

(54) **PUSH SWITCH**  
(71) Applicant: **OMRON Corporation**, Kyoto (JP)  
(72) Inventors: **Kazuaki Morita**, Izumo (JP); **Yusuke Komoguchi**, Okayama (JP); **Tadahiko Ogawa**, Moriyama (JP); **Masami Nishida**, Osaka (JP)  
(73) Assignee: **OMRON Corporation**, Kyoto (JP)

4,691,986 A \* 9/1987 Aberson, Jr. .... G02B 6/382  
385/64  
5,899,210 A \* 5/1999 Letherby ..... A45D 29/04  
132/73  
5,964,518 A \* 10/1999 Shen ..... F21V 21/005  
362/217.16  
D426,428 S \* 6/2000 Fredenberg ..... D7/619.1  
D489,679 S \* 5/2004 Wong ..... D13/103  
D558,444 S \* 1/2008 Ma ..... D3/6  
D622,606 S \* 8/2010 Masotti ..... D9/561  
(Continued)

(\*\*) Term: **15 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/636,249**

JP D1593527 12/2017  
KR 3005139730002 12/2008

(22) Filed: **Feb. 7, 2018**

OTHER PUBLICATIONS

(30) **Foreign Application Priority Data**

Dec. 26, 2017 (JP) ..... 2017-029130

Alten.cz triangle beads, dated Nov. 3, 2012, [online], [site visited Dec. 4, 2020]. Available from Internet, URL: <http://www.altenbeads.com/triangles> (Year: 2012).\*

(51) **LOC (13) Cl.** ..... **13-03**

(Continued)

(52) **U.S. Cl.**  
USPC ..... **D13/158**; D13/171

*Primary Examiner* — Shawn T Gingrich  
(74) *Attorney, Agent, or Firm* — Capitol City TechLaw

(58) **Field of Classification Search**  
USPC ..... D13/107, 112, 118, 123, 133, 158–162,  
D13/173, 174, 184, 199, 171  
CPC ..... B60Q 1/00; B60Q 1/52; F21S 4/00; F21S  
8/10; F21S 41/24; F21S 41/162; F21V  
29/00; F21V 19/00; G02B 6/00; G02B  
6/36; H01R 12/00; H01R 13/00; H01R  
33/00; H01R 24/00; H01H 9/04; H01H  
13/04; H01H 13/14; H01H 19/06; H01H  
19/46; H01H 2223/002; H01H 25/04  
See application file for complete search history.

(57) **CLAIM**  
The ornamental design for a push switch, as shown and described.

**DESCRIPTION**


FIG. 1 is a top, front, and right side perspective view of a push switch showing our new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a left side view thereof;  
FIG. 4 is a right side view thereof; and,  
FIG. 5 is a bottom view thereof.  
The dashed broken lines illustrate portions of the push switch that form no part of the claimed design. The dot-dashed broken lines depict the bounds of the claim and form no part thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

57,890 A \* 9/1866 Gilson ..... C10L 5/36  
44/530  
4,386,820 A \* 6/1983 Dola ..... H01R 13/645  
439/651

**1 Claim, 5 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

7,862,244 B2 \* 1/2011 Mizue ..... G02B 6/4292  
 385/92  
 D656,648 S \* 3/2012 Tompkin ..... D26/46  
 D694,690 S \* 12/2013 Chou ..... D12/194  
 D700,671 S \* 3/2014 Miller ..... D21/756  
 D731,166 S \* 6/2015 Ma ..... D3/5  
 D746,541 S \* 1/2016 Sambashivan ..... D1/128  
 D822,315 S \* 7/2018 Heath ..... D1/122  
 D850,388 S \* 6/2019 Morita ..... D13/158  
 10,309,594 B1 \* 6/2019 Baldwin ..... F21V 23/003  
 D867,152 S \* 11/2019 Bouheraoua, Jr. .... D9/561  
 D884,308 S \* 5/2020 Brown ..... D1/122  
 D892,084 S \* 8/2020 Uhm ..... D14/218  
 10,910,174 B2 \* 2/2021 Morita ..... H01H 13/04  
 2004/0154525 A1 \* 8/2004 Wirth ..... B64F 1/20  
 116/1  
 2008/0202038 A1 \* 8/2008 Orava ..... E04C 3/28  
 52/1

2011/0065305 A1 \* 3/2011 Amit ..... H01R 13/5829  
 439/368  
 2016/0358729 A1 \* 12/2016 Hisada ..... H01H 9/04  
 2018/0240625 A1 \* 8/2018 Stuklek ..... H01C 10/50  
 2021/0066002 A1 \* 3/2021 Morita ..... H01H 9/285

OTHER PUBLICATIONS

Libbey Triangle Votive Container—Tealight Votive Candle Holder, dated Feb. 19, 2016, [online], [site visited Dec. 17, 2020]. Available from Internet, URL: <https://www.100candles.com/i-5246/Libbey-Triangle-Votive-Container-Tealight-Votive-Candle-Holder> (Year: 2016).\*

Kazuaki Morita et al., Push Switch, Design U.S. Appl. No. 29/636,231, filed Feb. 7, 2018, in the USPTO.

Kazuaki Morita et al., Push Switch, Design U.S. Appl. No. 29/636,241, filed Feb. 7, 2018, in the USPTO.

\* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5

