



US00D921043S

(12) **United States Design Patent** (10) **Patent No.:** **US D921,043 S**
Tafe (45) **Date of Patent:** **** Jun. 1, 2021**

(54) **RADIATOR FOR AUTOMOTIVE APPLICATIONS**

(71) Applicant: **RESOURCE INTERNATIONAL INC.**, New Castle, DE (US)

(72) Inventor: **Dan Tafe**, Newark, DE (US)

(73) Assignee: **RESOURCE INTERNATIONAL INC.**, New Castle, DE (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/663,101**

(22) Filed: **Sep. 12, 2018**

(51) **LOC (13) Cl.** **15-01**

(52) **U.S. Cl.**
USPC **D15/5**

(58) **Field of Classification Search**
USPC D15/5; D12/164–166
CPC ... F28F 9/001; F28F 9/007; F28F 7/00; F28D 1/05366; F28D 1/0435
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D263,461	S *	3/1982	Young		D12/166
5,009,262	A *	4/1991	Halstead		B60H 1/3227
					165/140
5,092,398	A *	3/1992	Nishishita		F28F 9/0224
					165/153
5,183,103	A *	2/1993	Tokutake		F28F 9/002
					165/67
5,186,244	A *	2/1993	Joshi		B60H 1/3227
					165/135
6,158,500	A *	12/2000	Heine		B60K 11/04
					165/140
6,189,603	B1 *	2/2001	Sugimoto		F28D 1/0435
					165/135
6,283,200	B1 *	9/2001	Sugimoto		F28D 1/05366
					165/173

6,904,958	B2 *	6/2005	Ozaki		F28F 9/002
					165/173
7,500,514	B2 *	3/2009	Heine		F01P 11/08
					165/140
D619,511	S *	7/2010	Sullivan		D12/166
D717,218	S *	11/2014	Tafe		D12/166
D717,702	S *	11/2014	McCardle		D12/166

(Continued)

OTHER PUBLICATIONS

Found on Mishimoto website [online], [site visited on Apr. 1, 2020].
Available from internet, URL: <<https://www.mishimoto.com/chevrolet-corvette-performance-aluminum-radiator-2005-2013.html>> (Year 2020)
(Year: 2020).*

(Continued)

Primary Examiner — Sheryl Lane

Assistant Examiner — Mark T. Philipps

(74) *Attorney, Agent, or Firm* — Condo Roccia Koptiw LLP


(57) **CLAIM**

The ornamental design for a radiator for automotive applications, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a radiator for automotive applications showing our new design;
FIG. 2 is a back view thereof;
FIG. 3 is a left view thereof;
FIG. 4 is a right view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is bottom view thereof; and,
FIG. 7 is a perspective view thereof.
The broken lines in the drawing figures show portions of the radiator for automotive applications which form no part of the claimed design.
The shade lines in the figures show contour and not surface ornamentation.

1 Claim, 7 Drawing Sheets



References Cited

D746,732	S	*	1/2016	Pruitt		D12/166
D751,472	S	*	3/2016	Pruitt		D12/166
D802,492	S	*	11/2017	Pruitt		D12/166
D802,493	S	*	11/2017	Pruitt		D12/166
D802,494	S	*	11/2017	Pruitt		D12/166
D802,495	S	*	11/2017	Pruitt		D12/166
2002/0056541	A1	*	5/2002	Kokubunji		B60K 11/04 165/67
2005/0061488	A1	*	3/2005	Yu		F28D 1/0443 165/140
2006/0213640	A1	*	9/2006	Matsuoka		B62D 25/084 165/67
2011/0277958	A1	*	11/2011	Richardson		F28D 1/05383 165/76
2014/0360704	A1	*	12/2014	Kim		F28F 9/0234 165/140
2019/0063305	A1	*	2/2019	Kennedy		F28F 9/001

Found on Mishimoto website [online], [site visited on Apr. 1, 2020], Available from internet, URL: <<https://www.mishimoto.com/ford-raptor-performance-aluminum-radiator-2010-2014.html>> (Year 2020) (Year: 2020).*

Found on Mishimoto website [online], [site visited on Apr. 1, 2020], Available from internet, URL: <<https://www.mishimoto.com/automotive/aluminum-radiator-performance.html>> (Year 2020) (Year: 2020).*

* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7