



US00D921066S

(12) **United States Design Patent**
Lee et al.

(10) **Patent No.:** **US D921,066 S**
(45) **Date of Patent:** **** Jun. 1, 2021**

(54) **REFRIGERATOR**

D647,927 S * 11/2011 Lee D15/85
D694,289 S * 11/2013 Hottmann D15/89
D710,406 S * 8/2014 Seo D15/89

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(Continued)

(72) Inventors: **Seonju Lee**, Suwon-si (KR);
Cheolwoong Seo, Suwon-si (KR);
Sanghyun Lee, Suwon-si (KR); **Jaemin Lee**,
Suwon-si (KR)

FOREIGN PATENT DOCUMENTS

EM 0020889890001 8/2012
EM 0014154340015 6/2014

(Continued)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**,
Gyeonggi-Do (KR)

OTHER PUBLICATIONS

(**) Term: **15 Years**

“How to Adjust Moisture Settings in Sub-Zero Crisper Drawers”
[online], baconappliance.com. [Published on Mar. 1, 2020], Retrieved
from the Internet: <<https://www.baconappliance.com/blog/how-to-adjust-moisture-settings-in-sub-zero-criper-drawers/>>.*

(21) Appl. No.: **29/724,274**

(22) Filed: **Feb. 13, 2020**

Primary Examiner — Mojtaba Tehrani

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(30) **Foreign Application Priority Data**

Sep. 4, 2019 (KR) 30-2019-0042722

(51) **LOC (13) Cl.** **15-07**

(52) **U.S. Cl.**
USPC **D15/89**

(58) **Field of Classification Search**
USPC D15/79, 80, 81, 82, 83, 84, 85, 86, 87,
D15/88, 89, 90, 91; D6/657, 659;
D3/304, 307
CPC F25C 2400/10; F25D 2400/10; F25D
2400/12; F25D 2400/14; F25D 2400/18;
G05B 2219/2654; G09F 23/0058; Y10S
292/71

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a refrigerator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a refrigerator, showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is an enlarged view of the encircled portion 8 of FIG. 1; and,
FIG. 9 is a cross-sectional view taken along line 9-9 of FIG. 2.

The broken lines illustrating portions of the refrigerator form no part of the claimed design.


The dot-dot-dash broken lines encircling enlargement portions of the design form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D513,757 S * 1/2006 Grobleben D15/89
D518,832 S * 4/2006 Park D15/81
D616,001 S * 5/2010 Yang D15/86
D639,315 S * 6/2011 Yang D15/85

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D761,885 S * 7/2016 McConnell D15/89
D766,345 S * 9/2016 Lee D15/89
D783,061 S * 4/2017 Kim D15/89
D790,609 S * 6/2017 Kim D15/89
D807,412 S * 1/2018 Lee D15/89
D809,797 S * 2/2018 Kraemer D3/307
D810,795 S * 2/2018 Burke D15/89
D817,366 S * 5/2018 Kim D15/79
D819,092 S * 5/2018 Ammerman D15/89
D842,607 S * 3/2019 Kraemer D3/310
D847,218 S * 4/2019 Choi D15/89
D847,219 S * 4/2019 Jeon D15/89
D862,530 S * 10/2019 Seo D15/89
D873,870 S * 1/2020 Kim D15/89
D877,211 S * 3/2020 Kamper D15/81
D878,432 S * 3/2020 Lee D15/89
D878,434 S * 3/2020 Kim D15/91
D886,166 S * 6/2020 Kim D15/89
D895,696 S * 9/2020 Buter D15/89
2020/0326119 A1 * 10/2020 Lee F25D 23/02

FOREIGN PATENT DOCUMENTS

EM 0033559650004 8/2016
EM 0053105210001 6/2018
KR 300855723 5/2016

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

