

US00D921106S



(12) **United States Design Patent**
Casillas

(10) **Patent No.:** **US D921,106 S**
(45) **Date of Patent:** **** Jun. 1, 2021**

- (54) **CARDSTOCK VIDEO BOOK WITH COVER INSERT**
- (71) Applicant: **Formulated Lines LLC**, New Port Richey, FL (US)
- (72) Inventor: **Kristy Casillas**, New Port Richey, FL (US)
- (73) Assignee: **Formulated Lines LLC**, New Port Richey, FL (US)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/685,993**
- (22) Filed: **Apr. 2, 2019**
- (51) **LOC (13) Cl.** **19-01**
- (52) **U.S. Cl.**
USPC **D19/2; D14/345; D14/129; D19/26**
- (58) **Field of Classification Search**
USPC .. D14/126, 129, 130, 132, 133, 138 G, 140, D14/142, 336, 371, 372, 374, 375, 376, D14/380, 382, 383, 448, 451, 496, 345, D14/138 AB; D20/19, 40; D19/1, 2, 26, D19/59, 60, 76, 91, 100; D9/414, 418, D9/420, 433
CPC B42D 15/022; B42D 15/04; B42D 15/042; B42D 15/047; B42D 3/00; B42D 3/12; B42D 3/123; B42D 3/18; G09B 5/06; G09B 5/062; G06F 3/147; G09F 1/04; G09F 1/12; H04N 5/772
See application file for complete search history.

- 5,167,508 A * 12/1992 McTaggart G09B 5/062 434/317
- D334,210 S * 3/1993 Menchetti D19/2
- D339,139 S * 9/1993 Jones D14/130
- D344,069 S * 2/1994 Marmie D14/345
- D344,455 S * 2/1994 Kornberg D3/271.5
- 5,290,190 A * 3/1994 McClanahan G09B 5/062 434/317
- D354,483 S * 1/1995 Yamazaki D14/374
- D362,865 S * 10/1995 Komuta D14/345
- 5,466,158 A * 11/1995 Smith, III G09B 5/062 273/236
- D365,362 S * 12/1995 Warren D19/26
- D378,686 S * 4/1997 Proctor D14/345
- 5,663,748 A * 9/1997 Huffman G06F 15/0283 345/173
- D386,521 S * 11/1997 Eisenbaum D14/345
- D388,463 S * 12/1997 Sullins D19/83
- 5,703,624 A * 12/1997 van Kruistum G06T 1/00 345/169
- D391,987 S * 3/1998 Jambhekar D14/315
- D397,998 S * 9/1998 Ambroe D19/26
- D399,526 S * 10/1998 Brady D14/345
- D402,310 S * 12/1998 Hendricks D14/345
- 5,847,698 A * 12/1998 Reavey G06F 15/0283 345/173
- D410,028 S * 5/1999 Fyffe D14/345
- D413,889 S * 9/1999 Nakano D14/167
- D418,503 S * 1/2000 Amron D14/203.7
- D418,829 S * 1/2000 Amron D14/203.7
- D419,986 S * 2/2000 Amron D14/203.7
- D419,987 S * 2/2000 Amron D14/496
- D420,662 S * 2/2000 Amron D14/203.7
- D421,980 S * 3/2000 Amron D14/496
- D425,558 S * 5/2000 Tarpenning D14/336
- D425,885 S * 5/2000 Amron D14/203.7
- D428,004 S * 7/2000 Colvin D14/345
- D428,018 S * 7/2000 Amron D14/203.7
- D428,019 S * 7/2000 Amron D14/203.7
- D429,712 S * 8/2000 Afshar-Ghochani D14/142
- D429,761 S * 8/2000 Ward D19/26
- D430,117 S * 8/2000 Sachs D14/327
- D431,731 S * 10/2000 Schwab D3/201
- D434,400 S * 11/2000 Rosen D14/132
- D436,100 S * 1/2001 Taylor D14/226
- D437,593 S * 2/2001 Keeler D14/336
- D437,612 S * 2/2001 Verdicchio D19/26
- 6,201,878 B1 * 3/2001 Azima B42D 15/022 181/142
- D445,787 S * 7/2001 Francis D14/345
- D446,809 S * 8/2001 Parker D19/26
- D448,763 S * 10/2001 Ikenaga D14/345
- D449,606 S * 10/2001 Lee D14/345

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D271,726 S * 12/1983 Drake D19/26
4,636,881 A * 1/1987 Brefka G09B 5/062 360/12
D313,044 S * 12/1990 Spak D19/26
D318,859 S * 8/1991 Hollis D14/345
D321,175 S * 10/1991 Tsuchiya D19/60
D326,446 S * 5/1992 Wong D14/345



US D921,106 S

Page 2

D454,870	S *	3/2002	Lee	D14/341	
6,437,974	B1 *	8/2002	Liu	G09F 9/35	
				248/917	
D466,115	S *	11/2002	Hawkins	D14/341	
D468,349	S *	1/2003	Scott	D19/26	
6,525,706	B1 *	2/2003	Rehkemper	G09B 5/06	
				345/87	
6,646,672	B2 *	11/2003	Feierbach	G06F 1/1616	
				348/14.01	
D487,481	S *	3/2004	Harris	D19/26	
D489,367	S *	5/2004	Lynch	D14/345	
D490,807	S *	6/2004	Murata	D14/345	
D491,942	S *	6/2004	Takahashi	D14/345	
D494,968	S *	8/2004	Yonekawa	D14/345	
D495,693	S *	9/2004	Yonekawa	D14/345	
D499,095	S *	11/2004	Balarezo	D14/345	
D500,316	S *	12/2004	Lynch	D14/345	
D507,567	S *	7/2005	Yonekawa	D14/345	
D517,545	S *	3/2006	Buckel	D14/345	
D523,853	S *	6/2006	Ishikawa	D14/345	
D545,359	S *	6/2007	Bramhall	D19/1	
D547,372	S *	7/2007	Bharma	D19/26	
D549,283	S *	8/2007	Bharma	D19/27	
D580,432	S *	11/2008	Yun	D14/345	
D582,661	S *	12/2008	Katsof	D3/201	
D589,014	S *	3/2009	Zhan	D14/132	
D604,730	S *	11/2009	Shih	D14/345	
D616,929	S *	6/2010	Krivanek	D19/1	
D618,683	S *	6/2010	Wilson	D14/371	
D622,513	S *	8/2010	Tang	D14/371	
D628,569	S *	12/2010	Guo	D14/341	
D629,458	S *	12/2010	Clegg	D19/1	
D629,459	S *	12/2010	Clegg	D19/1	
D629,798	S *	12/2010	Arie	D14/341	
D629,843	S *	12/2010	Tartarone	D19/26	
D631,471	S *	1/2011	Jensen	D14/315	
D632,330	S *	2/2011	Qiao	D19/1	
D632,734	S *	2/2011	Qiao	D19/1	
D638,833	S *	5/2011	Chuang	D14/345	
D642,611	S *	8/2011	Clegg	D19/1	
D643,060	S *	8/2011	Clegg	D19/1	
D646,659	S *	10/2011	Liberatore	D14/132	
D647,559	S *	10/2011	Clegg	D19/1	
D647,560	S *	10/2011	Naimi	D19/26	
D649,588	S *	11/2011	Clegg	D19/1	
D649,589	S *	11/2011	Clegg	D19/1	
D651,616	S *	1/2012	Kain	D14/496	
D654,113	S *	2/2012	Clegg	D19/1	
D655,750	S *	3/2012	Clegg	D19/1	
D655,751	S *	3/2012	Sato	D19/26	
D657,417	S *	4/2012	Naimi	D19/26	
D659,754	S *	5/2012	Rossiter	D19/1	
D660,909	S *	5/2012	Clegg	D19/1	
D661,348	S *	6/2012	Mayer	D19/1	
D661,732	S *	6/2012	Clegg	D19/1	
D669,480	S *	10/2012	Piedra	D14/440	
D671,114	S *	11/2012	Akana	D14/341	
D680,067	S *	4/2013	Nomi	D13/108	
D681,054	S *	4/2013	Koh	D14/496	
D684,626	S *	6/2013	Lam	D19/26	
D685,341	S *	7/2013	Cetera	D14/203.4	
D685,342	S *	7/2013	Cetera	D14/203.4	
D690,275	S *	9/2013	Seidl	D13/162	
D691,653	S *	10/2013	Benadon	D19/26	
D699,181	S *	2/2014	Hung	D13/108	
D719,717	S *	12/2014	Schweitzer	D1/121	
D720,005	S *	12/2014	Cofone	D19/26	
D748,629	S *	2/2016	Brown	D14/383	
D749,055	S *	2/2016	Lee	D14/204	
D762,262	S *	7/2016	Richardson	D19/1	
D765,779	S *	9/2016	Deckerd	D19/1	
D770,448	S *	11/2016	Endo	D14/371	
9,491,876	B2 *	11/2016	Weber	G06F 1/1616	
D780,844	S *	3/2017	Frommelt	D19/26	
D790,007	S *	6/2017	Knight	D19/1	
D802,661	S *	11/2017	Salatandre	D19/2	
D809,470	S *	2/2018	Dancsecs	D14/132	
D809,471	S *	2/2018	Dancsecs	D14/132	
D813,312	S *	3/2018	Mahbubani	D20/40	
D822,106	S *	7/2018	Mahbubani	D19/1	
D822,658	S *	7/2018	Okuley	D14/345	
D850,440	S *	6/2019	Gentle	D14/336	
D859,400	S *	9/2019	Konishi	D14/345	
D862,456	S *	10/2019	Nishizawa	D14/341	
D882,392	S *	4/2020	Haines	D9/420	
D886,820	S *	6/2020	Nishizawa	D14/345	
D887,415	S *	6/2020	Claudepierre	D14/440	
D893,609	S *	8/2020	Schiumarini	D19/26	
2002/0054073	A1 *	5/2002	Yuen	G06F 16/685	
				715/727	
2005/0186547	A1 *	8/2005	Yang	G09B 5/062	
				434/308	
2005/0271354	A1 *	12/2005	Yeh	H04N 5/772	
				386/219	
2006/0134591	A1 *	6/2006	Karat	B42D 15/022	
				434/308	
2008/0289230	A1 *	11/2008	Mandelbaum	B42D 15/022	
				40/124.01	
2009/0211126	A1 *	8/2009	Oh	G09F 1/04	
				40/124.03	
2011/0066945	A1 *	3/2011	Lee	H04N 5/772	
				715/719	
2011/0214319	A1 *	9/2011	Hsu	G09F 1/04	
				40/124.09	
2011/0244438	A1 *	10/2011	Legrand	G09B 5/062	
				434/317	
2014/0041264	A1 *	2/2014	Chambers	B42D 15/022	
				40/124.06	
2017/0297360	A1 *	10/2017	Milon	B42D 15/022	
* cited by examiner					
<i>Primary Examiner</i> — Marie D. Fast Horse					
(74) <i>Attorney, Agent, or Firm</i> — Larson & Larson, P.A.;					
Frank Liebenow; Justin P. Miller					
(57) CLAIM					
The ornamental design for a cardstock video book with cover insert, as shown and described.					
DESCRIPTION					
FIG. 1 is a perspective view of a cardstock video book with cover insert showing my new design in a closed configuration;					
FIG. 2 is a front elevation view thereof in the closed configuration;					
FIG. 3 is a rear elevation view thereof in the closed configuration;					
FIG. 4 is a right side elevational view thereof in the closed configuration;					
FIG. 5 is a left side elevational view thereof in the closed configuration;					
FIG. 6 is a bottom plan view thereof in the closed configuration;					
FIG. 7 is a top plan view thereof in the closed configuration;					
FIG. 8 is an inside perspective view thereof in an open configuration;					
FIG. 9 is an inside front elevation view thereof in the open configuration;					
FIG. 10 is a rear elevation view thereof in the open configuration;					
FIG. 11 is a right side elevational view thereof in the open configuration;					
FIG. 12 is a left side elevational view thereof in the open configuration;					
FIG. 13 is a bottom plan view thereof in the open configuration;					
FIG. 14 is a top plan view thereof in the open configuration;					

FIG. 15 is an inside perspective view of a second embodiment of my claimed design in the open configuration the difference consisting of disclaiming the video controls and speaker holes;

FIG. 16 is an inside front elevation view thereof in the open configuration;

FIG. 17 is a rear elevation view thereof in the open configuration;

FIG. 18 is a right side elevational view thereof in the open configuration;

FIG. 19 is a left side elevational view thereof in the open configuration;

FIG. 20 is a bottom plan view thereof in the open configuration; and,

FIG. 21 is a top plan view thereof in the open configuration. The cardstock video book with cover insert shows a rounded corner rectangular interior display with symbolic breaks in its height and width. The appearance of any portion of the article in between these broken lines, including the broken lines themselves, forms no part of the claimed design. All other broken lines depict portions of the cardstock video book with cover insert that form no part of the claimed design.

1 Claim, 15 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10



FIG. 11




FIG. 12



FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17



FIG. 18




FIG. 19



FIG. 20



FIG. 21