



US00D921221S

(12) **United States Design Patent** (10) **Patent No.:** **US D921,221 S**  
**Sitton** (45) **Date of Patent:** **\*\* Jun. 1, 2021**

(54) **TRAY FOR HOLDING VESSELS**  
(71) Applicant: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)  
(72) Inventor: **Gregory W. Sitton**, Minneapolis, MN (US)  
(73) Assignee: **3M INNOVATIVE PROPERTIES COMPANY**, St. Paul, MN (US)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/697,361**  
(22) Filed: **Jul. 8, 2019**  
(51) **LOC (13) Cl.** ..... **24-02**  
(52) **U.S. Cl.**  
USPC ..... **D24/229**  
(58) **Field of Classification Search**  
USPC ..... D24/107, 121, 169, 186, 216, 223-230;  
D9/756-758  
CPC ..... B01L 9/06; B01L 3/502  
See application file for complete search history.

D867,614 S \* 11/2019 Jones ..... D24/227  
D875,968 S \* 2/2020 Curry ..... D24/227  
D889,683 S \* 7/2020 O’Bear ..... D24/224  
2010/0294319 A1\* 11/2010 Massaro ..... B08B 9/00  
134/23  
2019/0070573 A1\* 3/2019 Akiyama ..... G01N 1/38

**OTHER PUBLICATIONS**

“Cytomat™ 10 C Series Automated Incubators” Thermo Fisher, [retrieved from the internet on Aug. 27, 2018], URL <<https://www.thermofisher.com/order/catalog/product/51025983>>, 2 pages.

\* cited by examiner

*Primary Examiner* — Susan Bennett Hattan  
*Assistant Examiner* — Omeed Agilee  
(74) *Attorney, Agent, or Firm* — Eric E. Silverman

(57) **CLAIM**


The ornamental design for a tray for holding vessels, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of a tray for holding vessels in an open configuration;  
FIG. 2 is a left side elevation view thereof;  
FIG. 3 is a right side elevation view thereof;  
FIG. 4 is a front elevation view thereof;  
FIG. 5 is a back elevation view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is a top perspective view of the tray for holding vessels in a closed configuration; and,  
FIG. 9 is a top plan view thereof.  
The broken lines, the areas within them, and the areas bounded by both broken lines and solid lines depict portions of the tray for holding vessels that form no part of the claimed design.

**1 Claim, 7 Drawing Sheets**

(56) **References Cited**  
U.S. PATENT DOCUMENTS  
D245,118 S \* 7/1977 Heaton ..... D24/230  
D257,390 S \* 10/1980 Hahn ..... D24/230  
D265,126 S \* 6/1982 Beall ..... D24/230  
5,324,480 A 6/1994 Shumate  
D360,321 S \* 7/1995 Wang ..... D6/682.2  
5,531,959 A 7/1996 Johnson  
D574,505 S \* 8/2008 Muller-Cohn ..... D24/216  
8,028,843 B2 10/2011 Guzman  
D683,046 S \* 5/2013 Yin ..... D24/230  
D694,906 S \* 12/2013 Priebe ..... D24/229  
D724,236 S \* 3/2015 Motadel ..... D24/227  
D733,314 S \* 6/2015 Lui ..... D24/227  
D733,315 S \* 6/2015 Lui ..... D24/227  
9,079,757 B2 7/2015 Bjork  
D768,870 S \* 10/2016 Kuhn ..... D24/224  
D785,428 S \* 5/2017 Friesen ..... D8/71






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7




FIG. 8






FIG. 9